

(43)

**OFFICE OF EX. ENGINEER (PLANNING) WATER-I
DELHI JAL BOARD: GOVT. OF NCT OF DELHI
VARUNALAYA PHASE-I, KAROL BAGH
NEW DELHI-110085.**

No: DJB/EE(Planning) Water-I/Infra. Charges/2016/1734

Dated: 10.11.16

CIRCULAR

Executive Engineer(Plg)W-I Circular No. DJB/EE(Plg)W-I/2016/54 dated 05.04.16 had issued detailed guide lines regarding average daily demand for levy of Infrastructure Charges. The Infrastructure Charges (IFC) is strictly to be calculated as per Circular DJB/CE(Plg)W/2016/1249 to 1390 dated 11.03.16.

It has been informed that various Zones (both Revenue & Engineering) are implementing/ calculating Infrastructure Charges at the time of sanction of new water/sewer connections or reopening of disconnected water connection by not following circulated norms. This not only results in delay in sanction of new connection cases but also results in delay in sanction of new connection cases but also result in harassment to the consumer. To avoid such instances following clarifications are being issued for strict compliance for sanctioning of water connection:-

- a) Infrastructure Charges for water & sewer would be levied simultaneously at the zonal level in case of properties having are of 200 Sq. Mtrs. Or more. The file for measurement of plot area and area of the dwelling unit in which new water connection/reopening has been applied be sent to JE(W) Emergency. The concerned file will be sent to respective Planning Water division for cases having plot area 500 sqm or more for working out IFC for water & sewer both.
- b) In no case more than 10 water connections are to be sanctioned, including reopened connection, if any, in a property.
- c) Infrastructure Charges will be applicable in case of reopening of disconnected water connection, provided the property has been rebuilt or additional dwelling unit has been added. In case a new water connection, in such properties is applied where building has been rebuilt, instead of re-opening of old connection/s, new water connection in the name of new owner be preferred. Infrastructure Charges

पसो 7

[Signature]
11-12-16

would be applicable /leviable along with recovery of arrears in respect of disconnected connections, if any. However, in case a connection was disconnected on the request of a consumer for the reason of long outstation stay etc. by duly making the payment and no additional dwelling unit has been added then for re-opening of such disconnected water connection no Infrastructure Charges would be levied even if the property is 200 Sq. Mtrs. Or above. Similarly the re-opening of a water connection disconnected on non-payment shall not invite any levy of IF Charges.

- d) The Infrastructure Charges for water & sewer will be calculated and collected together as per circular referred above and as per latest amendment, if any, issued time to time.


10/11
EX.ENGINEER (PLANNING) WATER-I

Copy for information/necessary action to:

1. PS to Chairman, DJB for kind information.
2. Vice Chairman, DJB for kind information.
3. Members of the Board for kind information.
4. Secy. To CEO for kind information of CEO.
5. Member(A)/Member(F)/Member(W)/Member(Dr.)
6. All Chief Engineers.
7. Director(F&A)/Director(A&P)/Secretary, DJB.
8. All Area Jt. Directors(Revenue)/All Dy. Directors(Revenue).
9. Jt. Director(F&A)-I&II/Dy. Director(Vig.).
10. All ACS/All AOs.
11. All Areas Jt. Directors(Revenue)/All Dy. Directors(Revenue).
12. All SEs(Maintenance)/ All EES(W/S/R)
13. All ZROs are directed to take action accordingly.
14. A.O(PR): for necessary Press Release.
15. EE(EDP) : for uploading on DJB Website.
16. Project Director, M/s. TCS, 6th Floor ,Varunalaya Building-II for necessary modification in application software.
17. Guard File.