DELHI JAL BOARD: GOVT. OF N.C.T. DELHI OFFICE OF THE SUPERINTENDING ENGINEER (PLG) DRAIANGE VARUNALAYA: PHASE-I: KAROL BAGH: NEW DELHI

No.DJB/SE (Plg.) DR/2020/ 517 70 540

Dated 30/7/20

CIRCULAR

Sub: Use of treated effluent for Water Bodies.

Delhi Jal Board vide Resolution no. 986, Item No T-307 has approved the following in its 152nd meeting held on 12-06-2020 regarding Use of Treated Effluent for Water Bodies:

- 1. The existing rate of Rs.7/ KL shall continue to be applicable for supply of treated effluent to all the agencies /consumers who lift the treated effluent from the filling points of Delhi Jal Board at its STPs or from already laid DJB infrastructure.
- 2. Rs.4/KL shall be charged from the consumers who agree to lay the conveyance system/infrastructure from DJB source/facility upto their premises and also bear the cost of O&M of the conveyance system /infrastructure laid by them. In case any consumer wants to get the conveyance system/infrastructure laid by Delhi Jal Board upto their premises, such works shall be got executed by DJB as a deposit work on their behalf. However, after the execution of the capital work, the conveyance system/infrastructure shall be handed over to the consumer/agency. The rate of supply of treated effluent in such cases will be Rs.4/KL.
- 3. The treated effluent shall be supplied for irrigation purposes, ground water recharge and recharging of water bodies free of cost. However, the infrastructure shall be laid and maintained by the consumer /agency or will be got created by DJB as a deposit work on their behalf which will be transferred to the user agencies for O&M after installation.

SE(Plg)DR

All Chief Engineers

Copy to:

- PS to Chairman/Vice Chairman/CEO, DJB
- Member (A)/Member(F)/Member(W)/Member(DR)
- 3. Director (Revenue)(DOR)/Director(F&A)/Director (A&P)
- 4. All SEs

c-affice > 9821925. All Area Jt. Directors(Revenue)/All Dy. Directors (Revenue)

Orphological St. Director (F&A)-I & II/Dy. Director (Vig.)

EE(EDP) for uploading on DJB Website

Office copy