## TRANSPORT DEPARTMENT: GNCTD OPERATIONBRANCH, 5/9, UNDER HILL ROAD, DELHI-110054

DC/OPS/TPT/855/2017/Part-II/ 445-447

CIRCULAR

Dated: Feb 13,2020

Approval of the Competent Authority, Transport Department, Government of NCT of Delhi is hereby conveyed to allow the registration approval of vehicle models manufactured by M/s .Tata Motors Ltd, in the as per the details contained in the Type Approval Certificate issued by designated testing agency under Rule 126 of CMV Rule, 1989 i.e ARAI, Pune, for the compliance of the Central Motor Vehicle Rules as follows:-

S.No	Details as pe	Details as per Tpye Approval Certificate as per CMVR					
1	Agency, Certificate No.& Date	ARAI, Pune - AAON 0439 dated 13.12.2019					
2	Document Reference	Current Certificate					
3	This certificate supersedes	===					
4	Bharat Stage	BS-VI /with OBD I					
5	Type & Category	Bogie Suspension Bus- N3					
6	Fuel	Diesel					
7	Power	186 kW @ 2300 rpm <b>6702 cc</b>					
8	Seating Capacity	2 Persons(including Driver)					
9	Name & Manufacturer	M/s Tata Motors Ltd,Pimpri, Pune -411018 Plants:Jamshedpur/Pune/Lucknow/Dharwad/Pantnagar					
10.	Details of Base Model with G						

Base Model	GVW in Kg	Wheel Base	Load Carrying Capacity	Variants
TATA SIGNA 5525.S BSVI, Haulage Tractor with Sleeper Cab	28000 (Annexure –V to AAON 0439 dated 13.12.2019 enclosed)	3890 (Annexure - "A" to AAON 0439 dated 13.12.2019 enclosed)	NA	Annexure –IV to AAON 0439 dated 13.12.2019-details of 23 variants is enclosed

Note :-Vehicle with incomplete configurations need to be verified after body building, at the time of registration. These respective vehicles and rules which need verification are marked (\*). As the GVW of the Diesel vehicle is more than 7500 kg this endorsement is subject to approval/permission from the Hon'ble National Green Tribunal and Supreme Court of India for registration in Delhi

The endorsement approval is accorded subject to the responsibility of the manufacturer for ensuring the fitment of the same component , parts/assemblies etc. the details of which are given in the detailed specifications duly endorsed by ARAI, Pune at the time of submission of the vehicles for COF/Registration Manufactured should ensure that the vehicle is delivered fully build by them and no element of local body is involved .

All MLOs/CMVI (Burari) are requested to accept the base model and variants detailed above manufactured by M/s Tata Motors Ltd, in NCT of Delhi, subject to fulfillment of provisions of Motor Vehicle Act and Rules made thereunder directions of Hon'ble Court/ Tribunals and department's instruction /order issued from time to time in this regard.

DC/OPS/TPT/855/2017/Part-II/ 445-447 Copy forwarded for information and necessary action to:

1. All MLOs/CMVI (Burai)/Programmer , Transport Department

2. M/s Tata Motors Ltd, Pimpri, Pune -411018,

 $\sqrt{\,}$  3. Sr.SA Computer Branch, Transport Department to upload on the website.

4. Guard File.

Dated: Feb /3,2020

PCO (OPERATIONS)

(VIKAS JAIN)

(VIKAS JAIN) PCO (OPERATIONS)

## ANNEXURE-IV

CMVR CERTIFICATE No. A

A O N 0439

N 0439 dt. 13<sup>th</sup> December 2019

Variants	Type / Description	Category	Load Body Type	Capacity (Including Driver)	GVW Combination (kg) Weight (GCW), kg
TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl	Bogle Suspension		T	1 Person	
TATA LPS 5525 BS VI Haulage Tractor with Sleeper Cab	Bogie Suspension			2 Persons	
TATA LPS 5525 BS VI Haulage Tractor with Cowl	Bogle Suspension			1 Person	
TATA LPS 5525 BS VI Haulage Tractor with Sleeper Cab	Bogle Suspension			2 Persons	
TATA LPS 5525 BS VI Haulage Tractor with Cowl	Bogle Suspension			1 Person	
TATA SIGNA 5525.S BS VI Haulage Tractor with Sleeper Cab	Standard Suspension (semi elliptic multileaf spring)			2 Persons	1
TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl	Standard Suspension (semi elliptic multileaf spring)	N3	NA	1 Person	Refer ANNEXURE-\
TATA LPS 5525 BS VI Haulage Tractor with Sleeper Cab	Standard Suspension (semi elliptic multileaf spring)		Account	2 Persons	
TATA LPS 5525 BS VI Haulage Tractor with Cowl	Standard Suspension (semi elliptic multileaf spring)			1 Person	
TATA LPS 5525 BS VI, Haulage Tractor with Sleeper Cab	Standard Suspension (semi elliptic multileaf spring)			2 Persons	
TATA LPS 5525 BS VI, Haulage Tractor with Cowl	Standard Suspension (semi elliptic multileaf spring)			1 Person	
TATA SIGNA 5525.S BS VI Haulage Tractor with Sleeper Cab	Bogle Suspension	- n		2 Persons	
	Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Sleeper Cab TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI, Haulage Tractor with Cowl TATA LPS 5525 BS VI, Haulage Tractor with Cowl TATA LPS 5525 BS VI, Haulage Tractor with Cowl TATA LPS 5525 BS VI, Haulage Tractor with Cowl	Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Sleeper Cab TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl	Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Sleeper Cab TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Sleeper Cab TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Sleeper Cab TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Sleeper Cab TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Sleeper Cab	Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Sleeper Cab TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl	Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Sleeper Cab TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI Haulage Tractor with Cowl TATA LPS 5525 BS VI, Haulage Tractor with Cowl TATA LPS 5525 BS VI, Haulage Tractor with Cowl TATA LPS 5525 BS VI, Haulage Tractor with Cowl TATA LPS 5525 BS VI, Haulage Tractor with Cowl TATA LPS 5525 BS VI, Haulage Tractor with Cowl TATA LPS 5525 BS VI, Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI, Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl TATA SIGNA 5525.S BS VI Haulage Tractor with Bogie Suspension Some elliptic multileaf spring) TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl

K. SRINIVAS SR. DEPUTY DIRECTOR, EMISSION CERTIFICATION LABORATORY, ARAI, PUNE.



**AUTHORISED SIGNATORY** 

Mrs. RASHMI URDHWARESHE DIRECTOR

ARAI, PUNE

Page 5 of 7





## ANNEXURE-IV

CMVR CERTIFICATE No. A A O N 0439 dt. 13th December 2019

	Variants	Type / Description	Category	Load Body Type	Seating Capacity (Including Driver)	GVW (kg)	Gross Combination Weight (GCW), kg
13(•)	TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl	Bogie Suspension			1 Person		
14(*)	TATA LPS 5525 BS VI Haulage Tractor with Sleeper Cab	Bogie Suspension			2 Persons		
15(•)	TATA LPS 5525 BS VI Haulage Tractor with Cowl	Bogie Suspension		ž.	1 Person		
16(•)	TATA LPS 5525 BS VI Haulage Tractor with Sleeper Cab	Bogle Suspension			2 Persons		
17(•)	TATA LPS 5525 BS VI Haulage Tractor with Cowl	Bogle Suspension			1 Person		
18(•)	TATA SIGNA 5525.S BS VI Haulage Tractor with Sleeper Cab	Standard Suspension (semi elliptic multileaf spring)	N3	NA	2 Persons	Refer	ANNEXURE-V
19(•)	TATA SIGNA 5525.S BS VI Haulage Tractor with Cowl	Standard Suspension (semi elliptic multileaf spring)			1 Person		
20(•)	TATA LPS 5525 BS VI Haulage Tractor with Sleeper Cab	Standard Suspension (semi elliptic multileaf spring)			2 Persons		
21(•)	TATA LPS 5525 BS VI Haulage Tractor with Cowl	Standard Suspension (semi elliptic multileaf spring)	*		1 Person	***************************************	
22(•)	TATA LPS 5525 BS VI, Haulage Tractor with Sleeper Cab	Standard Suspension (semi elliptic multileaf spring)			2 Persons		
23(•)	TATA LPS 5525 BS VI, Haulage Tractor with Cowl	Standard Suspension (semi elliptic multileaf spring)			1 Person		
Note	Vehicles with incomplete of These respective vehicles	configurations need to be	verified afte	er body	building, at the	time of	registration.

K. SRINIVAS SR. DEPUTY DIRECTOR, EMISSION CERTIFICATION LABORATORY, ARAI, PUNE.



AUTHORISED SIGNATORY

Mrs. RASHMI URDHWARESHE DIRECTOR

DIRECTOR ARAI, PUNE

Page 6 of 7





## ANNEXURE-V

CMVR CERTIFICATE No. A A O N 0439 dt. 13th December 2019

	Front Axle Tyres	Rear Axle Tyres	GVW	GCW, kg	
Option 1	Tyre Size: 295/80 R22.5 16PR; 295/80 R22.5 18PR Load Index: 154/149; 152/149; 152/148; 153/150 Speed Symbol: G; J; K; M	Tyre Size: 295/80 R22.5 16PR; 295/80 R22.5 18PR Load Index: 154/149; 152/149; 152/148; 153/150 Speed Symbol: G; J; K; M	28000	with 3-Axle traile	
Option 2	Tyre Size: 295/80 R22.5 16PR; 295/80 R22.5 18PR Load Index: 154/149; 152/149; 152/148; 153/150 Speed Symbol: G; J; K; M	Tyre Size: 10.00R20 16PR Load Index: 146/143 , 147/143 Speed Symbol: K (110 km/h) For set speed at 80 km/h as per AlS018, TLCC will be (Dual Tyre- 2834 kg)	28000	55000	
Option 3	Tyre Size: 295/80 R22.5 16PR; 295/80 R22.5 18PR Load Index: 154/149; 152/149; 152/148; 153/150 Speed Symbol: G; J; K; M	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 70 km/h as per AlS018, TLCC will be ( Dual Tyre- 2915 kg)	28000	55000	
Option 4	Tyre Size: 10.00R20 16PR Load Index: 146/143 , 147/143 Speed Symbol: K (110 km/h) For set speed at 80 km/h as per AIS018, TLCC will be (Single Tyre - 3120 kg)	Tyre Size: 10.00R20 16PR Load Index: 146/143 , 147/143 Speed Symbol: K (110 km/h) For set speed at 80 km/h as per AIS018, TLCC will be ( Dual Tyre- 2834 kg)	27240	54240	
Option 5	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 70 km/h as per AlS018, TLCC will be (Single Tyre - 3210 kg)	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 70 km/h as per AlS018, TLCC will be (Dual Tyre - 2915 kg)	27420	54420	
Option 6	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 60 km/h as per AlS018, TLCC will be (Single Tyre - 3300 kg)	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 60 km/h as per AIS018, TLCC will be (Dual Tyre - 2997 kg)	27600	54600	
Option 7	Tyre Size: 10.00R20 16PR Load Index: 146/143 , 147/143 Speed Symbol: K (110 km/h) For No Set speed ( AIS018), TLCC will be (Single tyre – 3000 kg)	Tyre Size: 10.00R20 16PR Load Index: 146/143 , 147/143 Speed Symbol: K (110 km/h) For No Set speed ( AIS018), TLCC will be (Dual tyre 2725 kg)	27000	54000	
Option 8	Tyre Size: 295/90 R20; Load Index: 152/148; Speed Symbol: J; K	Tyre Size: 295/90 R20; Load Index: 152/148; Speed Symbol: J; K	28000	55000	
Option 9	Tyre Size: 295/90 R20; Load Index: 152/148; Speed Symbol: J; K	Tyre Size: 10.00R20 16PR Load Index: 146/143 , 147/143 Speed Symbol: K (110 km/h) For set speed at 80 km/h as per AlS018, TLCC will be (Dual Tyre- 2834 kg)	28000	55000	
Option 10	Tyre Size: 295/90 R20; Load Index: 152/148; Speed Symbol: J; K	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 70 km/h as per AIS018, TLCC will be ( Dual Tyre- 2915 kg)	28000	55000	

SR. DEPUTY DIRECTOR, EMISSION CERTIFICATION LABORATORY, ARAI, PUNE.

**AUTHORISED SIGNATORY** 

Mrs. RASHMI URDHWARESHE DIRECTOR ARAI, PUNE

Page 7 of 7