TRANSPORT DEPARTMENT: GNCTD OPERATIONBRANCH, 5/9, UNDER HILL ROAD, DELHI-110054

DC/OPS/TPT/855/2017/Part-II/ 451-453

CIRCULAR Dated : Feb_/3,2020

Approval of the Competent Authority, Transport Department, Government of NCT of Delhi is hereby conveyed to allow the registration approval of vehicle models manufactured by M/s .Tata Motors Ltd, in the as per the details contained in the Type Approval Certificate issued by designated testing agency under Rule 126 of CMV Rule, 1989 i.e ARAI, Pune, for the compliance of the Central Motor Vehicle Rules as follows:-

S.No	Details as pe	er Tpye Approval Certificate as per CMVR
1	Agency, Certificate No.& Date	ARAI, Pune - AAON 0460 dated 19.12.2019
2	Document Reference	Current Certificate
3	This certificate supersedes	
4	Bharat Stage	BS-VI /with OBD I
5	Type & Category	Truck chassis with Sleeper Cab N3
6	Fuel	Diesel
7	Power	139 kW @ 2300 rpm 5635 cc
8	Seating Capacity	2 Persons(including Driver)
9	Name & Manufacturer	M/s Tata Motors Ltd,Pimpri, Pune -411018 Plants:Jamshedpur/Pune/Lucknow/Dharwad/Pantnagar
10.	Details of Base Model with G	VW & Dimesions

Base Model	GVW in Kg	Wheel Base	Load Carrying Capacity	Variants
TATA SIGNA 2818.T BSVI, Truck Chassis with Sleeper Cab	As per Annexure-V to AAON 0460 dated 19.12.2019 is enclosed	As per Annexure-IV to AAON 0460 dated 19.12.2019 is enclosed	As per Annexure-IV to AAON 0460 dated 19.12.2019 is enclosed	Annexure –IV to AAON 0460 dated 19.12.2019-details of 32 variants is enclosed

Note:-Vehicle with incomplete configurations need to be verified after body building, at the time of registration. These respective vehicles and rules which need verification are marked (*).

As the GVW of the Diesel vehicle is more than 7500 kg this endorsement is subject to approval/permission from the Hon'ble National Green Tribunal and Supreme Court of India for registration in Delhi

The endorsement approval is accorded subject to the responsibility of the manufacturer for ensuring the fitment of the same component , parts/assemblies etc. the details of which are given in the detailed specifications duly endorsed by ARAI, Pune at the time of submission of the vehicles for COF/Registration Manufactured should ensure that the vehicle is delivered fully build by them and no element of local body is involved .

All MLOs/CMVI (Burari) are requested to accept the base model and variants detailed above manufactured by M/s Tata Motors Ltd, in NCT of Delhi, subject to fulfillment of provisions of Motor Vehicle Act and Rules made thereunder directions of Hon'ble Court/ Tribunals and department's instruction /order issued from time to time in this regard.

DC/OPS/TPT/855/2017/Part-II/ 451-453

Copy forwarded for information and necessary action to:

1. All MLOs/CMVI (Burai)/Programmer , Transport Department

2. M/s Tata Motors Ltd, Pimpri, Pune -411018,

3. Sr.SA Computer Branch, Transport Department to upload on the website.

4. Guard File.

(VIKAS JAIN)
PCO (OPERATIONS)
Dated: Feb 13,2020

(VIKAS JAIN)
PCO (OPERATIONS)



CMVR CERTIFICATE No. A

0 0460

dt. 19th December 2019

Bas	se Model / Variants		Base, Bo	Load Seating Body Capacity		Load Ca	rrying Ca	pacity, k	g		
	Type/ Description	Category				GVW kg					
	TATA SIGNA 2818.T		28000	27600	27420	27240	2700				
Base Model(*)	Dase peus mant et		4880	NA	2 persons	To be verified after body building					
	Variants			1	机开帆 医动脉管	And the end		B RALLY E	THE VICENCE	NACO TO TO	
1(•)	TATA SIGNA 2818.T 1(*) BS-VI, Truck Chassis with Sleeper Cab		5505	NA	2 persons	To	be verifi	ed after	body build	ling	
2(•)	TATA SIGNA 2818.T BS-VI, Truck Chassis with Sleeper Cab	_	5905	NA	2 persons	То	be verific	ed after l	body build	ling	
3(•)	TATA SIGNA 2818.T BS-VI, Truck Chassis with Sleeper Cab		6750	NA	2 persons	To be verified after body buildin			oody build	ilding	
4(•)	TATA LPT 2818 BS-VI, Truck Chassis with Cowl & Windshield		4880	NA	f person				ing		
5(•)	TATA LPT 2818 BS- VI, Truck Chassis with Cowl & Windshield		5505	NA	1 person	То	To be verified after		body building		
6(*)	TATA LPT 2818 BS-VI, Truck Chassis with Cowl & Windshield	N3	5905	NA	1 person	То	be verifie	d after b	ody build	Ing	
7(•)	TATA LPT 2818 BS-VI, Truck Chassis with Cowl & Windshield		6750	NA	1 person	То	To be verified after body building				
8	TATA SIGNA 2818.T BS-VI, Truck Chassis with Sleeper Cab & Corrugated floor FSD load body		4880	FSD load body	2 persons	19186	18786	18606	18426	18186	
	TATA SIGNA 2818.T BS-VI, Truck Chassis with Sleeper Cab & Chequred floor FSD load body	<u></u>	4880	FSD load body	2 persons	18978	18578	18398	18218	17978	


A. A. BADUSHA SR. DEPUTY DIRECTOR & HEAD HOMOLOGATION MANAGEMENT, REGULATION & VEHICLE EVALUATION, ARAI, PUNE.



AUTHORISED SIGNATORY

Mrs. RASHMI URDHWARESHE DIRECTOR ARAI, PUNE.

Page 5 of 9





CMVR CERTIFICATE No. A A O N 0460 dt. 19th December 2019

	Base Model / Variants		Wheel Load	Seating	Load Carrying Capacity, kg					
			28000	27600	GVW kg	27240	Lazan			
10	TATA SIGNA 2818.T BS-VI, Truck Chassis with Sleeper Cab & Wooden floor FSD load body		4880	FSD load body	2 persons	18991	18591	18411	18231	1799
11	TATA SIGNA 2818.T BS-VI, Truck Chassis with Sleeper Cab & Corrugated floor HSD load body	and	4880	HSD load body	2 persons	18984	18584	18404	18224	17984
12	TATA SIGNA 2818.T BS-VI, Truck Chassis with Sleeper Cab & Chequred floor HSD load body	ć	4880	HSD load body	2 persons	18776	18376	18196	18016	17776
13	TATA SIGNA 2818.T BS-VI, Truck Chassis with Sleeper Cab & Wooden floor HSD load body	N3	4880	HSD load body	2 persons	18789	18389	18209	18029	17789
14	TATA SIGNA 2818.T BS-VI, Truck Chassis with Sleeper Cab With Flat Bed		4880	Flat Bed	2 persons	20708	20308	20128	19948	19708
15	TATA SIGNA 2818.T BS-VI, Truck Chassis with Sleeper Cab & Corrugated floor FSD load body		5505	FSD load body	2 persons	19000	18600	18420	18240	18000
16	TATA SIGNA 2818.T BS-VI, Truck Chassis with Sleeper Cab & Chequred floor FSD load body		5505	FSD load body	2 persons	18773	18373	18193	18013	17773
17	TATA SIGNA 2818.T BS-VI, Truck Chassis with Sleeper Cab & Wooden floor FSD load body		5505	FSD load body	2 persons	18788	18388	18208	18028	17788

AUTHORISED SIGNATORY

A. A. BADUSHA

SR. DEPUTY DIRECTOR & HEAD HOMOLOGATION MANAGEMENT, REGULATION &

VEHICLE EVALUATION, ARAI, PUNE.

RESEARCH ASSOCIATION OF AVERAGE AVERAG

Mrs. RASHMI URDHWARESHE DIRECTOR ARAI, PUNE.

Page 6 of 9



CMVR CERTIFICATE No. A

A O N 0460

0460 dt. 19th December 2019

E	Base Wodel / Variants		Wheel	Load Seating	Load Carrying Capacity, kg					
	Type/ Description	Category	Base,	Body Type		28000	27600	GVW kg 27420	27240	2700
18	TATA SIGNA 2818.T BS-VI, Truck Chassis with Sleeper Cab & Corrugated floor HSD load body		5505	HSD load body	2 persons	18783	18383	18203	18023	1778:
19	TATA SIGNA 2818.T BS-VI, Truck Chassis with Sleeper Cab & Chequred floor HSD load body		5505	HSD load body	2 persons	18551	18151	17971	17791	1755
20	TATA SIGNA 2818.T BS-VI, Truck Chassis with Sleeper Cab & Wooden floor HSD load body		5505	HSD load body	2 persons	18566	18166	17986	17806	1756
21	TATA SIGNA 2818.T BS-VI Truck Chassis with SIGNA Sleeper Cab & Corrugated floor FSD load body		5905	FSD load body	2 persons	18707	18307	18127	17947	1770
22	TATA SIGNA 2818.T BS-VITruck Chassis with SIGNA Sleeper Cab & Chequred floor FSD load body	ИЗ	5905	FSD load body	2 persons	18472	18072	17892	17712	1747:
23	TATA SIGNA 2818.T BS-VI Truck Chassis with SIGNA Sleeper Cab & Wooden floor FSD load body		5905	FSD load body	2 persons	18488	18088	17908	17728	1748
24	TATA SIGNA 2818.T BS-VI Truck Chassis with SIGNA Sleeper Cab & Corrugated floor HSD load body		5905	HSD load body	2 persons	18470	18070	17890	17710	17470
25	TATA SIGNA 2818.T BS-VI Truck Chassis with SIGNA Sleeper Cab & Chequred floor HSD load body		5905	HSD load body	-2 persons	18235	17835	17655	17475	1723

my

A. A. BADUSHA SR. DEPUTY DIRECTOR & HEAD HOMOLOGATION MANAGEMENT, REGULATION & VEHICLE EVALUATION, ARAI, PUNE. SIGNAL SAFE ON ON ON THE PHANE AND THE PHANE

AUTHORISED SIGNATORY

Mrs. RASHMI URDHWARESHE DIRECTOR ARAI, PUNE.

Page 7 of 9



CMVR CERTIFICATE No. A

N 0

0460 dt. 19th December 2019

	5		Wheel Load	Seating Capacity	Load Carrying Capacity, kg GVW kg					
Base Model / Variants Type/ Description		Category Base,			Body		F			
	Type/ Description	mm		Туре	(Inc. Driver)	28000	27600	27420	27240	27000
26	TATA SIGNA 2818.T BS-VI Truck Chassis with SIGNA Sleeper Cab & Wooden floor HSD load body		5905	HSD load body	2 persons	18251	17851	17671	17491	17251
27	TATA SIGNA 2818.T BS-VI Truck Chassis with SIGNA Sleeper Cab & Corrugated floor FSD load body		6750	FSD load body	2 persons	18108	17708	17528	17348	17108
28	TATA SIGNA 2818.T BS-VI Truck Chassis with SIGNA Sleeper Cab & Chequred floor FSD load body		6750	FSD load body	2 persons	17806	17406	17226	17046	1680
29	TATA SIGNA 2818.T BS-VI Truck Chassis with SIGNA Sleeper Cab & Wooden floor FSD load body	N3	6750	FSD load body	2 persons	17825	1.7425	17245	17065	1682
30	TATA SIGNA 2818.T BS-VI Truck Chassis with SIGNA Sleeper Cab & Corrugated floor HSD load body		6750	HSD load body	2 persons	17814	17414	17234	17054	1681
31	TATA SIGNA 2818.T BS-VI Truck Chassis with SIGNA Sleeper Cab & Chequred floor HSD load body		6750	HSD load body	2 persons	17508	17108	16928	16748	1650
32	TATA SIGNA 2818.T BS-VI Truck Chassis with SIGNA Sleeper Cab & Wooden floor HSD load body		6750	HSD load body	2 persons	17531	17131	16951	16771	1653

Note

These respective vehicles and rules which need verification are marked (•)

A. A. BADUSHA

SR. DEPUTY DIRECTOR & HEAD HOMOLOGATION MANAGEMENT, REGULATION & VEHICLE EVALUATION, ARAI, PUNE.

AUTHORISED SIGNATORY

Mrs. RASHMI URDHWARESHE DIRECTOR ARAI, PUNE.

Page 8 of



CMVR CERTIFICATE No. A

0

0460 dt. 19th December 2019

	Tyre Size and Gross Vehic		GVW
	Front Axle Tyres	Rear Axle Tyres	kg
Option 1	Tyre Size: 295/80 R22.5 16PR; 295/80 R22.5 18PR Load Index: 154/149; 152/149; 152/148; 153/150 Speed Symbol: G; J; K; M	Tyre Size: 295/80 R22.5 16PR; 295/80 R22.5 18PR Load Index: 154/149; 152/149; 152/148; 153/150 Speed Symbol: G; J; K; M	28000
Option 2	Tyre Size: 295/80 R22.5 16PR; 295/80 R22.5 18PR Load Index: 154/149; 152/149; 152/148; 153/150 Speed Symbol: G; J; K; M	Tyre Size: 10.00R20 16PR Load Index: 146/143 , 147/143 Speed Symbol: K	28000
Option 3	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 80 km/h as per AIS018, TLCC will be (Single Tyre - 3120 kg)	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 80 km/h as per AlS018, TLCC will be (Dual Tyre- 2834 kg)	27240
Option 4	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 70 km/h as per AIS018, TLCC will be (Single Tyre - 3210 kg)	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 70 km/h as per AlS018, TLCC will be (Dual Tyre - 2915 kg)	27420
Option 5	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 60 km/h as per AlS018, TLCC will be (Single Tyre - 3300 kg)	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 60 km/h as per AlS018, TLCC will be (Dual Tyre - 2997 kg)	27600
Option 6	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For No Set speed (AIS018), TLCC will be (Single tyre - 3000 kg)	Tyre Size: 10.00R20 16PR* Load Index: 146/143 , 147/143 Speed Symbol: K (110 km/h) For No Set speed (AIS018), TLCC will be (Dual tyre 2725 kg)	27000
Option 7	Tyre Size: 295/90 R20; Load Index:152/148; Speed Symbol:J; K	Tyre Size: 295/90 R20; Load Index:152/148; Speed Symbol:J; K	28000
Option 8	Tyre Size:295/90 R20; Load Index:152/148; Speed Symbol:J; K	Tyre Size:10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h)	28000

AUTHORISED SIGNATORY

A. A. BADUSHA

SR. DEPUTY DIRECTOR & HEAD HOMOLOGATION MANAGEMENT, REGULATION &

VEHICLE EVALUATION, ARAI, PUNE.

Mrs. RASHMI URDHWARESHE DIRECTOR ARAI, PUNE.

Page 9 of 9