

**TRANSPORT DEPARTMENT: GNCTD
OPERATION BRANCH, 5/9, UNDER HILL ROAD, DELHI-110054**

DC/OPS/TPT/855/2017/Part-II/ 439-441

Dated : Feb 13, 2020

CIRCULAR

Approval of the Competent Authority, Transport Department, Government of NCT of Delhi is hereby conveyed to allow the registration approval of vehicle models manufactured by **M/s .Tata Motors Ltd**, in the as per the details contained in the Type Approval Certificate issued by designated testing agency under Rule 126 of CMV Rule, 1989 i.e ARAI, Pune, for the compliance of the Central Motor Vehicle Rules as follows:-

| S.No | Details as per Tpe Approval Certificate as per CMVR | | | |
|---|--|---|--|---|
| 1 | Agency, Certificate No.& Date | ARAI, Pune - AAON 0440 dated 13.12.2019 | | |
| 2 | Document Reference | Current Certificate | | |
| 3 | This certificate supersedes | --- | | |
| 4 | Bharat Stage | BS-VI /with OBD I | | |
| 5 | Type Description & Category | Haulage Tractor with Sleeper Cab N3 | | |
| 6 | Fuel | Diesel | | |
| 7 | Power | 186 kW @ 2300 rpm 6702 cc | | |
| 8 | Seating Capacity | 2 Persons (including Driver) | | |
| 9 | Name & Manufacturer | M/s Tata Motors Ltd, Pimpri, Pune -411018 Plants: Jamshedpur/Pune/Lucknow/Dharwad/Pantnagar. | | |
| 10. | Details of Base Model with GVW & Dimesions | | | |
| | Base Model | GVW in Kg | Wheel Base | Load Carrying Capacity |
| | TATA SIGNA 4625.S BS VI, Haulage Tractor with Sleeper Cab | 18500 (Annexure -V to AAON 0440 dated 13.12.2019 enclosed) | 3320 (Annexure - "A" to AAON 0440 dated 13.12.2019 enclosed) | NA |
| | | | | Annexure -IV to AAON 0440 dated 13.12.2019-details of 05 variants is enclosed |
| Note :- Vehicle with incomplete configurations need to be verified after body building, at the time of registration. These respective vehicles and rules which need verification are marked (*). As the GVW of the Diesel vehicle is more than 7500 kg this endorsement is subject to approval/permission from the Hon'ble National Green Tribunal and Supreme Court of India for registration in Delhi | | | | |


The endorsement approval is accorded subject to the responsibility of the manufacturer for ensuring the fitment of the same component, parts/assemblies etc. the details of which are given in the detailed specifications duly endorsed by ARAI, Pune at the time of submission of the vehicles for COF/Registration. Manufacturer should ensure that the vehicle is delivered fully build by them and no element of local body is involved.

All MLOs/CMVI (Burari) are requested to accept the base model and variants detailed above manufactured by **M/s Tata Motors Ltd**, in NCT of Delhi, subject to fulfillment of provisions of Motor Vehicle Act and Rules made thereunder directions of Hon'ble Court/ Tribunals and department's instruction /order issued from time to time in this regard.

DC/OPS/TPT/855/2017/Part-II/ 439-441

Copy forwarded for information and necessary action to:

1. All MLOs/CMVI (Burari)/Programmer, Transport Department
2. M/s Tata Motors Ltd, Pimpri, Pune -411018,
3. Sr.SA Computer Branch, Transport Department to upload on the website.
4. Guard File.


 13 Feb 2020
 (VIKAS JAIN)
 PCO (OPERATIONS)
 Dated : Feb 13, 2020


 13 Feb 2020
 (VIKAS JAIN)
 PCO (OPERATIONS)


ANNEXURE-IV

CMVR CERTIFICATE No. **A A O N 0440** dt. 13th December 2019

| Variants | Type / Description | Category | Load Body Type | Seating Capacity (Including Driver) | GVW (kg) | Gross Combination Weight (GCW), kg |
|---|---|----------|----------------|-------------------------------------|------------------|------------------------------------|
| 1(*) TATA SIGNA 4625.S BS VI Haulage Tractor with cowl | Haulage Tractor with cowl | N3 | NA | 1 Person | Refer ANNEXURE-V | |
| 2(*) TATA LPS 4625 BS VI Haulage Tractor with sleeper cab | Haulage Tractor with sleeper cab | | | 2 Persons | | |
| 3(*) TATA LPS 4625 BS VI Haulage Tractor with cowl | Haulage Tractor with cowl | | | 1 Person | | |
| 4(*) TATA LPS 4625BS VI Haulage Tractor with sleeper cab | Haulage Tractor with sleeper cab | | | 2 Persons | | |
| 5(*) TATA LPS 4625 BS VI Haulage Tractor with cowl | Haulage Tractor with cowl | | | 1 Person | | |
| Note | Vehicles with incomplete configurations need to be verified after body building, at the time of registration. These respective vehicles and rules which need verification are marked (*). | | | | | |

AUTHORISED SIGNATORY

K. Srinivas
K. SRINIVAS
SR. DEPUTY DIRECTOR,
EMISSION CERTIFICATION LABORATORY,
ARAI, PUNE.



Mrs. Rashmi Urdhwaresh
Mrs. RASHMI URDHWARESHE
DIRECTOR
ARAI, PUNE.



ANNEXURE-V


CMVR CERTIFICATE No. A A O N 0440 dt. 13th December 2019

| Tyre Size, Gross Vehicle Weight, kg. (GVW) and Gross Combination Weight, kg (GCW) | | | | | |
|---|--|---|-----------|-----------------------------------|-----------------------------------|
| | Front Axle Tyres | Rear Axle Tyres | GVW kg | GCW, kg with 3-Axle trailer | GCW, kg with 2-Axle trailer |
| Option 1 | Tyre Size: 295/80 R22.5 16PR; 295/80 R22.5 18PR Load Index: 154/149; 152/149; 152/148; 153/150 Speed Symbol: G; J; K; M | Tyre Size: 295/80 R22.5 16PR; 295/80 R22.5 18PR Load Index: 154/149; 152/149; 152/148; 153/150 Speed Symbol: G; J; K; M | 18500 | 45500 | 39500 |
| Option 2 | Tyre Size: 295/80 R22.5 16PR; 295/80 R22.5 18PR Load Index: 154/149; 152/149; 152/148; 153/150 Speed Symbol: G; J; K; M | Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 80 km/h as per AIS018, TLCC will be (Dual Tyre- 2834 kg) | 18336 | 45336 | 39336 |
| Option 3 | Tyre Size: 295/80 R22.5 16PR; 295/80 R22.5 18PR Load Index: 154/149; 152/149; 152/148; 153/150 Speed Symbol: G; J; K; M | Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 70 km/h as per AIS018, TLCC will be (Dual Tyre- 2915 kg) | 18500 | 45500 | 39500 |
| Option 4 | Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 80 km/h as per AIS018, TLCC will be (Single Tyre - 3120 kg) | Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 80 km/h as per AIS018, TLCC will be (Dual Tyre- 2834 kg) | 17576 | 44576 | 38576 |
| Option 5 | Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 70 km/h as per AIS018, TLCC will be (Single Tyre - 3210 kg) | Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 70 km/h as per AIS018, TLCC will be (Dual Tyre - 2915 kg) | 17920 | 44920 | 38920 |
| Option 6 | Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 60 km/h as per AIS018, TLCC will be (Single Tyre - 3300 kg) | Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 60 km/h as per AIS018, TLCC will be (Dual Tyre - 2997 kg) | 18100 | 45100 | 39100 |
| Option 7 | Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For No Set speed (AIS018), TLCC will be (Single tyre - 3000 kg) | Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For No Set speed (AIS018), TLCC will be (Dual tyre 2725 kg) | 16900 | 43900 | 37900 |
| Option 8 | Tyre Size: 295/90 R20; Load Index: 152/148; Speed Symbol: J; K | Tyre Size: 295/90 R20; Load Index: 152/148; Speed Symbol: J; K | 18500 | 45500 | 39500 |
| Option 9 | Tyre Size: 295/90 R20; Load Index: 152/148; Speed Symbol: J; K | Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 80 km/h as per AIS018, TLCC will be (Dual Tyre- 2834 kg) | 18336 | 45336 | 39336 |
| Option 10 | Tyre Size: 295/90 R20; Load Index: 152/148; Speed Symbol: J; K | Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 70 km/h as per AIS018, TLCC will be (Dual Tyre- 2915 kg) | 18500 | 45500 | 39500 |

AUTHORISED SIGNATORY

K. Srinivas
K. SRINIVAS
SR. DEPUTY DIRECTOR,
EMISSION CERTIFICATION LABORATORY,
ARAI, PUNE.

Rashmi
Mrs. RASHMI URDHWARESHE
DIRECTOR
ARAI, PUNE.



2555

ANNEXURE 'A'

| Model | Description | Wheel Base in mm | Overall Length in mm | Overall Height in mm | Overall Width in mm | Body Overhang in mm - Front end | Frame Overhang in mm - Rear end | Fuel tank capacity in Ltrs. | Front axle Kerb wt. (kg) | Rear axle Kerb wt. (kg) | Total axle Kerb wt. | F/R ratio |
|------------|---|------------------|----------------------|----------------------|---------------------|---------------------------------|---------------------------------|-----------------------------|--------------------------|-------------------------|---------------------|-----------|
| Base Model | TATA SIGMA 4625 S BS VI Haulage Tractor with sleeper cab | 3320 | 5653 | 3020 | 2565 | 1380 | 953 | 300 | 3785 | 2400 | 6185 | 1.58 |
| | | | | | | | | 365 | 3815 | 2420 | 6235 | |
| | | | | | | | | 400 | 3830 | 2430 | 6260 | |
| | | | | | | | | 500 | 3855 | 2530 | 6385 | |
| | | | | | | | | (300+200) | 3885 | 2550 | 6435 | |
| Variant 1 | TATA SIGMA 4625 S BS VI Haulage Tractor with cowl | 3320 | 5653 | 3020 | 2565 | 1380 | 953 | 300 | 3785 | 2400 | 6185 | 1.42 |
| | | | | | | | | (365+200) | 3785 | 2400 | 6185 | |
| | | | | | | | | 300 | 3815 | 2420 | 6235 | |
| | | | | | | | | 365 | 3815 | 2420 | 6235 | |
| | | | | | | | | 400 | 3830 | 2430 | 6260 | |
| | | | | | | | | 500 | 3855 | 2530 | 6385 | |
| | | | | | | | | (300+200) | 3495 | 2590 | 6045 | |
| | | | | | | | | 565 | 3495 | 2590 | 6045 | |
| | | | | | | | | (365+200) | 3785 | 2400 | 6185 | |
| | | | | | | | | 300 | 3815 | 2420 | 6235 | |
| Variant 2 | TATALPS 4625 BS VI Haulage Tractor with sleeper cab | 3320 | 5653 | 3020 | 2565 | 1380 | 953 | 300 | 3395 | 2400 | 5795 | 1.42 |
| | | | | | | | | 300 | 3395 | 2400 | 5795 | |
| | | | | | | | | 365 | 3425 | 2420 | 5845 | |
| | | | | | | | | 400 | 3440 | 2430 | 5870 | |
| | | | | | | | | 500 | 3465 | 2530 | 5995 | |
| Variant 3 | TATA LPS 4625 BS VI Haulage Tractor with cowl | 3320 | 5653 | 3020 | 2565 | 1380 | 953 | 300 | 3495 | 2550 | 6045 | 1.58 |
| | | | | | | | | 300 | 3785 | 2400 | 6185 | |
| | | | | | | | | 365 | 3815 | 2420 | 6235 | |
| | | | | | | | | 400 | 3830 | 2430 | 6260 | |
| | | | | | | | | 500 | 3855 | 2530 | 6385 | |
| Variant 4 | TATA LPS 4625 BS VI Haulage Tractor with sleeper cab | 3320 | 5628 | 3020 | 2565 | 1355 | 953 | 300 | 3395 | 2400 | 5795 | 1.42 |
| | | | | | | | | 300 | 3395 | 2400 | 5795 | |
| | | | | | | | | 365 | 3425 | 2420 | 5845 | |
| | | | | | | | | 400 | 3440 | 2430 | 5870 | |
| | | | | | | | | 500 | 3465 | 2530 | 5995 | |
| Variant 5 | TATA LPS 4625 BS VI Haulage Tractor with cowl | 3320 | 5628 | 3020 | 2565 | 1355 | 953 | 300 | 3495 | 2550 | 6045 | 1.42 |
| | | | | | | | | 300 | 3495 | 2550 | 6045 | |
| | | | | | | | | 365 | 3495 | 2550 | 6045 | |
| | | | | | | | | 400 | 3465 | 2530 | 5995 | |
| | | | | | | | | 500 | 3465 | 2530 | 5995 | |

Test Agency: _____
 Signature: _____
 Name: S V Joshi
 Designation: GM(Certification) ERC
 Date: 29.09.2019

Manufacturer: TATA MOTORS LTD.
 Document No. (indicating revision status): STN02060, A
 Sheet No. - of - _____

(Signature)
 A. A. BADUSHA
 SR. DEPUTY DIRECTOR & HEAD,
 HOMOLOGATION MANAGEMENT &
 REGULATION, ARAI, PUNE

