

**TRANSPORT DEPARTMENT: GNCTD
OPERATION BRANCH, 5/9, UNDER HILL ROAD, DELHI-110054**

DC/OPS/TPT/855/2017/Part-II/ 463-465

Dated : Feb 13, 2020

CIRCULAR

Approval of the Competent Authority, Transport Department, Government of NCT of Delhi is hereby conveyed to allow the registration approval of vehicle models manufactured by **M/s .Tata Motors Ltd**, in the as per the details contained in the Type Approval Certificate issued by designated testing agency under Rule 126 of CMV Rule, 1989 i.e ARAI, Pune, for the compliance of the Central Motor Vehicle Rules as follows:-

S.No	Details as per Type Approval Certificate as per CMVR			
1	Agency, Certificate No.& Date	ARAI, Pune - AAON 0484 dated 30.12.2019		
2	Document Reference	Current Certificate		
3	This certificate supersedes	---		
4	Bharat Stage	BS-VI /with OBD I		
5	Type & Category	Tipper Chassis with Non Sleeper SIGNA Cab- N3		
6	Fuel	Diesel		
7	Power	164 kW @ 2300 rpm 5635 cc		
8	Seating Capacity	2 Persons(including Driver)		
9	Name & Manufacturer	M/s Tata Motors Ltd,Pimpri, Pune -411018 Plants:Jamshedpur/Pune/Lucknow/Dharwad/Pantnagar		
10.	Details of Base Model with GVW & Dimesions			
	Base Model	GVW in Kg	Wheel Base	Load Carrying Capacity
	TATA SIGNA 1923.K BSVI.	18100 As per Annexure-V to AAON 0484 dated 30.12.2019 is enclosed	3580 As per Annexure-IV to AAON 0484 dated 30.12.2019 is enclosed	As per Annexure-IV to AAON 0484 dated 30.12.2019 is enclosed
				Annexure -IV to AAON 0484 dated 30.12.2019-details of 32 variants is enclosed
Note :-Vehicle with incomplete configurations need to be verified after body building, at the time of registration. These respective vehicles and rules which need verification are marked (*). As the GVW of the Diesel vehicle is more than 7500 kg this endorsement is subject to approval/permission from the Hon'ble National Green Tribunal and Supreme Court of India for registration in Delhi				

The endorsement approval is accorded subject to the responsibility of the manufacturer for ensuring the fitment of the same component , parts/assemblies etc. the details of which are given in the detailed specifications duly endorsed by ARAI, Pune at the time of submission of the vehicles for COF/Registration Manufactured should ensure that the vehicle is delivered fully build by them and no element of local body is involved .

All MLOs/CMVI (Burari) are requested to accept the base model and variants detailed above manufactured by **M/s Tata Motors Ltd**, in NCT of Delhi, subject to fulfillment of provisions of Motor Vehicle Act and Rules made thereunder directions of Hon'ble Court/ Tribunals and department's instruction /order issued from time to time in this regard.

DC/OPS/TPT/855/2017/Part-II/ 463-465

Copy forwarded for information and necessary action to:

1. All MLOs/CMVI (Burari)/Programmer , Transport Department
2. M/s Tata Motors Ltd,Pimpri, Pune -411018,
3. Sr.SA Computer Branch, Transport Department to upload on the website.
4. Guard File.

(Signature)
13/ Feb/ 2020
(VIKAS JAIN)
PCO (OPERATIONS)
Dated : Feb 13, 2020

(Signature)
13/ Feb/ 2020
(VIKAS JAIN)
PCO (OPERATIONS)

ANNEXURE-IV

CMVR CERTIFICATE No.

A	A	O	N	0484
---	---	---	---	------

dt. 30th December 2019


621/C

Base Model (*)	Base Model / Variants Type/ Description	Category	Wheel Base, mm	Load Body Type	Seating Capacity (Inc. Driver)	Load Carrying Capacity, kg					
						GVW kg					
						18500	18264	18100	17050	16900	16600
	TATA SIGNA 1923.K BSVI, Tipper Chassis with Non Sleeper SIGNA Cab	N3	3580	NA	2 persons	To be verified after body building					
Variants											
1	TATA SIGNA 1923.K BSVI, Fully Built Tipper with full forward control Non Sleeper SIGNA Cab & 10.5 Cu.M Box Tipper Body - B1	N3	3580	10.5 Cu.M Box Tipper Body - B1	2 persons	10434	10198	10034	8984	8834	8534
2	TATA SIGNA 1923.K BSVI, Fully Built Tipper with full forward control Non Sleeper SIGNA Cab & 10.5 Cu.M Box Tipper Body - B2	N3	3580	10.5 Cu.M Box Tipper Body - B2	2 persons	10584	10348	10184	9134	8984	8684
3	TATA SIGNA 1923.K BSVI, Fully Built Tipper with Non Sleeper SIGNA Cab & 6.5 Cu.M Box Tipper Body - B1	N3	3580	6.5 Cu.M Box Tipper Body - B1	2 persons	10665	10429	10265	9215	9065	8765
4	TATA SIGNA 1923.K BSVI, Fully Built Tipper with Non Sleeper SIGNA Cab & 6.5 Cu.M Box Tipper Body - B2	N3	3580	6.5 Cu.M Box Tipper Body - B2	2 persons	10765	10529	10365	9315	9165	8865
5	TATA SIGNA 1923.K BSVI, Fully Built Tipper with Non Sleeper SIGNA Cab & 8.5 Cu.M Box Tipper Body - B1	N3	3580	8.5 Cu.M Box Tipper Body - B1	2 persons	10555	10319	10155	9105	8955	8655
6	TATA SIGNA 1923.K BSVI, Fully Built Tipper with Non Sleeper SIGNA Cab & 8.5 Cu.M Box Tipper Body - B2	N3	3580	8.5 Cu.M Box Tipper Body - B2	2 persons	10657	10421	10257	9207	9057	8757
7	TATA SIGNA 1923.K BSVI, Fully Built Tipper with Non Sleeper SIGNA Cab & 8.5 Cu.M Box Tipper Body - B3	N3	3580	8.5 Cu.M Box Tipper Body - B3	2 persons	10335	10099	9935	8885	8735	8435
8	TATA SIGNA 1923.K BSVI, Fully Built Tipper with Non Sleeper SIGNA Cab & 7 Cu.M Rock Tipper Body	N3	3580	7 Cu.M Rock Tipper Body	2 persons	10335	10099	9935	8885	8735	8435
9	TATA SIGNA 1923.K BSVI, Fully Built Tipper with Non Sleeper SIGNA Cab & 8 Cu.M Rock Tipper Body	N3	3580	8 Cu.M Rock Tipper Body	2 persons	9514	9278	9114	8064	7914	7614
10	TATA SIGNA 1923.K BSVI, Fully Built RMC with Non Sleeper SIGNA Cab & 4 Cu.M RMC	N3	3580	4 Cu.M RMC (Road Mixer Cement)	2 persons	8575	8339	8175	7125	6975	6675
11(*)	TATA SIGNA 1923.K BSVI, Tipper Chassis with Non Sleeper SIGNA Cab & without RMC	N3	3580	NA	2 persons	To be verified after body building					

(Signature)

A. A. BADUSHA
SR. DEPUTY DIRECTOR & HEAD
HOMOLOGATION MANAGEMENT, REGULATION &
VEHICLE EVALUATION, ARAI, PUNE.

(Signature)



AUTHORISED SIGNATORY

(Signature)
Mrs. RASHMI URDHWARESHE
DIRECTOR
ARAI, PUNE.


620/C

No.	Base Model / Variants Type/ Description	Category	Wheel Base, mm	Load Body Type	Seating Capacity (Inc. Driver)	Load Carrying Capacity, kg					
						GVW kg					
						18500	18264	18100	17050	16900	16600
12(*)	TATA SIGNA 1923.K BSVI, Tipper Chassis Sleeper SIGNA Cab	N3	4200	NA	2 persons	To be verified after body building					
13	TATA SIGNA 1923.K BSVI, Fully Built Tipper with Sleeper SIGNA Cab & 10.5 Cu.M Box Tipper body - B1	N3	4200	10.5 Cu.M Box Tipper body - B1	2 persons	10014	9778	9614	8564	8414	8114
14	TATA SIGNA 1923.K BSVI, Fully Built Tipper with Sleeper SIGNA Cab & 10.5 Cu.M Box Tipper body - B2	N3	4200	10.5 Cu.M Box Tipper body - B2	2 persons	10164	9928	9764	8714	8564	8264
15	TATA SIGNA 1923.K BSVI, Fully Built Tipper Sleeper SIGNA Cab & 12 Cu.M Box Tipper Body - B1	N3	4200	12 Cu.M Box Tipper Body - B1	2 persons	9933	9697	9533	8483	8333	8033
16	TATA SIGNA 1923.K BSVI, Fully Built Tipper Sleeper SIGNA Cab & 12 Cu.M Box Tipper Body - B2	N3	4200	12 Cu.M Box Tipper Body - B2	2 persons	10083	9847	9683	8633	8483	8183
17	TATA SIGNA 1923.K BSVI, Fully Built Tipper with Sleeper SIGNA Cab & 8.5 Cu.M Box Tipper Body - B1	N3	4200	8.5 Cu.M Box Tipper Body - B1	2 persons	10114	9878	9714	8664	8514	8214
18	TATA SIGNA 1923.K BSVI, Fully Built Tipper with Sleeper SIGNA Cab & 8.5 Cu.M Box Tipper Body - B2	N3	4200	8.5 Cu.M Box Tipper Body - B2	2 persons	10234	9998	9834	8784	8634	8334
19	TATA SIGNA 1923.K BSVI, Fully Built RMC with Non Sleeper SIGNA Cab & 4 Cu.M RMC	N3	4200	4 Cu.M RMC (Road Mixer Cement)	2 persons	8313	8077	7913	6863	6713	6413
20(*)	TATA SIGNA 1923.K BSVI, Tipper Chassis with Non Sleeper SIGNA Cab & without RMC	N3	4200	NA	2 persons	To be verified after body building					
21	TATA SIGNA 1923.K BSVI, Fully Built Tipper with Non Sleeper SIGNA Cab & 12 Cu.M Box Tipper Body - B1	N3	4200	12 Cu.M Box Tipper Body - B1	2 persons	10091	9855	9691	8641	8491	8191
22	TATA SIGNA 1923.K BSVI, Fully Built Tipper with Non Sleeper SIGNA Cab & 12 Cu.M Box Tipper Body - B2	N3	4200	12 Cu.M Box Tipper Body - B2	2 persons	10241	10005	9841	8791	8641	8341
23	TATA SIGNA 1923.K BSVI, Fully Built Tipper with full forward control Non Sleeper SIGNA Cab & 10.5 Cu.M Box Tipper Body - B1	N3	4200	10.5 Cu.M Box Tipper Body - B1	2 persons	10171	9935	9771	8721	8571	8271

AUTHORISED SIGNATORY

A. A. BADUSHA
SR. DEPUTY DIRECTOR & HEAD
HOMOLOGATION MANAGEMENT, REGULATION &
VEHICLE EVALUATION, ARAI, PUNE.

[Handwritten Signature]



[Handwritten Signature]
Mrs. RASHMI URDHWARESHE
DIRECTOR
ARAI, PUNE.

ANNEXURE-IV

CMVR CERTIFICATE No.

A	A	O	N	0484
---	---	---	---	------


dt. 30th December 2019

Base Model / Variants Type/ Description	Category	Wheel Base, mm	Load Body Type	Seating Capacity (Inc.Driver)	Load Carrying Capacity, kg						
					GVW kg						
					18500	18264	18100	17050	16900	16600	
24	TATA SIGNA 1923.K BSVI, Fully Built Tipper with full forward control Non Sleeper SIGNA Cab & 10.5 Cu.M Box Tipper Body - B2	N3	4200	10.5 Cu.M Box Tipper Body - B2	2 persons	10321	10085	9921	8871	8721	8421
25	TATA SIGNA 1923.K BSVI, Fully Built Tipper with full forward control Non Sleeper SIGNA Cab & 8.5 Cu.M Box Tipper Body - B1	N3	4200	8.5 Cu.M Box Tipper Body - B1	2 persons	10272	10036	9872	8822	8672	8372
26	TATA SIGNA 1923.K BSVI, Fully Built Tipper with full forward control Non Sleeper SIGNA Cab & 8.5 Cu.M Box Tipper Body - B2	N3	4200	8.5 Cu.M Box Tipper Body - B2	2 persons	10372	10136	9972	8922	8772	8472
27(*)	TATA SIGNA 1923.K BSVI, Tipper Chassis with Non Sleeper SIGNA Cab	N3	4200	NA	2 persons	To be verified after body building					
28(*)	TATA SIGNA 1923.K BSVI, Tipper Chassis with Non Sleeper SIGNA Cab	N3	3225	NA	2 persons	To be verified after body building					
29	TATA SIGNA 1923.K BSVI, Fully Built Tipper with full forward control Non Sleeper SIGNA Cab & 4.5 Cu.M Box Tipper Body - B1	N3	3225	4.5 Cu.M Box Tipper Body - B1	2 persons	11186	10950	10786	9736	9586	9286
30	TATA SIGNA 1923.K BSVI, Fully Built Tipper with full forward control Non Sleeper SIGNA Cab & 4.5 Cu.M Box Tipper Body - B2	N3	3225	4.5 Cu.M Box Tipper Body - B2	2 persons	11266	11030	10866	9816	9666	9366
31	TATA SIGNA 1923.K BSVI, Fully Built Tipper with full forward control Non Sleeper SIGNA Cab & 6.5 Cu.M Box Tipper Body - B1	N3	3225	6.5 Cu.M Box Tipper Body - B1	2 persons	11102	10866	10702	9652	9502	9202
32	TATA SIGNA 1923.K BSVI, Fully Built Tipper with full forward control Non Sleeper SIGNA Cab & 6.5 Cu.M Box Tipper Body - B2	N3	3225	6.5 Cu.M Box Tipper Body - B2	2 persons	11203	10967	10803	9753	9603	9303

(Signature)

A. A. BADUSHA
SR. DEPUTY DIRECTOR & HEAD
HOMOLOGATION MANAGEMENT, REGULATION &
VEHICLE EVALUATION, ARAI, PUNE.

(Signature)



AUTHORISED SIGNATORY

(Signature)

Mrs. RASHMI URDHWARESHE
DIRECTOR
ARAI, PUNE.

ANNEXURE-V

CMVR CERTIFICATE No. A A O N 0484 dt. 30th December 2019

Tyre Size and Gross Vehicle Weight, kg. (GVW)			
	Front Axle Tyres	Rear Axle Tyres	GVW kg
Option 1	Tyre Size: 10.00-20 16PR Load Index: 146/142 Speed Symbol: J (100 km/h); K (110 km/h) For set speed at 60 km/h as per AIS018, TLCC will be (Single Tyre - 3300 kg)	Tyre Size: 10.00-20 16PR Load Index: 146/142 Speed Symbol: J (100 km/h); K (110 km/h) For set speed at 60 km/h as per AIS018, TLCC will be (Dual Tyre - 2915 kg)	18100
Option 2	Tyre Size: 10.00-20 18PR Load Index: 147/143 Speed Symbol: G (90 km/h) For set speed at 60 km/h as per AIS018, TLCC will be (Single Tyre - 3382 kg)	Tyre Size: 10.00-20 18PR Load Index: 147/143 Speed Symbol: G (90 km/h) For set speed at 60 km/h as per AIS018, TLCC will be (Dual Tyre - 2997 kg)	18264
Option 3	Tyre Size: 10.00-20 16PR Load Index: 146/142 Speed Symbol: J (100 km/h); K (110 km/h) For No Set speed (AIS018), TLCC will be (Single Tyre - 3000 kg)	Tyre Size: 10.00-20 16PR Load Index: 146/142 Speed Symbol: J (100 km/h); K (110 km/h) For No Set speed (AIS018), TLCC will be (Dual Tyre - 2650 kg)	16600
Option 4	Tyre Size: 10.00-20 18PR Load Index: 147/143 Speed Symbol: G (90 km/h) For No Set speed (AIS018), TLCC will be (Single Tyre - 3075 kg)	Tyre Size: 10.00-20 18PR Load Index: 147/143 Speed Symbol: G (90 km/h) For No Set speed (AIS018), TLCC will be (Dual Tyre - 2725 kg)	17050
Option 5	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 60 km/h as per AIS018, TLCC will be (Single Tyre - 3300 kg)	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For set speed at 60 km/h as per AIS018, TLCC will be (Dual Tyre - 2997 kg)	18100
Option 6	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For No Set speed (AIS018), TLCC will be (Single tyre - 3000 kg)	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h) For No Set speed (AIS018), TLCC will be (Dual tyre 2725 kg)	16900
Option 7	Tyre Size: 295/90 R20; Load Index: 152/148; Speed Symbol: J; K	Tyre Size: 295/90 R20; Load Index: 152/148; Speed Symbol: J; K	18500
Option 8	Tyre Size: 295/90 R20; Load Index: 152/148; Speed Symbol: J; K	Tyre Size: 10.00R20 16PR Load Index: 146/143, 147/143 Speed Symbol: K (110 km/h)	18500
Option 9	Tyre Size: 295/95 D20; Load Index: 152/148; Speed Symbol: J	Tyre Size: 295/95 D20; Load Index: 152/148; Speed Symbol: J	18500
Option 10	Tyre Size: 295/95 D20; Load Index: 152/148; Speed Symbol: J	Tyre Size: 10.00-20 16PR 10.00-20 18PR Load Index: 146/142; 147/143 Speed Symbol: G (90 km/h); J (100 km/h); K (110 km/h)	18500

AUTHORISED SIGNATORY

Amal
A. A. BADUSHA
SR. DEPUTY DIRECTOR & HEAD
HOMOLOGATION MANAGEMENT, REGULATION &
VEHICLE EVALUATION, ARAI, PUNE.

Prachi



Prachi
Mrs. RASHMI URDHWARESHE
DIRECTOR
ARAI, PUNE.