

17681

5

TRANSPORT DEPARTMENT: GNCTD
OPERATION BRANCH, 5/9, UNDER HILL ROAD, DELHI-110054

DC/OPS/TPT/2020/ 604-606

Dated : Feb 20, 2020

CIRCULAR

Approval of the Competent Authority, Transport Department, Government of NCT of Delhi is hereby conveyed to allow the registration approval of vehicle models manufactured by **M/s. VE Commercial Vehicle Ltd** in the as per the details contained in the Type Approval Certificate issued by designated testing agency under Rule 126 of CMV Rule, 1989 i.e ARAI, Pune, for the compliance of the Central Motor Vehicle Rules as follows:-

| S.No | Details as per Type Approval Certificate as per CMVR | | | | | |
|--|--|--|------------------------|---|---|--|
| 1 | Agency, Certificate No.& Date | ARAI, Pune - AAON 0331 dated 15.10.2019 | | | | |
| 2 | Document Reference | Current certificate | | | | |
| 3 | This certificate supersedes | --- | | | | |
| 4 | Bharat Stage | BS-VI /with OBD I | | | | |
| 5 | Type Description & Category | Fully Built-up Goods Vehicle N3 | | | | |
| 6 | Seating capacity | 2 Persons + 1 Sleeper | | | | |
| 6 | Fuel | Diesel | | | | |
| 7 | Power | 191 kW @ 2200 rpm 7698 cc | | | | |
| 8 | Name & Manufacturer | M/s. VE Commercial Vehicles Limited, (A Volvo Group and Eicher Motors Joint Venture), 102, Industrial Area No.1, Pithampur 454775 Dist- Dhar (MP) Plants: 102, Industrial Area No.1, Pithampur 454775 Dist- Dhar (MP) | | | | |
| 10. | Details of Base Model with GVW & Dimesions | | | | | |
| Base Model & Variants | | GVW in Kg | Load Carrying Capacity | Wheel Base | Technical specifications of EICHER PRO 6048 with 191 BSVI VARIANTS | Variants |
| EICHER Pro 6048 S SLEEPER CAB & HSD (SF) | | 47500 | 35359 | Annexure –I to ARAI, Pune - AAON 0331 dated 15.10.2019 details of 13 variants is enclosed | Annexure –I to ARAI, Pune - AAON 0331 dated 15.10.2019 details of 13 variants is enclosed | Annexure –IV to ARAI, Pune - AAON 0331 dated 15.10.2019 details of 13 variants is enclosed |
| | | 46340 | 34199 | | | |
| Note :-Vehicle with incomplete configurations need to be verified after body building, at the time of registration. These respective vehicles and rules which need verification are marked (*). | | | | | | |
| As the GVW of the Diesel vehicle is more than 7500 kg this endorsement is subject to approval/permission from the Hon'ble National Green Tribunal and Supreme Court of India for registration in Delhi | | | | | | |

The endorsement approval is accorded subject to the responsibility of the manufacturer for ensuring the fitment of the same component, parts/assemblies etc. the details of which are given in the detailed specifications duly endorsed by ARAI, Pune at the time of submission of the vehicles for COF/Registration. Manufactured should ensure that the vehicle is delivered fully build by them and no element of local body is involved.

All MLOs/CMVI (Burari) are requested to accept the base model **EICHER Pro 6048 S SLEEPER CAB & HSD (SF)** and variants detailed above manufactured by **M/s. VE Commercial Vehicles Limited**, in NCT of Delhi, subject to fulfillment of provisions of Motor Vehicle Act and Rules made thereunder directions of Hon'ble Court/ Tribunals and department's instruction /order issued from time to time in this regard.


DC/OPS/TPT/2020/ 604-606

Copy forwarded for information and necessary action to:

1. All MLOs/CMVI (Burari)/Programmer, Transport Department
2. **M/s. VE Commercial Vehicles Limited**, (A Volvo Group and Eicher Motors Joint Venture), 102, Industrial Area No.1, Pithampur 454775 Dist- Dhar (MP),
3. Sr.SA Computer Branch, Transport Department to upload on the website.
4. Guard File.

(VIKAS JAIN)
PCO (OPERATIONS)
 Date : Feb 20, 2020

(VIKAS JAIN)
PCO (OPERATIONS)



941C


CMVR CERTIFICATE No. **A A P O N 03802/11/15** October 2019

| Variants | Type | Category | Load Body Type | Seating Capacity (Including Driver) | Load Carrying Capacity (kg) | |
|----------|---|----------|-----------------|-------------------------------------|------------------------------------|-------|
| | | | | | GVW (kg.) | |
| 1 | EICHER Pro 6048 S SLEEPER CAB & HSD (WF) | N3 | High Side Deck | 2 Persons + 1 Sleeper | 47500 | 46340 |
| 2 | EICHER Pro 6048 S SLEEPER CAB & FSD (SF) | | Fixed Side Deck | | 35214 | 34054 |
| 3 | EICHER Pro 6048 S SLEEPER CAB & FSD (WF) | | Fixed Side Deck | | 35634 | 34474 |
| 4(•) | EICHER Pro 6048 S SLEEPER CAB & CHASSIS | | NA | | 35489 | 34329 |
| 5(•) | EICHER Pro 6048 S SLEEPER CAB & CHASSIS (SL) | | NA | | To be verified after body building | |
| 6 | EICHER Pro 6048 S SLEEPER CAB & HSD (SF-SL) | | High Side Deck | | | |
| 7 | EICHER Pro 6048 S SLEEPER CAB & HSD (WF-SL) | | High Side Deck | | 35184 | 34024 |
| 8 | EICHER Pro 6048 S SLEEPER CAB & FSD (SF-SL) | | Fixed Side Deck | | 35034 | 33874 |
| 9 | EICHER Pro 6048 S SLEEPER CAB & FSD (WF-SL) | | Fixed Side Deck | | 35464 | 34304 |
| 10(•) | EICHER Pro 6048 S SLEEPER CAB & CHASSIS (LD) | | NA | | 35314 | 34154 |
| 11(•) | EICHER Pro 6048 S SLEEPER CAB & CHASSIS (LD-SL) | | NA | | To be verified after body building | |
| 12(•) | EICHER Pro 6048 S COWL & CHASSIS | | NA | | | |
| 13(•) | EICHER Pro 6048 S COWL & CHASSIS (SL) | | NA | | | |

AUTHORISED SIGNATORY

AUTHORISED SIGNATORY

A. A. BADUSHA
SR. DEPUTY DIRECTOR & HEAD
HOMOLOGATION MANAGEMENT, REGULATION &
VEHICLE EVALUATION, ARAI, PUNE.



A. V. MANNIKAR
SR. DEPUTY DIRECTOR
ARAI, PUNE.

**True Copy
ATTESTED**

ANITA SHARMA
NOTARY
District-INDORE (M.P.)

Table 7 of AIS-007 (Revision 5)
BRIEF TECHNICAL SPECIFICATIONS FOR MOTOR VEHICLES



ANNEXURE - I

TECHNICAL SPECIFICATION OF EICHER Pro 6048 with 191kW BSVI VARIANTS

| Sr. No | DESCRIPTION | Vehicle Layout | Wheel Base (mm) | Front Over hang (mm) | Rear Over hang (mm) | Over all Dimension (mm) | | | Seating Capacity \$ | Goods Carrying Capacity (kg) | | | | Unladen Weight (kg) | | | Ratio |
|--------|---|----------------|-----------------|----------------------|---------------------|-------------------------|-------|--------|--------------------------------|------------------------------|-------|------------------|-------|---------------------|------|------|-------|
| | | | | | | Length | Width | Height | | With GVW 47500kg | | With GVW 46340kg | | ULW | FAW | RAW | |
| | EICHER Pro 6048 S SLEEPER CAB & HSD (SF) (Base Model) | IC407646 | 6800 | 1420 | 2505 | 11400 | 2570 | 3430 | | 35427 | 35359 | 34267 | 34199 | 12005 | 5870 | 6135 | 0.96 |
| 1 | EICHER Pro 6048 S SLEEPER CAB & HSD (WF) | IC407646 | 6800 | 1420 | 2505 | 11400 | 2570 | 3430 | | 35282 | 35214 | 34122 | 34054 | 12150 | 5932 | 6218 | 0.95 |
| 2 | EICHER Pro 6048 S SLEEPER CAB & FSD (SF) | IC407647 | 6800 | 1420 | 2505 | 11400 | 2570 | 2940 | | 35702 | 35634 | 34542 | 34474 | 11730 | 5805 | 5925 | 0.95 |
| 3 | EICHER Pro 6048 S SLEEPER CAB & HSD (WF) | IC407647 | 6800 | 1420 | 2505 | 11400 | 2570 | 2940 | | 35557 | 35489 | 34397 | 34329 | 11875 | 5877 | 5998 | 0.95 |
| 4 | EICHER Pro 6048 S SLEEPER CAB & CHASSIS (SF) | IC407648 | 6800 | 1420 | 2340 | 11235 | 2510 | 2940 | | # | # | # | # | 10110 | 5532 | 4528 | # |
| 5 | EICHER Pro 6048 S SLEEPER CAB & CHASSIS (SF) | IC407648 | 6800 | 1420 | 2340 | 11830 | 2510 | 2940 | 2 Persons + 1 Sleeper | # | # | # | # | 10140 | 5550 | 4590 | # |
| 6 | EICHER Pro 6048 S SLEEPER CAB & HSD (SF-SL) | IC407646 | 6800 | 1420 | 3100 | 11995 | 2570 | 3430 | | 35252 | 35184 | 34092 | 34024 | 12180 | 5806 | 6374 | 0.91 |
| 7 | EICHER Pro 6048 S SLEEPER CAB & HSD (WF-SL) | IC407646 | 6800 | 1420 | 3100 | 11995 | 2570 | 3430 | | 35102 | 35034 | 33942 | 33874 | 12330 | 5878 | 6452 | 0.91 |
| 8 | EICHER Pro 6048 S SLEEPER CAB & FSD (SF-SL) | IC407647 | 6800 | 1420 | 3100 | 11995 | 2570 | 2940 | | 35532 | 35464 | 34372 | 34304 | 11900 | 5762 | 6138 | 0.94 |
| 9 | EICHER Pro 6048 S SLEEPER CAB & FSD (WF-SL) | IC407647 | 6800 | 1420 | 3100 | 11995 | 2570 | 2940 | | 35382 | 35314 | 34222 | 34154 | 12050 | 5835 | 6215 | 0.94 |
| 10 | EICHER Pro 6048 S SLEEPER CAB & CHASSIS (LD) | IC407648 | 6800 | 1420 | 2340 | 11235 | 2510 | 2940 | | # | # | # | # | 9720 | 5320 | 4400 | # |
| 11 | EICHER Pro 6048 S SLEEPER CAB & CHASSIS (LD-SL) | IC407648 | 6800 | 1420 | 2935 | 11830 | 2510 | 2940 | | # | # | # | # | 9750 | 5338 | 4412 | # |
| 12 | EICHER Pro 6048 S COWL & CHASSIS | IC415367 | 6800 | 1420 | 2340 | 11235 | 2510 | 2940 | 1 | # | # | # | # | 9678 | 5310 | 4368 | # |
| 13 | EICHER Pro 6048 S COWL & CHASSIS (SL) | IC415367 | 6800 | 1420 | 2935 | 11830 | 2510 | 2940 | 1 | # | # | # | # | 9708 | 5328 | 4380 | # |

LEGENDS: HSD: High Side Deck, FSD: Fixed Side Deck, DSD: Drop Side Deck, Weight of one person is considered as 68 kgf. # - To be verified after bodybuilding. A = with only driver, B = with max. Seating capacity, \$ = Max Seating Capacity, SL = Super Long; -- = Not Applicable, WF = Wooden Floor, SF = Steel Floor

LEGENDS: HSD: High Side Deck, FSD: Fixed Side Deck, DSD: Drop Side Deck, Weight of one person is considered as 68 kgf. #-To be verified after bodybuilding, A = with only driver, B = with max. Seating Capacity, \$ = Max Seating Capacity, SL = Super Long, -- = Not Applicable, WF = Wooden Floor, SF = Steel Floor

| | | | | | | | |
|---|--|--|--|---|--|----------|--|
| Manufacturer: Shree, Name & Designation | | Document No: Pro 6048/191kW_BS6/19/82 | | Test Agency: Signature, Name & Designation | | Cert No: | |
|  Anisha Sharma Director | | Rev 0 | |  Anisha Sharma Director | | | |
| | | Sheet No : 5 of 7 | | | | | |
| Date : 07.08.2019 | | | | | | | |


 Press through Research
 THE AUTOMOTIVE RESEARCH ASSOCIATION OF INDIA
 SR. DEPUTY DIRECTOR GENERAL
 HOMOLOGATION MANAGEMENT
 REGULATION, ARAI, PUNE

ANITA SHARMA
NOTARY