

17693

9

**TRANSPORT DEPARTMENT: GNCTD
OPERATION BRANCH, 5/9, UNDER HILL ROAD, DELHI-110054**

DC/OPS/TPT/2020/ 592-594

Dated : Feb 20, 2020

CIRCULAR

Approval of the Competent Authority, Transport Department, Government of NCT of Delhi is hereby conveyed to allow the registration approval of vehicle models manufactured by **M/s. VE commercial Vehicle Ltd** in the as per the details contained in the Type Approval Certificate issued by designated testing agency under Rule 126 of CMV Rule, 1989 i.e. ARAI, Pune, for the compliance of the Central Motor Vehicle Rules as follows:-

Motor Vehicle Rules as follows:-						
S.No	Details as per Type Approval Certificate as per CMVR					
1	Agency, Certificate No.& Date	ARAI, Pune - AAON 0333 dated 16.10.2019				
2	Document Reference	Current certificate				
3	This certificate supersedes	---				
4	Bharat Stage	BS-VI /with OBD I				
5	Type Description & Category	Fully Built-up Goods Vehicle N3				
6	Seating capacity	2 Persons + 1 Sleeper				
6	Fuel	Diesel				
7	Power	191 kW @ 2200 rpm 7698 cc				
8	Name & Manufacturer	M/s. VE Commercial Vehicles Limited, (A Volvo Group and Eicher Motors Joint Venture), 102, Industrial Area No.1, Pithampur 454775 Dist- Dhar (MP) Plants: 102, Industrial Area No.1, Pithampur 454775 Dist- Dhar (MP)				
10.	Details of Base Model with GVW & Dimesions					
Base Model & Variants		GVW in Kg	Load Carrying Capacity	Wheel Base	Technical specifications of EICHER PRO 6042 with 191 BSVI VARIANTS	Variants
EICHER Pro 6042 S SLEEPER CAB & HSD (SF)		42000	30334	Annexure -I to ARAI, Pune - AAON 0333 dated 16.10.2019 details of 16 variants is enclosed	Annexure -I to ARAI, Pune - AAON 0333 dated 16.10.2019 details of 16 variants is enclosed	Annexure -IV to ARAI, Pune - AAON 0333 dated 16.10.2019 details of 16 variants is enclosed
		40260	28604			
Note :-Vehicle with incomplete configurations need to be verified after body building, at the time of registration. These respective vehicles and rules which need verification are marked (*).						
As the GVW of the Diesel vehicle is more than 7500 kg this endorsement is subject to approval/permission from the Hon'ble National Green Tribunal and Supreme Court of India for registration in Delhi						

The endorsement approval is accorded subject to the responsibility of the manufacturer for ensuring the fitment of the same component, parts/assemblies etc. the details of which are given in the detailed specifications duly endorsed by ARAI, Pune at the time of submission of the vehicles for COF/Registration. Manufactured should ensure that the vehicle is delivered fully build by them and no element of local body is involved.

All MLOs/CMVI (Burari) are requested to accept the base model "EICHER Pro 6042 S SLEEPER CAB & HSD (SF)" and variants detailed above manufactured by **M/s. VE Commercial Vehicles Limited**, in NCT of Delhi, subject to fulfillment of provisions of Motor Vehicle Act and Rules made thereunder directions of Hon'ble Court/ Tribunals and department's instruction /order issued from time to time in this regard.

(VIKAS JAIN)
PCO (OPERATIONS)

Date : Feb 20, 2020

20/02/2020

DC/OPS/TPT/2020/ 592-594


Copy forwarded for information and necessary action to:

1. All MLOs/CMVI (Burari)/Programmer, Transport Department
2. **M/s. VE Commercial Vehicles Limited**, (A Volvo Group and Eicher Motors Joint Venture), 102, Industrial Area No.1, Pithampur 454775 Dist- Dhar (MP),
3. Sr.SA Computer Branch, Transport Department to upload on the website.
4. Guard File.

(VIKAS JAIN)
PCO (OPERATIONS)

20/02/2020

165/C



CMVR CERTIFICATE No. A 11701022110333 Dt. 16th October 2019

Variants	Type	Category	Load Body Type	Seating Capacity (Including Driver)	Load Carrying Capacity (kg)	
					GVW (kg.)	
					42000	40260
1 EICHER Pro 6042 S SLEEPER CAB & HSD (WF)	Fully Built-up Goods vehicle/Cab Fully Built-up / Cab or Cowl & Chassis (Goods)	N3	High Side Deck	2 Persons+ 1 Sleeper	30199	28459
2 EICHER Pro 6042 S SLEEPER CAB & FSD (SF)			Fixed Side Deck		30619	28879
3 EICHER Pro 6042 S SLEEPER CAB & FSD (WF)			Fixed Side Deck		30474	28734
4(•) EICHER Pro 6042 S SLEEPER CAB & CHASSIS			NA		To be verified after body building	
5(•) EICHER Pro 6042 S SLEEPER CAB & CHASSIS (SL)			NA		To be verified after body building	
6 EICHER Pro 6042 S SLEEPER CAB & HSD (SF-SL)			High Side Deck		30169	28429
7 EICHER Pro 6042 S SLEEPER CAB & HSD (WF-SL)			High Side Deck		30019	28279
8 EICHER Pro 6042 S SLEEPER CAB & FSD (SF-SL)			Fixed Side Deck		30449	28709
9 EICHER Pro 6042 S SLEEPER CAB & FSD (WF-SL)			Fixed Side Deck		30299	28559
10(•) EICHER Pro 6042 S SLEEPER CAB & CHASSIS (LD)			NA		To be verified after body building	
11(•) EICHER Pro 6042 S SLEEPER CAB & CHASSIS (LD-SL)			NA		To be verified after body building	
12 EICHER Pro 6042 S SLEEPER CAB & FET TIPPER BODY (24 CUM)			Tipper (Special Purpose Body)		28126	26388
13(•) EICHER Pro 6042 S SLEEPER CAB & TIPPER CHASSIS			NA		To be verified after body building	
14(•) EICHER Pro 6042 S SLEEPER CAB & CHASSIS (SS)			NA		To be verified after body building	
15(•) EICHER Pro 6042 S COWL & CHASSIS			NA	1 Person	To be verified after body building	
16(•) EICHER Pro 6042 S COWL & CHASSIS (SL)			NA		To be verified after body building	

AUTHORISED SIGNATORY

A. A. BADUSHA
SR. DEPUTY DIRECTOR & HEAD
HOMOLOGATION MANAGEMENT, REGULATION
VEHICLE EVALUATION, ARAI, PUNE.

AUTHORISED SIGNATORY

A. V. MANNIKAR
SR. DEPUTY DIRECTOR
ARAI, PUNE.

True Copy
ATTESTED

ANITA SHARMA
NOTARY


District INDORE (M.P.)

Table 7 of AIS-007 (Revision 5)
BRIEF TECHNICAL SPECIFICATIONS FOR MOTOR VEHICLES

ANNEXURE - I


TECHNICAL SPECIFICATION OF EICHER Pro 6042 With 191kW BSVI VARIANTS

Sl. No.	Vehicle Description (Base Model)	Vehicle Layout	Wheel Base (mm)	Front Over hang (mm)	Rear Over hang (mm)	Overall Dimension (mm)			Seating Capacity \$	Goods Carrying Capacity (kg)				Unladen Weight (kg)			Ratio
						Length	Width	Height		With GVW 42000kg	'B'	With GVW 40260kg	'B'	ULW	FAW	RAW	
1	EICHER Pro 6042 S SLEEPER CAB & HSD (WF)	IC407652	6800	1420	2505	11400	2570	3430	2	30412	30344	28672	28604	11520	5740	5780	0.99
2	EICHER Pro 6042 S SLEEPER CAB & FSD (SF)	IC407651	6800	1420	2505	11400	2570	2940	2	30267	30199	28527	28459	11665	5802	5863	0.99
3	EICHER Pro 6042 S SLEEPER CAB & FSD (WF)	IC407651	6800	1420	2505	11400	2570	2940	2	30687	30619	28947	28879	11245	5675	5727	0.99
4	EICHER Pro 6042 S SLEEPER CAB & CHASSIS	IC407650	6800	1420	2340	11235	2510	2940	2	30542	30474	28802	28734	11390	5747	5648	0.99
5	EICHER Pro 6042 S SLEEPER CAB & CHASSIS (SL)	IC407650	6800	1420	2935	11830	2510	2940	2	#	#	#	#	9625	5400	4225	0.94
6	EICHER Pro 6042 S SLEEPER CAB & HSD (SF-SL)	IC407652	6800	1420	3100	11995	2570	3430	2	30237	30169	28497	28429	11695	5676	6019	0.94
7	EICHER Pro 6042 S SLEEPER CAB & HSD (WF-SL)	IC407652	6800	1420	3100	11995	2570	3430	2	30087	30019	28347	28279	11845	5748	6097	0.94
8	EICHER Pro 6042 S SLEEPER CAB & FSD (SF-SL)	IC407651	6800	1420	3100	11995	2570	2940	2	30517	30449	28777	28709	11415	5632	5783	0.97
9	EICHER Pro 6042 S SLEEPER CAB & FSD (WF-SL)	IC407651	6800	1420	3100	11995	2570	2940	2	30367	30299	28627	28559	11565	5705	5860	0.97
10	EICHER Pro 6042 S SLEEPER CAB & CHASSIS (LD)	IC407650	6800	1420	2340	11235	2510	2940	2	#	#	#	#	9050	5010	4040	#
11	EICHER Pro 6042 S SLEEPER CAB & CHASSIS (LD-SL)	IC407650	6800	1420	2935	11830	2510	2940	2	#	#	#	#	9080	5030	4050	#
12	EICHER Pro 6042 S SLEEPER CAB & FET TIPPER BODY (24 CUM)	IC415303	6800	1420	1557	10455	2568	3560	2	28196	28128	26456	26388	13736	6655	7081	0.94



ANITA SHARMA
NOTARY

0333 dt. 16.10.2019

Manufacturer: Signature, Name & Designation  Upendra Kumar Mishra Manager - Homologation Commercial Vehicles Ltd. (Mahindra & Mahindra)		Document No: Pro 6042H_T/191kW_BS6/19/93 Rev 0 Sheet No : 5 of 8 Date : 12.08.2019	Test Agency: Signature, Name & Designation 	Cert No:
---	--	---	--	-----------------------------

True Copy
Attested

1591C

0333 dt. 16.10.2019

Table 7 of AIS-007 (Revision 5)
BRIEF TECHNICAL SPECIFICATIONS FOR MOTOR VEHICLES

Sr. No	DESCRIPTION	Vehicle Layout	Wheel Base (mm)	Front Over hang (mm)	Rear Over hang (mm)	Over all Dimension (mm)			Seating Capacity \$	Goods Carrying Capacity (kg)				Unladen Weight (kg)		
						Length	Width	Height		With GVW 42000kg	'A'	'B'	'A'	'B'	ULW	FAW
13	EICHER Pro 6042 S SLEEPER CAB & TIPPER CHASSIS	IC415302	6800	1420	1285	10180	2590	2970	2 Persons + 1 Sleeper	#	#	#	#	#	9736	5655
14	EICHER Pro 6042 S SLEEPER CAB & CHASSIS (SS)	IC415302	6800	1420	1285	10180	2510	2940	Sleeper	#	#	#	#	#	9736	5655
15	EICHER Pro 6042 S COWL & CHASSIS	IC415368	6800	1420	2340	11235	2510	2940	1	#	#	#	#	#	9193	5178
16	EICHER Pro 6042 S COWL & CHASSIS (SL)	IC415368	6800	1420	2935	11830	2510	2940	1	#	#	#	#	#	9223	5198

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081

4015

4081


4015

LEGEND: HS = High Side Deck, FSD: Fixed Side Deck, DSD: Drop Side Deck, Weight of one person is considered as 68 kgf. #-To be verified after bodybuilding. A = with only driver, S = Super Long, SL = Super Long, WF = Wooden Floor, SF = Steel Floor, FET = Front End Tipping, SS = Super Short



True Copy
ATTESTED

ANITA SHARMA
NOTARY
District-INDORE (M.P.)



Manufacturer: Signature, Name & Designation 		Document No: Pro 6042H_T/191kW_BS6/19/93 Rev 0 Sheet No : 6 of 8 Date : 12.08.2019		Test Agency: Signature, Name & Designation		Cert No:	
---	--	---	--	--	--	-----------------	--

Var
ign
Sr
VE
AV