

**TRANSPORT DEPARTMENT: GNCTD  
OPERATION BRANCH, 5/9, UNDER HILL ROAD, DELHI-110054**

DC/OPS/TPT/2020/ 610-612

Dated : Feb 20 2020

**CIRCULAR**

Approval of the Competent Authority, Transport Department, Government of NCT of Delhi is hereby conveyed to allow the registration approval of vehicle models manufactured by **M/s .VE commercial Vehicle Ltd** in the as per the details contained in the Type Approval Certificate issued by designated testing agency under Rule 126 of CMV Rule, 1989 i.e ARAI, Pune, for the compliance of the Central Motor Vehicle Rules as follows:-

S.No	Details as per Type Approval Certificate as per CMVR				
1	Agency, Certificate No.& Date	ARAI, Pune - AAON 0375 dated 08.11.2019			
2	Document Reference	Current certificate			
3	This certificate supersedes	---			
4	Bharat Stage	<b>BS-VI /with OBD I</b>			
5	Type Description & Category	<b>Fully Built-up Goods Vehicle N3</b>			
6	Fuel	<b>Diesel</b>			
7	Power	154.5 kW @ 2200 rpm <b>5132 cc</b>			
8	Name & Manufacturer	<b>M/s. VE Commercial Vehicles Limited</b> , (A Volvo Group and Eicher Motors Joint Venture), 102, Industrial Area No.1, Pithampur 454775 Dist- Dhar (MP) Plants: 102, Industrial Area No.1, Pithampur 454775 Dist- Dhar (MP)			
<b>10.</b>	<b>Details of Base Model with GVW &amp; Dimesions</b>				
	<b>Base Model &amp; Variants</b>	<b>Seating capacity</b>	<b>GVW in Kg</b>	<b>Wheel Base</b>	<b>Technical specifications of EICHER PRO 6028 with 154 BSVI VARIANTS</b>
	<b>EICHER Pro 6028 M SLEEPER CAB &amp; HSD (WF)</b>	<b>2 Persons + 1 Sleeper</b>	28000	Annexure -1 to ARAI 0375 dated 08.11.19- details of 18 variants is enclosed	Annexure -1 to ARAI 0375 dated 08.11.19- details of 18 variants is enclosed
			27600		
As the GVW of the Diesel vehicle is more than 7500 kg this endorsement is subject to approval/permission from the Hon'ble National Green Tribunal and Supreme Court of India for registration in Delhi					

The endorsement approval is accorded subject to the responsibility of the manufacturer for ensuring the fitment of the same component , parts/assemblies etc. the details of which are given in the detailed specifications duly endorsed by ARAI, Pune at the time of submission of the vehicles for COF/Registration. Manufactured should ensure that the vehicle is delivered fully build by them and no element of local body is involved .

All MLOs/CMVI (Burari) are requested to accept the base model "EICHER Pro 6028 M SLEEPER CAB & HSD (WF) " and variants detailed above manufactured by **M/s. VE Commercial Vehicles Limited**, in NCT of Delhi, subject to fulfillment of provisions of Motor Vehicle Act and Rules made thereunder directions of Hon'ble Court/ Tribunals and department's instruction /order issued from time to time in this regard.

DC/OPS/TPT/2020/ 610-612

Copy forwarded for information and necessary action to:


1. All MLOs/CMVI (Burari)/Programmer , Transport Department
2. **M/s. VE Commercial Vehicles Limited**, (A Volvo Group and Eicher Motors Joint Venture), 102, Industrial Area No.1, Pithampur 454775 Dist- Dhar (MP),
3. Sr.SA Computer Branch, Transport Department to upload on the website.
4. Guard File.

*(Signature)*  
20 Feb 2020  
(VIKAS JAIN)  
PCO (OPERATIONS)  
Date : Feb 20 2020

*(Signature)*  
20 Feb 2020  
(VIKAS JAIN)  
PCO (OPERATIONS)

57/C

CMVR CERTIFICATE No. A A



dt. 8<sup>th</sup> November 2019

Varlants	Type	Category	Load Body Type	Seating Capacity (including Driver)	GVW (kg)	Load Carrying Capacity (kg)
1 EICHER Pro 6028 M SLEEPER CAB & HSD (SF)	Fully Built-up Goods vehicle/ Cab Fully Built-up / Cab or Cowl & Chassis (Goods)	N3	High side Deck	2 Persons + 1 Sleeper	28000	18473
2 EICHER Pro 6028 M SLEEPER CAB & FSD (WF)			Fixed Side Deck		27600	18073
3 EICHER Pro 6028 M SLEEPER CAB & FSD (SF)			Fixed Side Deck		28000	18779
					27600	18379
4(*) EICHER Pro 6028 M SLEEPER CAB & CHASSIS			NA		28000	To be verified after body building
					27600	
5(*) EICHER Pro 6028 S SLEEPER CAB & CHASSIS			NA		28000	To be verified after body building
					27600	
6(*) EICHER Pro 6028 M SLEEPER CAB & CHASSIS (LD)			NA		28000	To be verified after body building
					27600	
7 EICHER Pro 6028 M SLEEPER CAB RCV-UBL (18CuM)			Special Purpose Body (UBL)		28000	14074
					27600	13674
8 EICHER Pro 6028 M SLEEPER CAB RCV-UBL DPA (18CuM)			Special Purpose Body (UBL DPA)		28000	13806
					27600	13406
9 EICHER Pro 6028 M SLEEPER CAB & HL (16.5CuM)			Hook Loader		28000	17136
					27600	16736
10(*) EICHER Pro 6028 M COWL & CHASSIS			NA		28000	To be verified after body building
					27600	
11(*) EICHER Pro 6028 S COWL & CHASSIS	NA	28000	To be verified after body building			
		27600				
12(*) EICHER Pro 6028 M COWL & CHASSIS (LD)	NA	28000	To be verified after body building			
		27600				
13(*) EICHER Pro 6028TM H DAY CAB & CHASSIS	NA	28000	To be verified after body building			
		27600				
14 EICHER Pro 6028TM H DAY CAB & 7CUM RMC	Special Purpose Body (RMC)	28000	15437			
		27600	15037			
15 EICHER Pro 6028TM H DAY CAB & 6CUM RMC	Special Purpose Body (RMC)	28000	15742			
		27600	15342			
16 EICHER Pro 6028TM H DAY CAB & 7CUM RMC (EPTO)	Special Purpose Body (RMC)	28000	15917			
		27600	15517			
17(*) EICHER Pro 6028TM H2 DAY CAB & CHASSIS	NA	28000	To be verified after body building			
		27600				
18 EICHER Pro 6028TM H2 DAY CAB & 9CUM RMC	Special Purpose Body (RMC)	28000	15421			
		27600	15021			

**Note** Vehicles with incomplete configurations need to be verified after body building, at the time of registration. These respective vehicles and rules which need verification are marked (\*)

A. A. BADUSHA  
SR. DEPUTY DIRECTOR & HEAD  
HOMOLOGATION MANAGEMENT, REGULATION &  
VEHICLE EVALUATION, ARAI, PUNE.



**True Copy ATTESTED**  
ANITA SHARMA  
NOTARY  
District: INDORE (M.P.)

AUTHORISED SIGNATORY  
Mrs. RASHMI URDHWARESHE  
DIRECTOR  
ARAI, PUNE.

Table 7 of AIS-007 (Revision 5)  
BRIEF TECHNICAL SPECIFICATIONS FOR MOTOR VEHICLES

ANNEXURE - I

Sl. No.	Model	Vehicle Layout	Wheel Base (mm)	Front Over Hang (mm)	Rear Over hang (mm)	Over all Dimension (mm)			Seating Capacity	Goods Carrying Capacity				Unladen Weight (kg)			Fuel Capacity (Lit)
						Length	Width	Height		With 28000kg GVW		With 27600kg GVW		ULW	FAW	RAW	
										'A'	'B'	'A'	'B'				
1	EICHER Pro 6028 M SLEEPER CAB & HSD (SF)	IC408479	5350	1420	2435	9880	2560	3430	1	18661	18593	18081	18013	9271	4165	5106	4082
2	EICHER Pro 6028 M SLEEPER CAB & FSD (WF)	IC417002	5350	1420	2435	9880	2560	2960	2	18847	18779	18267	18199	9085	4107	4478	3249
3	EICHER Pro 6028 M SLEEPER CAB & FSD (SF)	IC417002	5350	1420	2435	9880	2560	2960	2	18997	18929	18417	18349	8935	4039	4896	3249
4	EICHER Pro 6028 M SLEEPER CAB & CHASSIS	IC415676	5350	1420	2380	9825	2481	2960	1 Sleeper +	#	#	#	#	7550	3633	3917	4092
5	EICHER Pro 6028 S SLEEPER CAB & CHASSIS	IC415676	6800	1420	2985	11880	2481	2960	#	#	#	#	#	7885	3793	4092	#
6	EICHER Pro 6028 M SLEEPER CAB & CHASSIS (LD)	IC415676	5350	1420	2380	9825	2481	2960	#	#	#	#	#	6250	3001	3249	#
7	EICHER Pro 6028 M SLEEPER CAB RCV- UBL (18CuM)	IP312751	5350	1420	2638	10083	2560	3520	14142	14074	13562	13494	13790	13790	6633	7157	0.93
8	EICHER Pro 6028 M SLEEPER CAB RCV- UBL DPA (18CuM)	IP312751	5350	1420	2638	10083	2560	3520	13874	13806	13294	13226	14058	6797	7261	0.94	
9	EICHER Pro 6028 M SLEEPER CAB & HL (16.5CuM)	IP312748	5350	1420	1055	8500	2560	3200	17204	17136	16624	16556	10728	5160	5568	0.93	
10	EICHER Pro 6028 M COWL & CHASSIS	IC415031	5350	1515	2380	9920	2481	2795	1	#	#	#	#	7215	3502	3713	#
11	EICHER Pro 6028 S COWL & CHASSIS	IC415031	6800	1515	2985	11975	2481	2795	1	#	#	#	#	7450	3576	3874	#
12	EICHER Pro 6028 M COWL & CHASSIS (LD)	IC415031	5350	1515	2380	9920	2481	2795	1	#	#	#	#	5850	2814	3036	#



True Copy of 20  
**ATTESTED**

**ANITA SHARMA**  
NOTARY  
District-INDORE (M.P.)

Manufacturer: Signature, Name & Designation  
Document No: Pro 6028H\_TM/154kW\_BS6/19/111  
Test Agency: Signature, Name & Designation  
Cert No:

*Anita Sharma*  
Omshrihar Mishra  
Director & Registration  
Officer (M.P. Vehicle)

Rev 0  
Sheet No : 5 of 8  
Date : 15.10.2019

5

Table 7 of AIS-007 (Revision 5)  
BRIEF TECHNICAL SPECIFICATIONS FOR MOTOR VEHICLES

Sr. No	DESCRIPTION (Standard Non AC Cab, Option: AC Cab)	Vehicle Layout	Wheel Base (mm)	Front Over Hang (mm)	Rear Over hang (mm)	Over all Dimension (mm)			Seating Capacity \$	Goods Carrying Capacity (kg)				Unladen Weight (kg)	ULW	FAW	FAW (kW)
						Length	Width	Height		With 2800kg GVM	'B'	With 27600kg GVM	'B'				
13	EICHER Pro 6028TMM H DAY CAB & CHASSIS	IC406063	4250	1430	1275	7630	2496	2960	2	#	#	#	#	8027	4125	3902	#
14	EICHER Pro 6028TMM H DAY CAB & 7CUM RMC	IC415348	4250	1430	2180	8535	2580	3805	2	15505	15437	14925	14857	12427	4468	7959	0.56
15	EICHER Pro 6028TMM H DAY CAB & 6CUM RMC	IC415348	4250	1430	2165	8520	2580	3805	2	15810	15742	15230	15162	12122	4445	7577	0.56
16	EICHER Pro 6028TMM H DAY CAB & 7CUM RMC (EPTO)	IC415348	4250	1430	2180	8535	2580	3805	2	15985	15917	15405	15337	11947	4431	7577	0.56
17	EICHER Pro 6028TMM H2 DAY CAB & CHASSIS	IC416986	4285	1430	1287	7677	2496	2960	2	#	#	#	#	8348	4290	4058	#
18	EICHER Pro 6028TMM H2 DAY CAB & 8CUM RMC	IC416988	4285	1430	2480	8870	2580	3805	2	15489	15421	14909	14841	12443	4615	7828	#

LEGEND: H=High, S=Side Deck, FSD=Fixed Side Deck, DSD: Drop Side Deck, Weight of one person is considered as 68 kgf. #-To be verified after bodybuilding. A = with only driver, B = with driver, Seating Capacity, SL = Super Long; -- = Not Applicable, WF = Wooden Floor, SF = Steel Floor, AC= Air Conditioner, UBL= Universal Bin Lifter, DPA= Dumper, Loader, RCV= Refuse Compactor Vehicle, RMC = Ready-mix concrete




True Copy ATTESTED

ANITA SHARMA  
NOTARY  
District-INDORE (M.P.)

Manufacturer: Signature, Name & Designation		Document No:		Test Agency: Signature, Name & Designation		Cert No:	
 Kumar Mishra Homologation & Engineering Vehicles Ltd. (Joint Venture)		Pro 6028H_TMM/154KW_BS6/19/111					
		Rev 0					
		Sheet No : 6 of 8					
Date : 15.10.2019							

dt. 08.11.2019



Po: os eig ne: me  
irer Nar tra ger ter & Ek