[See sub-rule (1) of rule 35]

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: CANNAUGHT PLACE NEW DELHI- 110 001

No. F6/DFS/ms/2011/2298

Dated: 23/09/11

FIRE SAFETY CERTIFICATE

Certified that the Govt. Boys Senior Secondary School Chander Nagar, C- Block Krishna Nagar Delhi-51. Comprised of ground plus one upper story owned/occupied by M/S Govt. Boys Senior Secondary School Chander Nagar, C- Block Krishna Nagar Delhi-51, have complied with the fire prevention and fire safety requirements in accordance with the circular issued by the Director of Education dated 01.03.2011 and verified by the officer concerned of Fire Service on 08.09.2011 in the presence of Mr K.C. Sharma, Principal of the school and that the building is fit for occupancy class B 'Educational Building' with effect from .2.3/.05./14... for a period of three years, subject to conditions printed overleaf.

Issued on 23/09/11 at New Delhi by

Chief Fire Officer Delhi Fire Service

To,

HOS (Principal)
Govt. Boys Senior Secondary School
Chander Nagar, C- Block
Krishna Nagar Delhi-51.

Copy to:-.

The Joint Director of Education (Land & Estate) Directorate of Education, Lucknow Road, Delhi -54.

CONDITIONS:

- All the means of escape shall be kept free of all type of obstruction all the type of obstruction all the time.
- All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
- All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
- Any deviation, with regards to construction, ventilation, occupancy, electric installation etc. may be got verified from the concerned authorities.
- This NOC may not be treated in any case for regularizations of unauthorized construction unauthorized use of land if any.
- The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in

INSPECTION REPORT 1. Name & address of the building: G. B.S.S.S. Chander Hagar 2. Type of Occupancy Eou Cattonal 3 Type of Case : New Case/ Renewal* 4. Details of previous NOC Letter No. ____ 5 Fire Safety directives letter No : F.16 /Estate / Cc / 2011/ 3248 to 3398 6. Date of inspection 7. Name of the Inspecting Officers : All Suresh Singh 8. Name and designation of officers from the building side : Mr K.C. Sharrang, Poincipal 9. Year of Construction 2000 Applicant's letter No. : CMB / 2011/ 164 duted 27.7.17 S. Minimum Standards on fire NBC Provided at site Remarks No. prevention and fire safety U/R 33 Requirement MR/NMF Access to building · Road width 127. 6 M Gate width 4.5 H 5.90 M Width of internal road Number, Width, Type & Arrangement of Exits a. Number of staircases 13 NO · Upper Floors Basements b. Width of staircases 1.5 1.5 H. · Upper Floors Basements c. Protection of exits · Fire check door Pressurization e. No. of continuous staircases to terrace g. Width of Corridor 1.5 1-55 h. Door Size

3	Compartmentation.				
	 Fire check door Sealing of electrical shafts Fire Rating of shaft door Water Curtain Fire Dampers 				
4	Smoke Management System.				
	Basements Upper floors	30 a/c per hour 12 a/c per hour			
5	Fire Extinguishers				
	Total numbersTypesIS marking	ISI marked	17 Co2-t ABC		
6	First-Aid Hose Reels.				
	 Total numbers on each floor Length of hose reel hose Nozzle diameter 	30 m 5 mm			
7	Automatic fire detection and alarming system,				
63	 Type of detectors Location of Main Panel Location of Repeater Panel Alternate source of power Hooters' Location 				
3	MOEFA				
)	Public Address System.				
0	Automatic Sprinkler System.				
	Basement				

	Upper Floor Sprinkler above false ceiling	
11	Internal Hydrants	
	Size of riser/down-comer Number of hydrants per floor Hose Box	
12	Yard Hydrants.	
	Total number of hydrants Hose Box	
13	Pumping Arrangements.	
	Ground Level Discharge of main Pump Head of Main pump Number of main pumps Jockey Pump out put Jockey pump head Standby Pump out put Standby Pump Head Auto Starting/ Manual stopping Pump House Access	
	Terrace level Discharge of pump Head of the pump Power Supply Auto Starting of pump	
14	Captive Water Storage for fire fighting.	
	Underground tank capacity Draw-off connection	

	 Fire service inlet Access to tank Overhead Tank capacity 			
15	Exit Signage.			
16.	Provision of Lifts.			
	 Pressurization of Lift Shaft Pressurization of Lift lobby Communication In lift Car Fireman's Grounding Switch Lift Signage 			
17	Standby power supply			
18	Refuge Area.			
	➤ Total Area ➤ Location			
19	Fire Control Room			
	 Detector System Panel Flow Switch Panel PA System Panel Batter backup Building Floor Plans 			
20	Special Fire Protection Systems for Protection of special Risks, if any:			

The fire protection systems provided in the building were test checked and found functional at the time of inspection.

Keeping in view the substantial compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the Delhi Fire Service Rules 2010/ issue shortcomings as noted at serial numbers.

stones.

Signature of the Inspecting Officer

Name Suresh digh

Designation ADo

Start

Signature of the Inspecting Officer

Name

Suresh Sigh

Designation AP