GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS : DELHI FIRE SERVICE : CONNAUGHT LANE NEW DELHI-110 001.

No. f6/065/05/school/2011/2698 Dated: 24/10/11

## FIRE SAFETY CERTIFICATE

Certified that the GOVT. BOYS SECONDARY SCHOOL located at Palla Majra, Delhi-110 036, comprised of two blocks of ground floor only and less than 9 meters in height, have complied with the fire prevention and fire safety requirement in accordance with Director of Edcuation circular dated 01.03.2001 and verified by the officer concerned of fire service on 13,09,2011 in the presence of Shri Suraj Bhan, Vice Principal and that the building/ premises is fit for occupancy class Educational class with effect from 24/10/11 for a period of three years in accordance with rule 36 unless renewed under rule37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010.

Issued on 24 /10/11 at New Delhi by

Chief Fire Officer Delhi Fire Service

10

Shri Suraj Bhan, Vice Principal, GOVT. BOYS SECONDARY SCHOOL, PALLA MAJRA, Delhi-110 036.

Copy to:

The Director, Dte. Of Education, Old Sectt., Delhi.

Conditions for the validity of fire safety certificate:-

- a) All the fire safety means of escape facilities shall be maintained in good conditions at all time. Any lapse rendering fire safety or means of evacuation facilities rendering non-functional shall be responsibility of the management.
- b) Building sanctioning authority may verify any deviation with regard to the construction/ occupancy in the building. In case of any deviation, the fire safety certificate stands null and void.
- c) The staff shall be trained for operating fire fighting system and mock evacuation drills be conducted at regular intervals and record be maintained.

	INSPE	CTION REPORT		
	Type of Case  New  Details of previous NOC  Fire Safety directives letter No  Date of inspection  Name of the Inspecting Officers  Name and designation of officers from the building side  Year of Construction  Applicant's letter No.	Case/Renewal No.  [Estate cc   F. 3   09   2011  R. K. Dahi  1.A.	Date Date  Date  Se safty   2011    49, A.D.O.	d
S. No	Minimum Standards on fire prevention and fire safety U/R 33	NBC Requirement	Provided at site	Remarks MR/NMR
1	Access to building			
	<ul> <li>Road width</li> <li>Gate width</li> <li>Width of internal road</li> </ul>	Acceable 6 meter	10 mb 1	
2	Number, Width, Type & Arrangement	of Exits	A .	
	<ul> <li>a Number of staircases</li> <li>• Upper Floors</li> <li>• Basements</li> <li>b Width of staircases</li> <li>• Upper Floors</li> <li>• Basements</li> <li>c Protection of exits</li> <li>• Fire check door</li> <li>• Pressurization</li> <li>e No. of continuous staircases to terrace</li> <li>g Width of Corridor</li> </ul>			
	h. Deor Size	Doruble Don	s of 100 em	Port

	Upper Floor     Sprinkler above false ceiling		
11	Internal Hydrants	N.A.	
	<ul> <li>Size of riser/down-comer</li> <li>Number of hydrants per floor</li> <li>Hose Box</li> </ul>		
12	Yard Hydrants.	N.A.	
	<ul> <li>Total number of hydrants</li> <li>Hose Box</li> </ul>		
13	Pumping Arrangements.	N.A.	T
	Ground Level		į
	<ul> <li>Discharge of main Pump</li> </ul>		
	<ul> <li>Head of Main pump</li> </ul>		
	Number of main pumps		
	<ul> <li>Jockey Pump out put</li> </ul>		
	Jockey pump head		
	Standby Pump out put		
	Standby Pump Head		
	Auto Starting/ Manual		-
	stopping		
	Pump House Access		
	Terrace level		
	Discharge of pump		
	➤ Head of the pump		
	<ul> <li>➢ Power Supply</li> <li>➢ Auto Starting of pump</li> </ul>		
14	Captive Water Storage for fire fighting	. A. LJ	
	Underground tank capacity		
	> Draw-off connection		

	Fire service inlet  Access to tank  Overhead Tank capacity				
15	Exit Signage.				
16			Provided		
	<ul> <li>Pressurization of Lift Shaft</li> <li>Pressurization of Lift lobby</li> <li>Communication In lift Car</li> <li>Fireman's Grounding Switch</li> </ul>	N.A			
	Lift Signage				
17	Standby power supply	W.L. A			
18	Refuge Area.				
	<ul><li>Total Area</li><li>Location</li></ul>	N· A.			
9	Fire Control Room				
	<ul> <li>Detector System Panel</li> <li>Flow Switch Panel</li> <li>PA System Panel</li> <li>Batter backup</li> </ul>	N·A.			
S	Special Fire Protection Systems for				
P	Protection of special Risks, if any.	-	_		

The fire protection systems provided in the building were test checked and found functional at the time of inspection

Reeping in view the substantial compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the Delhi Fire Service Rules 2010/ issue shortcomings as noted at serial numbers.

Signature of the Inspecting Officer

Signature of the Inspecting Officer

Name Shri R.K. Dahiya

Designation Ast. Div. affices

Name

Designation