GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS : DELHI FIRE SERVICE : CONNAUGHT LANE NEW DELHI-110 001.

No. F6/OFS/MS/School/2012/176/

Dated: 14/05/12

FIRE SAFETY CERTIFICATE

Certified that the MARSHAL MODREN SCHOOL located at Milan Vihar, Sant Nagar, Burari, Delhi, comprised of ground floor only and less than 9 meters in height, have complied with the fire prevention and fire safety requirement in accordance with Directorate of Education Circular No. F.16/Estate/Fire Safety/CC/2011/3298-3398 dated 01.03.2011 and verified by the officer concerned of fire service on 23.04.2012 in the presence of Shri Ajit Singh, Principal and that the building/ premises is fit for occupancy class Educational class with effect from for a period of three years in accordance with rule 36 unless renewed under rule37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010.

Issued on ______at New Delhi by

Chief Fire Officer Delhi Fire Service

Shri Ajit Singh, Principal, MARSHAL MODREN SCHOOL, Milan Vihar, Sant Vihar, Burari, Delhi.

Copy to:

The Director,
Dte. Of Education,
Old Sectt., Delhi.

Conditions for the validity of fire safety certificate:-

- a) All the fire safety means of escape facilities shall be maintained in good conditions at all time. Any lapse rendering fire safety or means of evacuation facilities rendering nonfunctional shall be responsibility of the management.
- b) Building sanctioning authority may verify any deviation with regard to the construction/ occupancy in the building. In case of any deviation, the fire safety certificate stands null and void.
- c) The staff shall be trained for operating fire fighting system and mock evacuation drills be conducted at regular intervals and record be maintained.

May kindly see the letter No Nil dated 26.03.2012 received from Principal, MARSHAL MODREN SCHOOL, Milan Vihar, Sant Nagar, Burari, Delhi-110 084 from fire safety point of view. Premises was inspected by the ADO (Bawana) on 23.04.2012 & observed that the building is comprised of ground floor only and having plot area 2-1/2 acres and covered area is 1200 sq. yards.

The point wise compliance Dte. of Education circular No. F.16/Estate/Fire Safety/CC/2011/3298-3398 dated 01.03.2011, are given below:

INSPECTION REPORT

| | COUNTY MURAL MURAL MARKER |
|--------------------------------------|--|
| . Name &address of the building | : MARSHAL MODREN SCHOOL, MILAN VIHAR, BURAR |
| 2. Type of Occupancy | : SCHOOL (GROUND form only) |
| 3. Type of Case | : NEW CASE |
| 4. Details of previous NOC | : NA - 229 M 12 2011 |
| 5. Fire Safety directives letter No. | : F.16 BSTate Fire Safety cc/2011 3298-3398 D4. 1.3.2011 |
| 6. Date of inspection | : 23 04 2012 |
| 7. Name of the Inspecting Officers | : SHRI RAJMAL KHOKHAR, ADO |
| 8. Name and designation of officers | : SHRI Afit Single |
| 9. From the building side | : Principal |
| 10. Year of Construction | |
| 11. Applicant's letter No. | : NIL Dated 26 03 2012 |

| S. No. | Minimum Standards on fire Prevention and fire safety U/R 33 | NBC Requirement | Provided at site | Remarks MR/NMR |
|-----------|--|--------------------|------------------|---|
| 1. | Access to building | | | |
| | Road width | Accessible | Accessible, | MR |
| | Gate width | -11- | h | .—n — |
| | Width of internal road | | _ | *************************************** |
| 2. | Number, Width, Type & Arrange | ment of Exits | | |
| <u></u> | a. Number of staircases | | "7 | 7 |
| | • Upper Floors | - | 7 | ~ |
| | • Basement | - | 57 | 7 |
| | b. Width of staircases | | | -7 |
| | Upper Floors | | 5 | 7 |
| | • Basement | 7 | 7 | - |
| | c. Protection of exits | 17 | 7 | 7 |
| | Fire check door | P7 | ~ | |
| | Pressurization | 7 | <u> </u> | _ |

| , | d. No. of continuous staircases to terrace | - | 7 | ₹ |
|----|--|------------|-----------------------|----------------|
| 'n | e. Width of Corridor | ~ | _ | |
| | f. Door size | 100 Cms | 105 ens | mR |
| 3. | Compartmentation. | | NA | |
| 5. | Fire check door | M | <₹ | 17 |
| | Sealing of electrical shafts | 64. | | - |
| | Fire Rating of shaft door | 7 | -7 | 7 |
| | Water Curtain | 2. | ~ | |
| | Fire Dampers | 11 | - | 7 |
| 4. | Smoke Management System. | | NA | |
| | Basements | 6 | - | • |
| | Upper floors | _ | - | - |
| 5. | Fire Extinguishers | h 19 | | |
| | Total numbers | Four | FOUR | MR |
| | • Types | | ABCTYPE 151 Marked | -u |
| | IS marking | ISI marked | 151 Marked | _u - |
| 6. | First-Aid Hose Rees. | | NA | |
| | Total numbers on each floor | | - | - 7 |
| | Length of hose reel hose | 30 m | - | _ |
| | Nozzle diameter | 5 mm | | - |
| 7. | Automatic fire detection and alar | | NA | |
| | Type of detectors | | - | 7 |
| | Location of Main Panel | 7 | - | - |
| | Location of Repeater Panel | 7 | - | e7 |
| | Alternate source of power | - | | ~ |
| | Hooter's Location | 7 | - | 7 |
| 8. | MOEFA | • ~ | ~ | _ |

| 10. Automatic Sprinkler system | 9. | Public Address System. | Required W | Provided | -14R4 |
|---|-----|-------------------------------|------------|-----------|----------|
| Basement Upper Floor Sprinkler above false ceiling II. Internal Hydrants Size of riser/down-comer Number of hydrants per floor Hose Box Total number of hydrants Hose Box Total number of hydrants Hose Box NA Total number of hydrants Hose Box NA Total number of hydrants Hose Box NA Total number of hydrants Hose Box Josew pumping Arrangements. When Josew pumping Arrangements NA Standby pump out put Josew pump head Standby pump Head Auto Starting/Manual stopping Pump Hose Access Terrace level Discharge of pump Head of the pump Head of the pump Power supply | 10. | Automatic Sprinkler system | | | |
| Upper Floor Sprinkler above false citing II. Internal Hydrants Size of riser/down-comer Number of hydrants per floor Hose Box It. Yard Hydrants Total number of hydrants Hose Box Total number of hydrants Hose Box NA Internal Hydrants NA | | Basement | - | FT | 7 |
| 11. Internal Hydrants Size of riser/down-comer Number of hydrants per floor Itose Box 12. Yard Hydrants. Total number of hydrants Hose Box Total number of hydrants Hose Box Total number of hydrants Hose Box Total number of min pump Head of Main pump Number of main pumps Number of main pumps Jockey Pump out put Jockey pump head Standby pump Head Auto Starting/Manual stopping Pump Hose Access Terrace level Discharge of pump Head of the pump Head of the pump Power supply | | Upper Floor | er. | et. | |
| • Size of riser/down-comer • Number of hydrants per floor • Hose Box 12. Yard Hydrants. • Total number of hydrants • Hose Box 13. Pumping Arrangements. Ground Level > Discharge of main pump > Head of Main pump > Number of main pumps > Jockey Pump out put > Standby pump out put > Standby pump head > Auto Starting/Manual stopping > Pump Hose Access Terrace level > Discharge of pump > Head of the pump > Power supply | | Sprinkler above false ceiling | | - | <u>—</u> |
| Size of riser/down-comer Number of hydrants per floor Hose Box 12. Yard Hydrants. Total number of hydrants Hose Box Total number of hydrants Hose Box NA Total number of hydrants Hose Box NA Ground Level Discharge of main pump Head of Main pump Number of main pumps Jockey Pump out put Jockey pump head Standby pump Head Auto Starting/Manual stopping Pump Hose Access Terrace level Discharge of pump Head of the pump Power supply | 11. | Internal Hydrants | | MA | |
| floor Hose Box 12. Vard Hydrants. Total number of hydrants Hose Box 13. Pumping Arrangements. Ground Level Discharge of main pump Head of Main pump Number of main pumps Jockey Pump out put Jockey pump head Standby pump head Standby pump Head Auto Starting/Manual stopping Pump Hose Access Terrace level Discharge of pump Head of the pump Power supply | | Size of riser/down-comer | • | | |
| 12. Yard Hydrants. • Total number of hydrants • Hose Box 13. Pumping Arrangements. Ground Level > Discharge of main pump > Head of Main pump > Number of main pumps > Jockey Pump out put > Standby pump head > Standby pump Head > Auto Starting/Manual stopping > Pump Hose Access Terrace level > Discharge of pump > Head of the pump > Power supply | | | 175 | | ^ |
| • Total number of hydrants • Hose Box 13. Pumping Arrangements. Ground Level > Discharge of main pump > Head of Main pump > Number of main pumps > Jockey Pump out put > Jockey pump head > Standby pump out put > Standby pump Head > Auto Starting/Manual stopping > Pump Hose Access Terrace level > Discharge of pump > Head of the pump > Power supply | | | | | |
| Hose Box 13. Pumping Arrangements. Ground Level Discharge of main pump Head of Main pump Number of main pumps Jockey Pump out put Jockey pump head Standby pump out put Standby pump Head Auto Starting/Manual stopping Pump Hose Access Terrace level Discharge of pump Head of the pump Power supply | 12. | Yard Hydrants. | | NA | |
| 13. Pumping Arrangements. Ground Level Discharge of main pump Head of Main pump Number of main pumps Jockey Pump out put Jockey pump head Standby pump out put Standby pump Head Auto Starting/Manual stopping Pump Hose Access Terrace level Discharge of pump Head of the pump Power supply | | Total number of hydrants | 7 | n | . |
| Ground Level Discharge of main pump Head of Main pump Number of main pumps Jockey Pump out put Jockey pump head Standby pump Head Auto Starting/Manual stopping Pump Hose Access Terrace level Discharge of pump Head of the pump Power supply | | | - | _ | _ |
| Discharge of main pump Head of Main pump Number of main pumps Jockey Pump out put Jockey pump head Standby pump out put Standby pump Head Auto Starting/Manual stopping Pump Hose Access Terrace level Discharge of pump Head of the pump Power supply | 13. | | | NA | |
| Discharge of main pump Head of Main pump Number of main pumps Jockey Pump out put Jockey pump head Standby pump out put Standby pump Head Auto Starting/Manual stopping Pump Hose Access Terrace level Discharge of pump Head of the pump Power supply | | Ground Level | 7 | 7 | |
| Number of main pumps Jockey Pump out put Jockey pump head Standby pump out put Standby pump Head Auto Starting/Manual stopping Pump Hose Access Terrace level Discharge of pump Head of the pump Power supply | | | Г | 7 | |
| Jockey Pump out put Jockey pump head Standby pump out put Standby pump Head Auto Starting/Manual stopping Pump Hose Access Terrace level Discharge of pump Head of the pump Power supply | | 4 | 7 | 7 | 7 |
| Jockey pump head Standby pump out put Standby pump Head Auto Starting/Manual stopping Pump Hose Access Terrace level Discharge of pump Head of the pump Power supply | | | 177 | | 7 |
| > Standby pump out put > Standby pump Head > Auto Starting/Manual stopping > Pump Hose Access Terrace level > Discharge of pump > Head of the pump > Power supply | | Jockey Pump out put | 7 | \forall | 47 |
| Standby pump Head Auto Starting/Manual stopping Pump Hose Access Terrace level Discharge of pump Head of the pump Power supply | | Jockey pump head | | 7 | 77 |
| Auto Starting/Manual stopping Pump Hose Access Terrace level Discharge of pump Head of the pump Power supply | | Standby pump out put | - | ק | 7 |
| Auto Starting/Manual stopping Pump Hose Access Terrace level Discharge of pump Head of the pump Power supply | | | _ | 77 | _ |
| Terrace level Discharge of pump Head of the pump Power supply | | | _ | | · |
| Discharge of pump Head of the pump Power supply | | > Pump Hose Access | - | 77 | ^ |
| Head of the pump Power supply | | Terrace level | | . 7 | |
| Head of the pump Power supply | | > Discharge of pump | מ | 7 | |
| | | ➤ Head of the pump | | - | |
| | | > Power supply | - | | |
| | | ➤ Auto Starting of pump | ~ | <i>-</i> | _ |

| 1. | Captive Water Storage for fire fight | ting. | NA | |
|-----|--|--------------|----------|--------------|
| 13 | Underground tank capacity | | ₹. | ~ |
| | > Draw -off connection | 6 | - | - |
| | > Fire service inlet | F | | 6 |
| | > Access to tank | | 5 | * |
| | Overhead Tank Capacity | 1.4. | - | - |
| 15 | Exit Signage. | Repuired 4 | Provided | - MAR |
| 16. | Provision of Lifts | | MA | |
| | Pressurization of Lift Shaft | ~ | - | • |
| | Pressurization of Lift lobby | . ~ | | ~ |
| 2. | Communication In lift Car | ~ | | ~ |
| | Fireman's Grounding Switch | <u></u> | - | - |
| | Lift Signage | | ~ | _ |
| 17. | Standby power supply | | NA | - |
| 18. | Refuge Area | - | NA | r |
| | > Total Area | | 0 | ~ |
| | > Location | , - | _ | • |
| 19. | Fire Control Room | | NA | |
| | Detector System Panel | , | 2 | - |
| | > Flow Switch Panel | 7 | - | _ |
| | > PA system Panel | - | | ~ |
| | > Batter backup | - | - | - |
| 27 | Building Floor plans | - | _ | - |
| 20. | Special Fire Protection Systems for Protection of special Risks, if any: | 1 - | v | C |

The fire protection systems provided in the building were test checked and found functional at the time of inspection.

Keeping in view the substantial compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the Delhi Fire Service Rules 2010/ issue shortcomings as noted at serial number

 \bigcap

Signature of the Inspection Officer

Signature of the Inspection Officer

Name SHRI RATMAL KHOKHAR

Name

Designation ASSITS. DIV- OFFICER

Disignation