GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: CANNAUGHT PLACE **NEW DELHI- 110 001**

No. F6/DFS/ars/school/2012/1833 Dated: 21/05/12

FIRE SAFETY CERTIFICATE

Certified that the M .C.Primary School at North Ghonda (Urdu), B-5, Yamuna Vihar, Delhi-53. Comprised of ground floor only owned/occupied by M .C. Primary School have complied with the fire prevention and fire safety requirements in accordance with with the circular issued by the Director of Education dtd.01.03.2011and verified by the officer concerned of Fire Service on 13.04.2012 in the presence of Mr. Khan, Principal, of the school and that the building is fit for occupancy class B' Educational Building' with effect from .21.1.95.1.1.2.... for a period of three years , subject to conditions printed overleaf.

Issued on 21/05/12 at New Delhi by

Chief Fire Officer Delhi Fire Service

To,

Principal M .C.Primary School North Ghonda (Urdu) 1ST Shift, B-5, Yamuna Vihar, Delhi-53.

Copy:-

- 1. The Director of Education MCD, Nigam Bhawan, Kashmiri Gate, Delhi.
- **Principal** M .C.Primary School North Ghonda (Urdu),2nd Shift, B-5. Yamuna Vihar, Delhi-53

CONDITIONS:

1. All the means of escape shall be kept free of all type of obstruction all the time.

NATIONAL ENTERNISHES CARACTEL DEBUG DESTRIBUTE OF VICE CARDONALLE PLACE

- 2. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
- 3. All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
- 4. Any deviation, with regards to construction, ventilation, occupancy, electric installation etc. may be got verified from the concerned authorities.
- 5. This NOC may not be treated in any case for regularizations of unauthorized construction unauthorized use of land if any.
- 6. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in

Trendents in to be a local manage in a con-

2.5. I mais suntia tavi vojeda ti ja asapa a 11. a 24. a

and while Claber 12:

INSPECTION REPORT

1. Nan	ne & address of the building: e of Occupancy :	M.C.P	rimary Scho	ol at Nort	4 Ghonda (urdu)-B-5,
2. Type	e of Occupancy :_	Ed	Lu cethonal		yamuna Ulher, Delhiss
3. Тур	e of Case :	New Ca	se / R ene wal		
4. Deta	ails of Previous NOC : L	etter No-	NIL		
			The state of the s	113 21	
5. Fire	Safety direction letter No :	:16 Es	tate FS (cc) 20	311/3298 t	3398 dtd. 1.3.11
6. Date	e of Inspection	3.01	1.12		
7. Nam	ne of the Inspecting officers:	D0 1	11 regudag	Singh	
8. Nam	ne of the designation of Officer :_	MY	· Khan		
Fron	n the building side	P~	incipal.		
9. Yea	r of Construction		92		The Control of Control
10.App	licant's letter No:		td 28.03.1		-
11.Build	ding is comprised of :	<u> </u>	round floor	only.	a maja dan dan dan dan dan dan dan dan dan da
S.NO.	Minimum Standards on fire pre-	vention	Circular	Provided at	Remarks
_	and fire safety U/R33		Requirement	Site	
1	Access to building			e e	
	Road width			GM	MR
	Gate width				
	 Width of internal road 				
2	Number, Width, Type and Arrar	ngement	of Exits	1	
,	a. Number of Staircases		1	m)	
	 Upper Floor 				1
	 Basement 				
	B. Width of Staircases				
	Upper Floor				
	Basement				
	c. Protection of exits	×			
	Fire check door				
	Pressurization			200	
	e. No. of continuous staircases	to			,
	terrace				
	g. Width of Corridor		l l	V	
				6	3
	J				e e

	h. Door Size	1.0 M	Provided	MR
2	Comportmentation			
3	Compartmentation.	NA		
	Fire check door			
	Sealing of electrical shafts	. ha \$1		
	Fire rating of shaft door	TO 12 4 4		
	Water curtain	- 9		
	Fire Dampers	× × × ×	l '	-
4	Smoke Management System.	arA		
	Basement	30a/c per hour		1
	Upper floor	12 a/c per hour		
5.	Fire Extinguisher	1	× * 1	# 12 ·
	Total numbers	2 Nos.	Provided	MR
	• types	ABCRCOZ	11.	-11
	IS marking	ISI marked	-11 -	-11 /
6	First-aid-Hose Reels.	0.10		
	Total numbers of each floor	1 1 8		
	 Length of hose reel hose 	30 m		3
	Nozzle diameter	5 mm		
7	Automatic fire detection and alarming sys	tem.		
	Type of detectors			
	 Location of main panel 	and the second s		
	 Location of repeater panel 	New York Control of the Control of t		
	Alternate source of power	esternis/industri		
	Hooters's location	WE COMPANY TO THE PROPERTY OF		
8	MOEFA	NO		
9	Public address System.		7	
10	Automatic Sprinkler System.			
	basement			
	upper floor			
,	sprinkler above false ceiling	·		
11	Internal Hydrants	dis		
:	size of riser/down-comer	117	1	
	Number of hydrants per floor			5

12	Yard Hydrants.	NA	>	<u> </u>				
ST.	Total number of hydrants							
	Hose Box	s					1	
13	Pumping Arrangements.	NA						
	Ground Level							
	Discharge of main Pump							
	Head of Main Pump							
	Number of main pumps							
	Jockey pump out put							
	Jockey pump head							
7	Standby pump out put							
	Standby pump Head							
3	Auto Starting /Manual stopping		Trong and					
	Pump House Access							
	Terrace Level							
	Discharge of pump							
	Head of the Pump							
20	> Power supply							
	> Auto Starting of pump							
14	Captive Water Storage for Fire Fighting.	NA	=					
	 Underground tank capacity 	1						
	> Draw-off connection							
	> Fire service inlet							
	> Access to tank							
	Overhead Tank capacity							
15	Exit Signage.	NA						
16	Provision of Lifts.	NA						
	 Pressurization of Lift Shaft 							
	Pressurization of Lift lobby							
	Communication in lift car							
	Firemen's grounding switch					-3		
	Lift Signage							
17	Standby power supply	N.A						V
18	Refuge Area.	N.A			V			
	Total area	1,5)	1					
	Location							

19	Fire Control Room	NA		
	Detector system panel	1		
,	Flow switch panel			
	PA system panel			
	Batter backup			
	Building Floor Plans			
20	Special Fire Protection systems for	MA		
	protection of special Risks, if any:		,	

The fire extinguishers provided in the building were test /checked and found functional at the time of inspection. Keeping in view the substantial compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the Delhi Fire Service Rule 2010.

Signature of the inspecting Officer

Name

IRBNDRA SINGH

Designation

00

