

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEAD QUARTERS: DELHI FIRE SERVICE, CONNAUGHT PLACE
NEW DELHI - 110001



No: F 6/DFS/MS/2012/school/1882

Dated:- 24/05/12

FIRE SAFETY CERTIFICATE

Certified that the Govt. Sarvodaya Kanya vidyalaya vijay ngr
Delhi 110007 comprised of Ground +
3 upper floors owned/occupied by Govt. Sarvodaya
Kanya vidyalaya vijay ngr Delhi Complied with the fire prevention and fire
safety requirement in accordance with Director of Education circular Dated:-01/03/2011 and
verified by the officer concerned of Fire Service on 11/5/12 in the presence of
Vice Principal and that the building/premises is fit for occupancy
Educational building with effect from 24/05/12 for a period of
03 years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under
Rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service
Rules, 2010.

Issued on 24/05/12 at New Delhi.


Chief Fire Officer
Delhi Fire Service


Copy to:-

- 1 The vice principal
Govt. Sarvodaya Kanya vidyalaya
Vijay ngr. Delhi 110007
- 2 Sh. Jatininder Singh
Project Director (Edu.)
D.S.I.I.D.C. Lt. Col. Technical Centre Bldg.
Wazirpur Extn. Area Delhi 110052

Note:- This fire safety certificate is subject to compliance of the condition printed over leaf.

1. All the means of escape shall be kept free of all type of obstruction all the time.
 2. All the employees shall be acquainted with the use and maintenance of a fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
 3. All the fire fighting equipment shall be maintained in perfect working condition all the time and any lapse rendering non – functional of fire safety measures, management shall be responsible.
 4. Any deviation, with regards to construction, electric installation etc; may be got verified from the concerned authorities.
 5. Basement shall be used as per NBC.
 6. This NOC may not be treated in any case for regularizations of unauthorized construction, if any.
7. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in

Cont- to previous inspection carried out on 3.9.11 and inspection
 performa attached with file. Short comings communicated vide
 letter No. F6/DFS/MS/School/2011/2763 dt. 28.10.11 checked &
 compliance points filled up.

INSPECTION REPORT

1. Name & address of the building : Govt. Sarvodaya Kanya Vidyalaya, Wajal
2. Type of Occupancy : School (Education BMS)
3. Type of Case : New Case/ Renewal
4. Details of previous NOC : Letter No. _____ Dated: _____
5. Fire Safety directives letter No : _____
6. Date of inspection : 11.5.12
7. Name of the Inspecting Officers : DO Vibin Kantal
8. Name and designation of officers from the building side : Vice Principal
9. Year of Construction : _____
10. Applicant's letter No. : _____

S. No.	Minimum Standards on fire prevention and fire safety U/R 33	NBC Requirement	Provided at site	Remarks MR/NMR
1	Access to building <ul style="list-style-type: none"> • Road width • Gate width • Width of internal road 			<i>Already mentioned in previous inspection report.</i>
2	Number, Width, Type & Arrangement of Exits <ol style="list-style-type: none"> a. Number of staircases <ul style="list-style-type: none"> • Upper Floors • Basements b. Width of staircases <ul style="list-style-type: none"> • Upper Floors • Basements c. Protection of exits <ul style="list-style-type: none"> • Fire check door • Pressurization e. No. of continuous staircases to terrace g. Width of Corridor h. Door Size 			

3	Compartmentation.				
	<ul style="list-style-type: none"> • Fire check door • Sealing of electrical shafts • Fire Rating of shaft door • Water Curtain • Fire Dampers 				
4	Smoke Management System.				
	<ul style="list-style-type: none"> • Basements • Upper floors 	30 a/c per hour 12 a/c per hour			N/A
5	Fire Extinguishers				
	<ul style="list-style-type: none"> • Total numbers • Types • IS marking 	10 no. ABC type / CO2 type 200 each. ISI marked		P ABC type.	M/R
6	First-Aid Hose Reels.				
	<ul style="list-style-type: none"> • Total numbers on each floor • Length of hose reel hose • Nozzle diameter 	1 30 m 5 mm		P C P C P I	M/R M/R M/R
7	Automatic fire detection and alarming system.				
	<ul style="list-style-type: none"> • Type of detectors • Location of Main Panel • Location of Repeater Panel • Alternate source of power • Hooters' Location 				N/A
8	MOEFA				
9	Public Address System.				
10	Automatic Sprinkler System.				
	<ul style="list-style-type: none"> • Basement 				

	<ul style="list-style-type: none"> • Upper Floor • Sprinkler above false ceiling 		/	
11	Internal Hydrants			
	<ul style="list-style-type: none"> • Size of riser/down-comer • Number of hydrants per floor • Hose Box 	100 mm	P ✓	M/R
		1	P ✓	M/R
		1	P ✓	M/R
12	Yard Hydrants.			
	<ul style="list-style-type: none"> • Total number of hydrants • Hose Box 			
13	Pumping Arrangements.			
	<ul style="list-style-type: none"> • Ground Level <ul style="list-style-type: none"> ➤ Discharge of main Pump ➤ Head of Main pump ➤ Number of main pumps ➤ Jockey Pump out put ➤ Jockey pump head ➤ Standby Pump out put ➤ Standby Pump Head ➤ Auto Starting/ Manual stopping ➤ Pump House Access • Terrace level <ul style="list-style-type: none"> ➤ Discharge of pump ➤ Head of the pump ➤ Power Supply ➤ Auto Starting of pump 		✓	
		450 LPM	P ✓	M/R
		-		
		R	P ✓	M/R
14	Captive Water Storage for fire fighting.			
	<ul style="list-style-type: none"> • Underground tank capacity ➤ Draw-off connection 		/	

	<ul style="list-style-type: none"> ➤ Fire service inlet ➤ Access to tank • Overhead Tank capacity 				
15	Exit Signage.	✓ 10,000 lbs	P		MJR
16	Provision of Lifts.				
	<ul style="list-style-type: none"> • Pressurization of Lift Shaft • Pressurization of Lift lobby • Communication In lift Car • Fireman's Grounding Switch • Lift Signage 			N/A	
17	Standby power supply				
18	Refuge Area.				
	<ul style="list-style-type: none"> ➤ Total Area ➤ Location 			N/A	
19	Fire Control Room				
	<ul style="list-style-type: none"> • Detector System Panel • Flow Switch Panel • PA System Panel • Batter backup • Building Floor Plans 			N/A	
20	Special Fire Protection Systems for Protection of special Risks, if any:				

✓ The fire protection systems provided in the building were test checked and found functional at the time of inspection.

Keeping in view the substantial compliance of the minimum standards on fire prevention and fire required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the Fire Service Rules 2010/ issue shortcomings as noted at serial numbers.....

Signature of the Inspecting Officer

Beitah
15/5
Signature of the Inspecting Of

Name

Name

Designation

Designation

Defo

The compliance of all the spot comings as mentioned at S.No. 5, 6, 11, 13 & 14 have been made. Fire safety certificate attached to.

Beitah
15/5