GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: CANNAUGHT PLACE NEW DELHI- 110 001

No. F6 | OFS/ms/school/2011/3514

Dated: 14/12/11

FIRE SAFETY CERTIFICATE

Certified that the Govt. Girls Sr. Sec. School Khajoori Khas, Delhi-94. Comprised of ground plus one upper story owned/occupied by Govt. Girls Sr. Sec. School Khajoori Khas, Delhi-94, have complied with the fire prevention and fire safety requirements in accordance with the circular issued by the Director of Education dated 01.03.2011 and verified by the officer concerned of Fire Service on dated 17.11.11 in the presence of Mrs. Kamaljeet Kaur, Principal of the school and that the building is fit for occupancy class B 'Educational Building' with effect from

Issued on.....14 12 11 at New Delhi by

Chief Fire Officer

For Director

Delhi Fire Service

To,

Govt. Girls Sr. Sec. School Khajoori Khas, Delhi-94

Copy to:-

The Joint Director of Education (Land & Estate) Directorate of Education, Lucknow Road, Delhi -54.

CONDITIONS:

- 1. All the means of escape shall be kept free of all type of obstruction all the type of obstruction all the time.
- 2. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
- 3. All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
- 4. Any deviation, with regards to construction, ventilation, occupancy, electric installation etc. may be got verified from the concerned authorities.
- 5. This NOC may not be treated in any case for regularizations of unauthorized construction unauthorized use of land if any.
- 6. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in

INSPECTION	REPORT
------------	--------

1.	Name & address of the building:	+ Strld Sem	ir Secondary	School	
2.	Type of Occupancy : Romerfinal Khayeari khay.				
3.	Type of Case : New Case/ Renewal				
4.	Details of previous NOC : Letter NoDated:				
5.	Fire Safety directives letter No : F.///	Estate CC Fir	e Safey 2011 / 32	298 + 3298	
6.					
7.	Name of the Inspecting Officers: ADO Suresh Singh				
8.	8				
	from the building side : Mrs	Kamalgee	h Kaur	Principal	
9.	Year of Construction : 20	000, 2010.			
10	Applicant's letter No. : 4	29 alated	17.11.2011		
S.	Minimum Standards on fire		Provided at site	Remarks	
No.	prevention and fire safety U/R 33	Requirement		MR/NMR	
1	Access to building				
	Road width	6 N	6.5 M	M/R	
60	Gate width	4.5 7	4.6 M	MIR	
*	Width of internal road				
2	Number, Width, Type & Arrangement of Exits				
	a. Number of staircases	4	4	MR	
	Upper Floors		-	-	
	Basements	-	i	_	
	b. Width of staircases	1.5 M	1-68 M , 1,50 H	MR	
	Upper Floors			~	
	• Basements				
	c. Protection of exits	-		_	
	Fire check door				
	Pressurization		1		
	e. No. of continuous staircases to terrace		No)	
	g. Width of Corridor	1.54	1.64	MR	
	h. Door Size	1 M-	1 M	MR	
			281		

				_ (
3				
3	Compartmentation.		Provided	
	Fire check door		-	_
	 Sealing of electrical shafts 			1
	 Fire Rating of shaft door 			4.
	Water Curtain	-		
	Fire Dampers			
4	Smoke Management System.		1	
	Basements	30 a/c per hour		0/
	Upper floors	12 a/c per hour		70
		12 are per nour		02
5	Fire Extinguishers	Required	L	
	• Total numbers	7.07-67-00	17 No	1
	• Types		Co2 + ABC	2
	IS marking	ISI marked	151	3
6	First-Aid Hose Reels.		(3)	TR
	Total numbers on each floor	NIA		*
	• Length of hose reel hose	30 m		1
	Nozzle diameter	5 mm		
7				7
	Automatic fire detection and alarming system. INIA			
	Type of detectors			1
	• Location of Main Panel	-		4
٠	Location of Repeater Panel			-
	Alternate source of power			ad
٠.	Hooters' Location			
	Addition Education			
3	MOEFA	HIA		
)	Public Address System.		705	
0	Automatic Sprinkler System.	NIP	11/2	<u> </u>
1	Basement	MIR		· .

The state of the s

	II Was Elana				
•	Upper FloorSprinkler above false ceiling				
	Sprinkler above raise coming	: A/1 /2			
11	Internal Hydrants MIA				
	 Size of riser/down-comer 				
	 Number of hydrants per floor 			• •	
	Hose Box				
10	Vand Hadwarts	MIA		2 5	
12	Yard Hydrants.Total number of hydrants				
ē	Hose Box				
13	Pumping Arrangements.	HIA			
13	Ground Level			-	
	> Discharge of main Pump				
*					
	> Jockey Pump out put				
	> Jockey pump head	· ·			
	> Standby Pump out put				
	> Standby Pump Head				
	> Auto Starting/ Manual				
	stopping				
	> Pump House Access				
	Terrace level				
la .	> Discharge of pump				
	> Head of the pump	Namanari	1		
	> Power Supply				
	> Auto Starting of pump				
1	4 Captive Water Storage for fire fight	ing. MIA			
*	Underground tank capacity				
	> Draw-off connection				

1 111 1

. 1		<u> </u>	
	> Fire service inlet	-	
	> Access to tank		
	Overhead Tank capacity		
15	Exit Signage.	HIA :	
16	Provision of Lifts.	NA	
	Pressurization of Lift Shaft	_	
n E	• Pressurization of Lift lobby		distance with a second
	Communication In lift Car		
	• Fireman's Grounding Switch		
	• Lift Signage	-	
17	Standby power supply	HA	
18	Refuge Area. M/A		
	> Total Area		
	> Location		
19	Fire Control Room	NA	
	Detector System Panel		
	Flow Switch Panel		
	PAi System Panel		
2	Batter backup	,	
	Building Floor Plans		
20	Special Fire Protection Systems for	HIA	
	Protection of special Risks, if any:		

The fire protection systems provided in the building were test checked and found functional at the tof inspection.

Keeping in view the substantial compliance of the minimum standards on fire prevention and fire sarequired under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the D-Fire Service Rules 2010/ issue shortcomings as noted at serial numbers.

Signature of the Inspecting Officer Signature of the Inspecting Officer Suresh Singh Name Name Designation Designation Submitted for approval please.

Yerd 0 28/01/11 certificate is put up for sign