## GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEAD QUARTERS: DELHI FIRE SERVICE, CONNAUGHT PLACE NEW DELHI - 110001

No: F 6/DFS/MS/2012/ School 3155

Dated: 29 68 12

FIRE SAFETY CERTIFICATE
Certified that the Technia aurinational School F-19 Sec-8  Lohin located at Sec7-8 Robin Delin  comprised of Socially F-18 Sec-8 Libiwas issued NOC vide this office letter  No.F-6 Defens 2008/24.9 Dated: 19 2009 The premises was re-inspected by the officer concerned of this department on 9,8,12 and observed that all the fire prevention and fire safety arrangements as provided in the premises found in good working condition. The premises have therefore, deemed complied with the requirement under Rule 33 of the Delhi Fire Service rule 20:0 and the building/premises is fit for occupancy Class Educational with rule 36 unless renewed under Rule 37 or sooner cancelled under Rule 40 and subject to compliance of the condition and subject to compliance of
Rules, 2010.
Issued on2918112 at New Delhi.
Chief Fire Officer Delhi Fire Service
Copy to:-  1 The Principal  Technica International School  F-19 Sect 8  Robini Delu
2. The Addl. Michon Edn. (Act)  Edn. Depris.  Governor Delli  Old Lecti. Delli

- 1. All the means of escape shall be kept fine of all type of obstruction all the times.
- 2. All the employees shall be acquainted with the use and maintenance of a fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
- 3. All the fire fighting equipment shall be maintained in perfect working condition all the time and any lapse rendering non functional of fire safety measures, management shall be responsible.
- 4. Any deviation, with regards to construction, electric installation etc. may be got verified from the concerned authorities.
- 5. Basement shall be used as per MRG
- 6. This NOC may not be treated in any case for regularizations of unauthorized.
- 4 The owner / occupies shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in

Re-inspession performa.

11.	JOSEPH CATON KI	EPORT	
1. Name & address of the building:	Techma	Internation	al School, F-18 Sec 8.
<ul><li>2. Type of Occupancy</li><li>3. Type of Case</li></ul>	Education Re	ne Blog.	right by
<ul> <li>4. Details of previous NOC</li> <li>5. Fire Safety directives Letter No.</li> <li>6. Date of inspection</li> <li>7. Name of the Inspecting Officer</li> <li>8. Name and designation of Officer from the building side</li> <li>9. Year of Construction</li> <li>10. Applicant's letter No.</li> </ul>	0)8772 NIPIN	Kental	meipal)
Minimum standards on fire prevention and fire safety U/R 33  Access of building  Road width  Gate width  Width of internal road  Number, width, Type & Arrangeme  a. Number of staircases	BBL Requirements	Provided at site	Remarks MR/NMR  Report already  mentioned in previous.  performer.
<ul> <li>Upper floors</li> <li>Basements</li> <li>Width of staircases</li> <li>Upper floors</li> <li>Basements</li> <li>C. Protection of exits</li> <li>Fire check door</li> <li>Pressurization</li> <li>d. No of continuous staircase to terrace</li> </ul>	0		

	e. Width Of Corridor			,
		q		,
	f. Door Size			
3.	C			
).	Compartmentation			4
	<ul> <li>Fire check door</li> </ul>			
	<ul> <li>Sealing of electrical shafts</li> </ul>		/-	
	* Fire Rating of shaft days			
	<ul> <li>Fire Rating of shaft door</li> </ul>			
	<ul> <li>Water Curtain</li> </ul>			
				8
	<ul> <li>Fire Dampers</li> </ul>			
4.	Smoke managements System			u 'e
	<ul> <li>Basements</li> </ul>	30 a/c per hour		
	2	o wo per nour	/	
	<ul><li>Upper floors</li></ul>	12 a/c per hour		
5.	Eine Eur	1 - 440 014	/	e
3.	Fire Extinguishers			
	<ul><li>Total numbers</li></ul>	8 Def type &	^	
	• Tv	3 Def type & 3 worter Cox type 1SI marked	,	MIR. D
	<ul><li>Types</li></ul>	Tax . 9thr. each		177
	IS marking	1SI marked		*
6.	First – Aid Hose Reels			
	Total numbers on each floor			Ų
	The state of the s	2	P	A-111
	<ul> <li>Length of hose reel hose</li> </ul>	0 0		
	2	So My.	P	n A
	<ul> <li>Nozzle diameter</li> </ul>	30 Mg.	Missing face	
7.	Automatic fire data	3 1110	Missing free Seel Provided.	ч
ļ ·	Automatic fire detection and alarming	g system		
	Type of detectors	-		0
	<ul> <li>Location of Main Panel</li> </ul>			*
	or with tallet	;		
	<ul> <li>Location of Repeater Panel</li> </ul>			
	T and T and			
	<ul> <li>Alternate source of power</li> </ul>	1		
	<ul> <li>Hooters' Location</li> </ul>			
8.	MOEFA	ę		0
9.	Public Address System			
10.	Automatic Sprinkler System		1	
	Basements			9
	• Upper Floor			
	Sprinkler above false ceiling			
11.	Internal Hydrants ·	/	/	
	<ul> <li>Size of riser/down-comer</li> </ul>			
				And the second s

	Number of hydrants per			A
	floor  Hose Box			
12.	Yard Hydrants			1
	Total number of hydrants			
	• · Hose Box			
13.	Pumping Arrangements			
	<ul> <li>Ground Level</li> </ul>			
	Discharge of main pump		/	
	> Head of main pump		/	
	Number of main pumps		1/1	
s	> Jockey pump out put			
	> Jockey pump head	6		
	> Standby Pump out put	0		
	<ul><li>Standby Pump Head</li><li>Auto Staring/Manual</li></ul>			
·	<ul> <li>stopping</li> <li>Pump House Access</li> </ul>			
,	<ul><li>Pump House Access</li><li>Terrace level</li></ul>			
	Discharge of pump	900 Cfm	P& form	MR
	➤ Head of the pump	•	Time Was	_
	> Power supply	R	P	MIR
	> Auto starting of pump	R	P	MID
14.	Captive water Storage for fire fightin	g		
	<ul> <li>Under ground tank capacity</li> <li>Draw of connection</li> </ul>			
	<ul><li>Draw of connection</li><li>Fire service inlet</li></ul>			
	> Access to tank	0		•
		<u> </u>	P	MR.
	Overhead Tank capacity	10000 4.	brovided	MIA
16.	Exit. Signage			
10.	Provision of Lifts.			
,	➤ Pressurization of Lift Shaft		,	
	➤ Pressurization of lift lobby	ų.	1	
٩	Communication in lift Car			

	<ul><li>Fireman's Grounding</li><li>Switch</li><li>Lift Signage</li></ul>	. 4		v	
17. 18.	Standby power supply Refuge Area	N-R			
	> Total area > Location	NR			
19.	Fire control room  Detector system panel	N.E			
	Flow Switch Panel PA System Panel	1			
	<ul> <li>▶ Batter backup</li> <li>▶ Building Floor Plans</li> </ul>				0
20.	Special Fire Protection Systems for Protection of special Risks, if any;		010 6 11	ō	
	The fire protection systems pro-	9	No Inch Sim -		

The fire protection systems provided in the building were test checked and found functional at

Keeping in view the substantial compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the Delhi Fire Service Rules 2010/issue shortcomings as noted at serial numbers

Signature of the Inspecting Officer

Signature of the Inspecting Officer

Name

Name

Designation DF A

Designation