GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEAD QUARTERS: DELHI FIRE SERVICE: NEW DELHI -110001

No F6 (DFS/ on S/Hospital/2012/3851 Dated 17/10/12

FIRE SAFETY CERTIFICATE

Certified that the Institute of Human Behavior & Allied Sciences (IHBAS Hospital), Dilshad Garden, Delhi. which comprises of Gr, Gr +1, Gr+2 & Gr+3 upper floors was granted NOC by this deptt. vide letter No. F6 / DFS / MS / 2007 /Hosp. / 658 dated 06-03-2007. The premises was re-inspected by the officer concerned of this deptt. on 21-05-2012 in the presence of Mr. R. C.Gupta Fire Safety Officer and found that the bldg. have deemed complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010 and that the premises is fit for occupancy of Hospital bldg. with effect from 17 - 10- 2012 for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010, printed overleaf.

Issued on

17/10/12 at New Delhi.

CHIEF FIRE OFFICER

DELHI FIRE SERVICE

Copy to:-

1. The Director . IHBAS, Dilshad Garden, Delhi – 110095.

INSPECTION REPORT

Institute of Human Behavior & Allied Sciences. (IHBAS Hospital), Dilshad Garden, Delhi. 1. Name & address of the building:

Gr, Gr+1, Gr+2 & Gr+3 2. Building is comprised of

Institutional (Hospital) 3. Type of Occupancy

Renewal. 4. Type of Case

F6/ms/DFS/2007/Hogb/658 dt. 6.3.2007. 5. Details of Previous NOC letter:

6. Fire Safety direction letter No NA

7. Date of Inspection 21.5.2017

Guamakh Singh. 8. Name of the Inspecting officers

Er. R.C. Gnota Fin Safety Officer. 9. Name and designation of Officer:

from the building side

2003 2 2007 10. Year of Construction

EF(E) | IHBAS / 2011-12/737 At. 28/1/12. 11. Applicant's letter No

S.NO.	Minimum Standards on fire prevention and fire safety U/R33	Requirement	Provided at Site	Remarks MR/NMR
1	Access to building			
	Road width	12 m/s	45 mili	mR
	Gate width	4.5 mb	5.5 m/8	mR
	Width of internal road	5.0 mk	5.4 1016	mR,
2	Number, Width, Type and Arrange	ment of Exits		
	a. Number of Staircases			Part & Form Based
	Upper Floor	11 Nos.	11 Nos.	MR.
	Basement	NA	AA	
	D Wester Co.			
	B. Width of Staircases			
	Upper Floor	1.35m%	135 mir	mR.
	Basement		each,	
	c. Protection of exits	NA	N 10	
	Fire check door	IN PI	NA	
	Pressurization			
	e. No. of continuous staircases to terrace	11 NOS.	11 Nos-	mR

M7-

		1	. 1	1
THBAS	H	neb	ito	V/
4 LIDINS	11.	Je		/

	g. Width of Corridor	2.0 m/s	2.0 mts	mR.
	h. Door Size			
	Compartmentation.	NA	NA /	
	Fire check door	Regd /	Providel	mR.
	 Sealing of electrical shafts 	Regar.	round	
	 Fire rating of shaft door 			
	Water curtain			
	Fire Dampers		/	
1	Smoke Management System.	NA	NA,	
	Basement	/4		
	•			
	Upper floor	/		
5	Fire Extinguishers			
	Total numbers	100 HOS	350 Hos -	mR. V
	types	ABC, Foam, Coz	Provided.	mR.
	IS marking	Regal.	yes.	mR.
6	First-aid-Hose Reels.			
	Total numbers of ground floor	०५ भण्ड	OH NOS.	mR.
	 Length of hose reel hose 	30 mts	30 mbs.	mR.
	Nozzle diameter	5 mm	5 mm	mR.
7	Automatic fire detection and alarm	ning system.		
	Type of detectors	Heart/Smolee	Heart/Smoke	mR.
	네 마르크 존속에 그 전환되었다. 어려워 됐다.			
		Resol.	Fire control vo	on mor.
	Location of main panelLocation of repeater panel	-		
	Alternate source of power	Resol.	Providual:	
	Heater's location	Resal.	Different loca	Ano. 100 R
	Hooter's location	Regal	Provided	mR
8	MOEFA	Resol.	Provided.	mR.
9	Public address System.	NA	NA	
10	Automatic Sprinkler System.			
	Basement	NA	NA	
	upper floor	NA	NA	
	sprinkler above false ceiling	N.A	NA	
11	Internal Hydrants			
	I intollial Liyalalita	100 mm	100 mm	mR

_N/8 -(IHBAS Hospital)

7 7	The course of page	(1HB)	AS Hospital.		
	 Number of hydrants per floor 	1 & 2 NOS		mR	
	Hose Box	1 & 2 NOS.	122 NOS	mR.	
12	Yard Hydrants.			11101:	
	 Total number of hydrants 	Resel.	Provided.	MR	
	Hose Box	Read.	Provided.	mR	
13	Pumping Arrangements.	nega:	romaid.	10700	
	Ground Level	400000000000000000000000000000000000000			
	➤ Discharge of main Pump	2850 LPT	2050 1000		
	➤ Head of Main Pump			-	V
ž.	➤ Number of main pumps	70 mts		mR.	
	> Jockey pump out put	01 No.		mR.	20
	> Jockey pump head	180 LPM		MR.	
	➤ Standby pump out put	70 mts		mR.	
	➤ Standby pump Head	2850 LPM		mR.	
	➤ Auto Starting /Manual	70 mt	70 m/s	mR.	
	stopping	Regal.	Provided	MR.	
	➤ Pump House Access	Accessible	auessible.	mR.	
	Terrace Level	NA	NA	_	
	Discharge of pump	NA	NA		
	➢ Head of the Pump	NA	NA		
	➢ Power supply	Regel.	Provided	mR	
	Auto Starting of pump	NA	HA.	-	
14	Captive Water Storage for Fire Fighting.	osti žurdu.	2		×
	Underground tank capacity	2,50,0001/8	2,50,000 2/3	mR.	V
	Draw-off connection	Regd.	Poorsald	mR	
	➢ Fire service inlet	Regal.	Provided.	mR.	
	Access to tank	Regd.	Provided.	mR.	
	 Overhead Tank capacity 	2,500 NM	2,500 Lbs .	mR.	
5	Exit Signage.	Regal.	Provided.	mR.	
6	Provision of Lifts.	NA	09 difts.	MR	
	 Pressurization of Lift Shaft 	NA	HA	1000	
	 Pressurization of Lift lobby 	NA			
	Communication in lift car	Repa.	Provided	mR	
	Firemen's grounding switch	Regal.	Provided.	mR	
-	Lift Signage	NA	NA		
7	Standby power supply	Rogal.	Provided.	MR,	
8	Refuge Area.	NA		10/05,	
	Total area		HA		
	Location	/	/*		

-N19-

(IHBAS Hospital)

19	Fire Control Room	Resd.	Provided.	
	Detector system panel	1	1	
	Flow switch panel			
	PA system panel			
	Battery backup			
	Building Floor Plans	1.	1	
20	Special Fire Protection systems for protection of special Risks, if any:	NA	NA	

The fire protection systems provided in the building were tested checked and found functional at the time of inspection.

Keeping in view the compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to renew Fire Safety Certificate under rule 35 of the Delhi Fire Service Rule 2010.

Signature of the Inspecting Officer

Name GURMUKH SINGH

Designation ADO(LN)

Submitted please.

Vingh