GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI-110001

NO. F6/DRS/015/school/2012/478

Dated: 10 /02/2012

FIRE SAFETY CERTIFICATE

Conditions for the validity of Fire Safety Certificate:

- 1. All the fire safety arrangement provided their in shall be maintained in good working conditions at all times.
- 2. Loss of life or property due to non functional fire safety measure shall be at the responsibility of the management.
- 3. The trained fire fighting staff should be available round the clock.
- 4. Any deviation with regard to the construction etc shall be verified by the concerned building sanctioning agency.
- 5. The basement shall be used strictly as per the provision of building bye laws.
- 6. This certificate cannot be treated in any case for regularizations of unauthorized construction
- 7. The owner / occupier shall submit a declaration every year in form "K" provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on **WWW.dfs.Delhigovt.nic.in**

Issued on 10/01/12 at New Delhi by

Chief Fire Officer
For Director
Delhi Fire Service

Copy to:

- 1. Sh Naveen Dabbas, Principal Galaxy Public School, B-109, Rajdhani Park, Near Shiv Mandir, Nangloi, Delhi-110041
- 2. The Director of Education, Old Secretariat, Delhi

In response to letter received from provident

Galaxy Public School, B-109, Rajdhani bank, Near

Galaxy Public School, B-109, Rajdhani bank, Near

Chi Mandir, Nangloi was carried at an 21/1/12

Shi Mandir, Nangloi was carried at an 21/1/12

g obsumd-Nt - 1/Le School in has Ground floor

also is approchable to fire inits. The plot are

also is approchable to fire inits. The plot are

of the School in 1005-48 yds and The covered are

of the School in 1887-16 yds. The impact report

Public in also filled up.

INSPECTION REPORT

1. Name & address of the building: Galaxy Public School B-109 Raydhan Park, New Shir Mandir, Namylo1, Delh.
2. Type of Occupancy : School
3. Type of Case : New Case / Renewal
4. Details of previous NOC : Letter No Dated:
5. Fire Safety directives letter No: As per Dir of Edu Cette Hel 1/3/11
6. Date of inspection : 21/1/12
7. Name of the Inspecting Officers: ADO SS Tuli
8. Name and designation of officers from the building side : The Naveen Dubbas The Ravinder Malike from the building side : The Naveen Dubbas The Ravinder Malike from the building side : The Naveen Dubbas The Ravinder Malike from the building side : The Naveen Dubbas The Ravinder Malike from the building side : The Naveen Dubbas The Ravinder Malike from the building side : The Naveen Dubbas The Ravinder Malike from the building side : The Naveen Dubbas The Ravinder Malike from the building side : The Naveen Dubbas The Ravinder Malike from the building side : The Naveen Dubbas The Ravinder Malike from the building side : The Naveen Dubbas The Ravinder Malike from the building side : The Naveen Dubbas The Ravinder Malike from the building side : The Naveen Dubbas The Ravinder Malike from the building side : The Naveen Dubbas The Ravinder Malike from the building side : The Naveen Dubbas The Ravinder Malike from the Building side : The Naveen Dubbas The Ravinder Malike from the Building side : The Naveen Dubbas The Ravinder Malike from the Building side : The Naveen Dubbas The Ravinder Malike from the Building side : The Naveen Dubbas The Ravinder Malike from the Building side : The Naveen Dubbas The Ravinder Malike from the Building side : The Naveen Dubbas The Ravinder Malike from the Building side : The Naveen Dubbas The Ravinder Malike from the Building side : The Naveen Dubbas The Ravinder Malike from the Building side : The Naveen Dubbas The Ravinder Malike from the Building side : The Naveen Dubbas The Ravinder Malike from the Building side : The Naveen Dubbas The Ravinder Malike from the Building side : The Ravinder
9. Year of Construction : 2006.
10. Applicant's letter No. : Nil off 1/12/11

S. No.	Minimum Standards on fire prevention and fire safety U/R 33			MR/NMR	
1	Access to building				
	• Road width				
	• Gate width		y		
	Width of internal road				
2	Number, Width, Type & Arrangement	of Exits			
	a. Number of staircases				
	Upper Floors				
	• Basements				
	b. Width of staircases				
	• Upper Floors				
	• Basements			4	
	c. Protection of exits				
	Fire check door				
	 Pressurization 				
	e. No. of continuous staircases to terrace				
	g. Width of Corridor				
	h. Door Size	Intr	justr	ml	

Á					and the same
		Fire check door		· haldanil	
		door door			
	,	• Sealing of electrical shafts	S.		
		• Fire Rating of shaft door			
		• Water Curtain			
	5				
		Fire Dampers			
4	Smo	No Manager	J		
	Sino	oke Management System.		*	
	•	Basements	30 a/c per hour		
	•	Upper floors	12 a/c per hour		
5	Fire	Extinguishers			
	•	Total numbers			
				4	
		Types	ISI marked	3 ABC Type 1 Col 45 kg	m/R
	•	IS marking		yes	m/R
6	First-	Aid Hose Reels.			
	•	Total numbers on each floor			
	•	Length of hose reel hose	30 m		
	•	Nozzle diameter	5 mm	220 to man sero (
		Granicici	- 11111		

7	Automatic fire detection and alarming	system.				1	
	Type of detectors						
	Location of Main Panel	8.	~,				
	Location of Repeater Panel						
	Alternate source of power						
	Hooters' Location						
8	MOEFA						
9	Public Address System.						
					1		
10	Automatic Sprinkler System.				e		
	Basement						
	Upper Floor			,			
	Sprinkler above false ceiling						
11	Internal Hydrants				· ·		
	Size of riser/down-comer	3					
	Number of hydrants per floor						
	Hose Box		Silve de Aldrew de vid			S - Property	la grapa
12	Yard Hydrants.						
	Total number of hydrants				16 (0.30%) 1 ₉		

	1			1	- 4	-			,
	Hose Box					our.			
13	Pumping Arrangements.				8		,		
50 50	 Ground Level 						20		
	Dischause		8.						
	Discharge of main Pump								
	Head of Main pump								
	Number of main pumps								
						_			
	Jockey Pump out put								
	Jockey pump head								
	y Joekey pump nead								
	Standby Pump out put								
	,					-			
	Standby Pump Head								
	Auto Stanting / 3.6						W.		
	Auto Starting/ Manual stopping								
	Tr8								
	Pump House Access								
	Terrace level								
	Discharge of pump								
									THE REAL PROPERTY OF THE PERSON OF THE PERSO
	Head of the pump								
10/16	Power Supply	/							
	7 Tower Suppry								

	➤ Auto Starting of pump			
14	Captive Water Storage for fire fight	ing.		
	Underground tank capacity	S		
	Draw-off connection			
	Fire service inlet			
	Access to tank			
	Overhead Tank capacity			
15	Evit C			- (
	Exit Signage.			
16	Provision of Lifts.			
	Pressurization of Lift Shaft			
	Pressurization of Lift lobby			
	Communication In lift Car			
	Fireman's Grounding Switch	1.		
	Lift Signage			
17	Standby power supply		4	
		NR	SurA	m/R
		Liv - Negati	5 KVA	

7	Refuge Area.		Jan	
	> Total Area			
	> Location		*	
19	Fire Control Room	-		
	Detector System Panel			
	Flow Switch Panel			
	PA System Panel			
	Batter backup			
	Building Floor Plans			
)	Special Fire Protection Systems for Protection of special Risks, if any:			

The fire protection systems provided in the building were test checked and found functional at the time of inspection.

Keeping in view the substantial compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the Delhi Fire Service Rules 2010/ issue shortcomings as noted at serial numbers.

Signature of the Inspecting Office	Signature	of the	Inspecting	Office
------------------------------------	-----------	--------	------------	--------

Name

Designation DO (MW)

Signature of the Inspecting/Officer

Name

STULI

Designation

Designation