GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS : DELHI FIRE SERVICE : CONNAUGHT LANE NEW DELHI-110 001.

No. F6/DFS/as/school/2012/13/8

Dated: 13/04/12

FIRE SAFETY CERTIFICATE

Certified that the M.C. Primary Co-ed. School located at Jindpur, Delhi-110036, comprised of two blocks i.e. A & B. A-block is ground and one upper floor only and B- block is ground only and less than 9 meters in height, have complied with the fire prevention and fire safety requirement in accordance with Director of Education circular dated 01.03.2001 and verified by the officer concerned of fire service on 21.03.2012 in the presence of Shri Jogi Lakra, Principal and that the building/ premises is fit for occupancy class Educational class with effect from 13/09/12 for a period of three years in accordance with rule 36 unless renewed under rule37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010.

Issued on _____at New Delhi by

Director

Delhi Fire Service

Shri Jogi Lakra, Principal,
 M.C. Primary Co-ed. School,
 Jindpur, Delhi-110 036

Copy to:

2. The Director, Dte. Of Education, Old Sectt., Delhi. 3. The Director of Education MCD Civic Centre, minto Road, MewDelhi.

Conditions for the validity of fire safety certificate:-

- a) All the fire safety means of escape facilities shall be maintained in good conditions at all time. Any lapse rendering fire safety or means of evacuation facilities rendering nonfunctional shall be responsibility of the management.
- b) Building sanctioning authority may verify any deviation with regard to the construction/ occupancy in the building. In case of any deviation, the fire safety certificate stands null and void.
- c) The staff shall be trained for operating fire fighting system and mock evacuation drills be conducted at regular intervals and record be maintained.

May kindly see the letter No. Nil dated 17.01,2012 received from M.C. Primary Co-ed. School, Jindpur, Delhi-110 036 from fire safety point of view. Premises was inspected by the ADO (Bawana) on 21.03.2012 & observed that the building is comprised of two blocks A & B. A Block is consist of ground & one upper floor and B Block is consist of ground floor only and having plot area 3805.8 sq meters and covered area is 874 sq. meters.

The point wise compliance of the safety recommendations are given below:

INSPECTION REPORT

2.	Name &address of the building Type of Occupancy Type of Case	: MC PRIMARY CO-ED. SCHOOL, JINDPUR, DELHI-36 : SCHOOL : NEW CASE
1	Details of previous NOC	: NA
	•	
5.	Fire Safety directives letter No.	: F6 Estate For Sakty (CC 2011) 3298-3398 At, 1.3.2011
6.	Date of inspection	: 21.03.2012
7.	Name of the Inspecting Officers	: SHRI RAJMAL KHOKHAR, ADO
8.	Name and designation of officers From the building side	: SHRI JOGI LAKRA, PRINCIPAL
9.	Year of Construction	: 2001
10	. Applicant's letter No.	: NIL Sated 17.01.2012

S. Minimum Standards on fire No. Prevention and fire safety U/R 33	NBC Requirement	Provided at site	Remarks MR/NMR			
1. Access to building						
Road width	Accessible	Accessible	mR.			
 Gate width 	u_	—u—	us			
Width of internal road	- 10	. —	-			
2. Number, Width, Type & Arrange	Number, Width, Type & Arrangement of Exits					
a. Number of staircases	DNE	ONE	mR			
• Upper Floors	u	u	- w-			
Basement						
b. Width of staircases	150 cmg	150 cms	mr			
Upper Floors	u	a	- u-			
Basement	-		-			
c. Protection of exits			-			
Fire check door		·				

			50 D
d. No. of continuous staircases	ONE	ONE	MR
to terrace	15 Melus	2 Welis	ell-
e. Width of Corridor	SINGLE DOOR	los Cny 150 ansatu	ma
f. Door size	Dorbie locan	Isoaneath	ma
Compartmentation.		NA	*
Fire check door	•	~	
Sealing of electrical shafts	*5	5"	65
• Fire Rating of shaft door	•		
Water Curtain			
Fire Dampers		-	
Smoke Management System.		NA	
Basements		-	
Basements Upper floors	6	-	-
- OFF		D	
5. Fire Extinguishers		PROVIDE	1
		SIX	mR
Total numbers		ABCRYPE 151 Marked	- n-
TypesIS marking	ISI marked	151 Marked	-u-
		W.A	
6. First-Aid Hose Rees.		70.0	
Total numbers on each	floor		
Length of hose reel hos	e 30 m		
Nozzle diameter	5 mm	-	
7. Automatic fire detection an	d alarming system.	NA	
Type of detectors		_	
Location of Main Pane	el	· .	C
• Location of Repeater		-	
Alternate source of po			
		-	•
Hooter's Location			

	W.		Repuised	Pro	ovided	m	R
		e Address System.	(()		V.A		
0.	Auto	matic Sprinkler system				-	
	•	Basement				_	
		Upper Floor	v	S			2
		• Sprinkler above false ceiling	_		-		
11.	Inte	ernal Hydrants			NA		
		• Size of riser/down-comer					
		 Number of hydrants per 			-		
		floor					
		Hose Box			NA		
12.	Ya	ard Hydrants.					
		 Total number of hydrants 			~		-
		Hose Box	~		NA		
13		umping Arrangements.			•		-
	(Ground Level	-		6		-
		Discharge of main pum	p				
		Head of Main pump			*		
		Number of main pump	S		-		
		> Jockey Pump out put	-		*		
		Jockey pump head	-				
		Standby pump out put					
		Standby pump Head	-		~		
		> Auto Starting/Manua	1		h		
		stopping			*		
		> Pump Hose Access	-				
		Terrace level					-
		Discharge of pump			*		-
		> Head of the pump	- 12		X		-
		> Power supply	,	Na salah di kacamatan di kacamat			
		> Auto Starting of pu	ımp	-	_		

Captive Water Storage for fire fight	ting.	MA	
Captive water 200	•	6	
Underground tank capacity	~		-
> Draw -off connection		-	-
> Fire service inlet			- 1
> Access to tank	<u> </u>		-
Overhead Tank Capacity	- 0	Provided	ml
Exit Signage.	Rezured	NA	
Provision of Lifts			6
D regization of Lift Shaft			
 Pressurization of Lift lobby 			
	-	-	
Communication In lift Car	,	-	8
 Fireman's Grounding Switch 	~		
 Lift Signage 			
7. Standby power supply	_	MA	•
8. Refuge Area		NA	-
o. Ready		-	
> Total Area			
> Location			
19. Fire Control Room		NA	
	-		-
Detector System Panel			~
> Flow Switch Panel			
> PA system Panel		_	
> Batter backup		_	
			<u> </u>
D. L. High System			-
20. Special Fire Protection System			

The fire protection systems provided in the building were test checked and found functional at the time of inspection.

Keeping in view the substantial compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the Delhi Fire Service Rules 2010/ issue shortcomings as noted at serial number.

Signature of the Inspection Officer

Signature of the Inspection Officer

Name SHRI RAJMAL KAOKHAR

Name

Designation ASOTT. DIV. OFFICER

Disignation