

DELHI JAL BOARD: GOVT OF N.C.T OF DELHI  
OFFICE OF THE CHIEF WATER ANALYST(C)  
WATER WORKS WAZIRABAD  
DELHI - 110054.

O.O.No. 89

Dated 05/12/12

In compliance to AC(B)'s O.O. No. 132 dated 30.11.2012, Sh. Laxmi Chand S/o Sh. Hoti Lal , promoted to the post of Chemist, is hereby relieved from the office of U/s today i.e. on 05.12.2012 (A.N). He is directed to report to CWA(N) Haiderpur for further duty.

*sd/-*  
Chief Water Analyst(C)

NO/DJB/CWA(C)/relieve/2012/ 1126

DATED 05/12/12

Copy to:-

1. Director (T&QC) - for kind information Please.
2. A.C.(B) -do-
3. CWA(N) -do-
4. AO/AAO concerned -do-
- ✓ 5. EE(EDP) - with the request to upload on the website of DJB.
6. D. Asstt.
7. P.F & S.Book
8. Individual
9. O.O.Reg.

*[Signature]*  
Chief Water Analyst(C)  
*[Signature]*  
05.12.12

*[Stamp]*  
EE(EDP) 12646  
11/12/12

*[Signature]*  
Sanyan