INSPECTION REPORT

		EGITON INLFORT		
	Name & address of the building://\). C	· Primary Sch	rel, D-2 B	lock, Nand Nagri, Delhis
	- Fo	lucational		July 1 Delmi
	Type of Case : New	Case / Renewal		
	Details of Previous NOC : Letter I	NO- NIC		
5. F	ire Safety direction letter No : Fig.	Estate Ps cc -	2411/32 98	to 7798 Hel 1.3.18
		5.17		7. 33/8 411
7. N	lame of the Inspecting officers:	o Vizerda	Sind	
8. N	lame of the designation of Officer:	ut. Usha c	Insuhun	(Principal)
F	rom the building side		2000	
9. Y	ear of Construction :19	76		
10.A	pplicant's letter No:	4.04.12		
11.B	uilding is comprised of :	Ground f	loor out	 Y
				
S.NO	otalidards of the prevention	Circular	Provided at	Remarks
	and fire safety U/R33	Requirement	Site	TOTAL
1	Access to building			
	Road width	6 M		
	Gate width	6 141	+ M	MR
	Width of internal road			
2	Number, Width, Type and Arrangemen	t of Evite		
	a. Number of Staircases	TOTEXIS W		
	Upper Floor	į į		· ·
	Basement			A
	B. Width of Staircases			2 2
	Upper Floor) d
	Basement			
	c. Protection of exits			
	Fire check door			
	Pressurization			
	e. No. of continuous staircases to			
	terrace			
	g. Width of Corridor			
	9. Width of Coffidor		,	
- 1				

	h. Door Size	1			· A	3-	
	II. Door Size	NA	N	1	1		
Ex es			1				
3	Compartmentation.	NP			*		
	Fire check door						
	Sealing of electrical shafts						
	Fire rating of shaft door						
	Water curtain						
	Fire Dampers						
4	Smoke Management System.	61 1					
	Basement	30a/c per hour					
	Upper floor	12 a/c per hour					
5.	Fire Extinguisher	ON					
J.	Total numbers	11 8 100		2- 114	MR		
	types	4 N-S.		Provided			
	IS marking	ABC e Co2			MR		
6	First-aid-Hose Reels.			-1).	MR		
	Total numbers of each floor	NA	†				
	Length of hose reel hose	30 m			<u> </u>		
	Nozzle diameter	5 mm			1		
7	Automatic fire detection and alarming system.						
	Type of detectors		1				
	Location of main panel		400000000000000000000000000000000000000				
	Location of repeater panel	-	1			N. :	
	Alternate source of power		+ + +	1	@ S		
	Hooters's location						
8	MOEFA	N.O					
9	Public address System.	X A					
10	Automatic Sprinkler System.						
	basement	Nil					
	upper floor	1					
	sprinkler above false ceiling	1					
11	Internal Hydrants	1.0					
	size of riser/down-comer						
	Number of hydrants per floor						
	Hose Box						

12	Yard Hydrants.	Δ, Δ ,
*,	Total number of hydrants	1/4/)
	Hose Box	
13	Pumping Arrangements.	N.A
	Ground Level	
	Discharge of main Pump	
	➢ Head of Main Pump	
	Number of main pumps	
	Jockey pump out put	
	Jockey pump head	
	Standby pump out put	
	Standby pump Head	
	Auto Starting /Manual stopping	
	Pump House Access	
	Terrace Level	
	Discharge of pump	
	Head of the Pump	
	Power supply	
	Auto Starting of pump	
14	Captive Water Storage for Fire Fighting.	NA
	 Underground tank capacity 	
	Draw-off connection	
	Fire service inlet	
	Access to tank	
	Overhead Tank capacity	
15	Exit Signage.	N.A
16	Provision of Lifts.	N'A
	Pressurization of Lift Shaft	/ /
	Pressurization of Lift lobby	
	Communication in lift car	
	Firemen's grounding switch	
	Lift Signage	
17	Standby power supply	A,N
18	Refuge Area.	1 A1 O
	Total area	/V = \
	Location	

A

19	Fire Control Room	N.A			À
	Detector system panel				9 1
	Flow switch panel			· ·	1
	PA system panel				
	Batter backup				
	Building Floor Plans				
20	Special Fire Protection systems for protection of special Risks, if any:	m	1		
				, \	

The fire extinguishers provided in the building were test /checked and found functional at the time of inspection. Keeping in view the substantial compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the Delhi Fire Service Rule 2010.

Signature of the Inspecting Office

VIRENDRA SINGS

Designation

DO(E)

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: CANNAUGHT PLACE NEW DELHI- 110 001

No. 66/065/ms/school/2012/182/ Dated: 21/05/12

FIRE SAFETY CERTIFICATE

Certified that the M.C.Primary School at D2-Block, Nand Nagri, Delhi-93. Comprised of ground floor only owned/occupied by M.C.Primary School have complied with the fire prevention and fire safety requirements in accordance with with the circular issued by the Director of Education dtd 01.03.2011 and verified by the officer concerned of Fire Service on 10.05.2012 in the presence of Principal, of the school and that the building is fit for occupancy class B Educational Building with effect from period of three years subject to conditions printed overleaf.

Issued on 2.1/05/12 #New Delhi by

Chief Fire Officer Delhi Fire Service

To,

Principal
M.C.Primary School,1st Shift,
D-2Block,Nand Nagri,Delhi-93
Copy:-

- The Director of Education MCD,Nigam Bhawan, Kashmiri Gate,Delhi.
- 2. Principal
 M.C.Primary School,2nd Shift,
 D-2-Block,Nand Nagri,Delhi-93

CONDITIONS:

1. All the means of escape shall be kept free of all type of obstruction all the time.

2. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.

3. All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.

4. Any deviation, with regards to construction, ventilation, occupancy, electric installation etc. may be got verified from the concerned authorities.

5. This Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction /unauthorized use of land if any.

6. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in

