GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE NEW DELHI-110001

No: F.6/DFS/MS/School/2013/ 574

Dated: 12/02/13

FIRE SAFETY CERTIFICATE

Certified that the building of **Govt. Co-Ed. Sr. Sec. School,** Kanganheri, New Delhi -110071 comprised of ground floor only, having total 24 rooms (Including Class Rooms, Office, Labs, Sports Room, Staff Room & Store etc) owned/occupied by The Govt. of NCT of Delhi was inspected by the officer concerned of this department on 31.01.2013 in the presence of School Vice Principal Sh. Om Parkash and found that the Govt. of NCT of Delhi have complied with the fire prevention and fire safety requirements in accordance with the Circular No- F.16/Estate/CC/Fire Safety/2011/3298 to 3398 dated 01.03.11 issued by the Director of Education and that the building is fit for occupancy class "Educational" with effect from the date of issue of this certificate for a period of three years, subject to compliance of the conditions printed overleaf.

CHIEF FIRE OFFICER
DELHI FIRE SERVICE

Copy to: -

- The Vice Principal, Govt. Co-Ed. Sr. Sec. School, Kanganheri, New Delhi-110071.
- 2. Director of Education, Govt. of NCT of Delhi, Old Secretariat, New Delhi – 110054.

Following fire safety directives must be adhered to –

- 1. All the fire safety arrangements provided therein shall be maintained in good working condition at all times.
- 2. Any loss of life or property due to non-functional fire safety measures shall be at the risk & responsibility of the management.
- 3. The trained staff should be available round the clock.
- 4. Any deviation w.r.t. construction shall be verified by the concerned building sanctioning agency.
- 5. The certificate may not be treated in any case for regularization of unauthorized construction, if any.
- 6. The owner/occupier shall submit a declaration every year in form 'K' Provided in the first schedule of Delhi Fire Service Rules 2010, form is available on www.dfs.delhigovt.nic.in

Ground Floor only

	INSPECT	ION REPORT				
	1. Name & address of the building:	Govt. Co-Ed Sr	· Sec. School, K	anganhen, N.D.71		
	2. Type of Occupancy :	Educational (School)				
	3. Type of Case :	: New Case/R enew al				
	4. Details of Previous NOC :	Letter No.	NIA	Dated		
	5. Fire Safety directives letter No :	(Male Male common of a management	NIA			
	6. Date of inspection :	31.0				
	7. Name of Inspecting Officer :	A. D.O P.S. Dahiya		The Control of the State of the Control of the Cont		
	8. Name and designation of officer	5	S ESTINGE	The State of the S		
From the building side : Sh. Om Parkash (Vice- Principal)						
	P. Year of Construction :	1989				
	10. Applicant's letter No. :	Mil daled 31.01.2013				
	Minimum Standards on fire prevention					
E _a	and fire safety U/R 33	Dir. 0f Edu. Circular dt. 01.03.2011	Provided at site	Remarks MR/NMR		
	Access to building					
	 Road width 	Accessible	Obmir	MR		
	 Gate width 	_	OSmir	MR		
	 Width of internal road 		00 1111	7.77		
	Number, Width, Type & Arrangement of H	Exits				
	a Number of staircases		THE RESIDENCE AND ADDRESS OF THE PARTY OF TH			
	• Upper Floors					
	 Basements 			19 round Floor Only		
				'No Basement		
	h. Width of staircases					
	Upper Floor	B	The state of the s	Ground Floor onl		
	Basements					
	Protection of exits			No Basement		
	Fire check door					
	• pressurization					
	pressurization	-		_		
	d. No. of continuous staircases to	2,	II.			
	terrace	-		AND CONTROL OF THE PARTY AND T		
	e. Width of Corridor		2.0	0 . 10		
	f Door Size	- Specialist		Ground Floor Only		
		-	95cm s x 200 cms	MR, Beinga Old Bla		
	Compartmentation			7		
	Fire check door					
		Agranatics:	<u> </u>	-		
	g of ciccincul sharts		_			
	 Fire Rating of shaft door Water Curtain 	Market State Control of the Control				
	. Ord Corroll			Name		
	 Fire Dampers 					
	Smoke Management System					
		20 1				
	 Basements 	30 a/c per hour				
	 Upper floors 		-	No Basement Ground Hoor only		
	able 10013			A		

		12 a/c per		,			
	, · · · · ·	hour		-			
	Fire Extinguishers						
	 Total numbers 	11 Mos	Provided	MR			
	Types	Co, ABC, DCP	- do -	MR			
	IS marking	ISI marked	151 Marked	MR			
	First-Aid Hose Reels						
	 Total numbers on each floor 		-				
	 Length of hose reel hose 	30 m					
	 Nozzle diameter 	5 mm	, ,	-			
	Automatic fire detection and alarming	system					
	 Type of detectors 			4			
	 Location of Main Panel 	_		4			
	 Location of Repeater Panel 	_	-				
	 Alternate source of power 	_	-				
	 Hooters' Location 	_	Near Office	1			
	MOEFA						
	Public Address System		-	- 1			
0.	Automatic Sprinkler System		i e				
	 Basement 		-	No Basemen			
	 Upper Floor 	-	-				
	 Sprinkler above false ceiling 		-	2			
1.	Internal Hydrants						
	 Size of riser/down-comer 	_		1			
	 Number of hydrants per floor 	-					
	 Hose Box 		<u>.</u>				
2.	Yard Hydrants		J.				
	 Total number of hydrants 						
	 Hose Box 		_				
13.	Pumping Arrangements						
	 Ground Level 			14			
	Discharge of main Pump		_	-			
	Head of Main pump	_	_	-			
	Number of main pumps	Name of the last o					
	> Jockey Pump out put	-	-	_			
	Jockey pump head		_	-			
	Standby Pump out putStandby Pump Head	_	-	-			
	i amp fredd						
	Auto Starting/Manual						

Kongan Hen, New Delli - 110071

	Pump House Access	_					
	Terrace level						
	Discharge of pump	_		-			
	Head of the pump		_	1 =			
	Power Supply			~			
	Auto Starting of pump	_	_				
14.	Captive Water Storage for fire fighting	i i		П			
	 Underground tank capacity 						
	Draw-off connection		~	_			
	Fire service inlet			•			
	Access to tank		-	-			
	 Overhead Tank capacity 			_			
15.	Exit Signage.		Provided	-			
16.	Provision of Lifts.						
onto tref. 8	Pressurization of Lift Shaft	-		No Lift			
	Pressurization of Lift lobby		_	-do -			
	• Communication In lift Car						
				-do-			
	115. 01			-do -			
	Lift Signage	_	-	-do-			
17.	Standby power supply	p-		_			
	Stallady power suppry						
18.	Refuge Area.						
	> Total Area		_	_			
	➢ Location			-			
40	Fig. Control Doors			77			
19.	Fire Control RoomDetector System Panel						
	Flow Switch Panel	-		_			
	PA System Panel	The same of the sa					
	Batter backup						
	Batter backup Building Floor Plans						
	* Dulluling Floor Flatts		_				
20.	Special Fire Protection System for Protection of special Risks, if any:	- 0					

The fire protection systems provided in the building were test checked and found functional at the time of inspection.

Keeping in view the above substantial compliance of the minimum standards on fire prevention and Fire Safety measures required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of Delhi Fire Service Rules 2010/ issue shortcomings as noted at serial numbers

Note: The school building is comprised of Ground Floor only and having total 24 Rooms including class Rooms, Office, Staff Room, Labs, Sports Room, Store etc. All Class Room having double doors.

Signature of inspecting Officer

Name P.S. Dahiya

Designation ASSH. Divisional Officer.

Signature of Inspecting Officer

Name

Designation