GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI **HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI-110001**

NO. F6/DFS/MS/2013/School/87

Dated: 18 /03 /2013

FIRE SAFETY CERTIFICATE
Certified that the Nrgam Asatibha Boys School brahlad fur
'Banger' Illin comprised of Ground and first
Floreowned/occupied
Certified that the Nigam Asatibha Boys Ichool Prahlad Pun Banger' Delhi comprised of Crowd and Fist I Floor. owned/occupied by Nigam Pratibha Boys Ichool. have complied with fire
prevention and fire safety requirement in accordance with Direction of Education
Circular dated 01/03/2011 and verified by the officer concerned of fire service on 28/21/3 in the presence of In Vivender Lingh and
that the building /premises is fit for occupancy. Educational building
with effect from/8/03/13for period of Mee yearsin accordance
with rule 36 unless renewed under rule 37 or sooner cancelled under rule 40 and
subject to compliance of the conditions under rule 38 of the Delhi Fire Service
Rules, 2010.
Issued on
437
Chief Fire Officer
Delhi Fire Service
Copy to:-1. The kincipal.
Copy to:-1. The blincipal, Nogam fræðibla logs schrol "Prodelation blanger dellir
L. Man Markeyor (Edu)
North McD Cevic Contre

Note: Condition for validity of fire safety certificate may kindly be seen overleaf & adhered to.

Was Delm .

1. All the means of escape shall be kept free of all type of obstruction all the time (1)

2. All the employees shall be acquainted with the use and maintenance of a fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.

3. All the fire fighting equipment shall be maintained in perfect working condition all the time and any lapse rendering non — functional of fire safety measures, management

shall be responsible.

4. Any deviation, with regards to construction, electric installation atc. may be got verified from the concerned authorities.

5. Basement shall be used as per MGC

6. This NOC may not be treated in any case for regularizations of unauthorized.

construction, If any,
4 The owner / occupier shall submit a declaration every year in form 'K' provided in
the first schedule of Delhi Fire Service Rules 2010. The form is available on
www.dfs.delhigovt.nic.in

	INSPECTIO	ON REPORT		
. Name & address of the	building Nigam?	ratibha Be	School, fro	lad pur
2. Type of Occupancy	/ / 4	tional.	A)	-Delhi
3. Type of Case	: New Ease			se"
Details of previous NO	C : Letter No.	Beautiful Control of the Control of	Ni L Dated	
Fire Safety directives le	etter No : Circul	lar, Dir.	0+ Edum	1/3/20
. Date of inspection	28-2	-2013		
7. Name of the Inspecting	Officers: ADC	- SHYA	m LAL	
3. Name and designation of	of officers		e 1 1 D	: - 0
from the building side	ANALYSIS STREET, STREE		Singh (Pr	incipal)
. Year of Construction	2005	, (Gr.	+one.)	
0. Applicant's letter No.	PPB	13/fab-1	deted 7.	2-201
Minimum Standa	irds on fire	remar. Di	Provided at site	Remarks
prevention and fire	safety U/R 33	Requirement3	, , , , , ,	MR/NMR
Access to building		14	<i>i</i>	
Road width	F	ccessible	6 m	MIR
• Gate width		-n-	4.1 m	MIR
Width of interna	ıl road	-	opengrous	1 MIK
Number, Width, Type	& Arrangement of	Exits		
a. Number of staircases	2	2	2	MIR
Upper Floors		7	2-5	MIR
Basements		NI. a	N.	Ari
b. Width of staircases		/\s_	JY) L	
Upper Floors		1.5 m	2.m 4.1.35	m MIR
Basements			NiL	()
c. Protection of exits		NiL	NI L	· /V)
Fire check door		1	1110	
Pressurization	,	The second secon	/ / / /	
e. No. of continuous sta	urcases to terrace		,	
g. Width of Corridor	an outset for torrace	0	2.2 m	***
h. Door Size		1.44	1.12 m	MIR
Compartmentation.		1 m	Combled	or)
			NIR	
Fire check door			 	
Sealing of elect	-	and a supplication of the		
Fire Rating of s	haft door			
Water Curtain	-			
Fire Dampers			1	
Smoke Management	System.	30 a/c per hour	NIR	T
Basements		12 a/c per hour	1	
 Upper floors 		12 are per nour	/	

5	Fire Extinguishers Total numbers	65	Porpuialedo	MIX			
	Constructive Control C	ABC/CO2	Rovided Ry Provided Arrided	MSR			
	• Types	ISI marked (2.5	kg) frovided	mil			
	IS marking	- Ja	the same	7.70			
)	First-Aid Hose Reels.						
	Total numbers on each floor		J	NAME OF THE OWNER, THE PERSON OF THE OWNER,			
	• Length of hose reel hose	30 m					
	Nozzle diameter	5 mm					
7	Automatic fire detection and alarming system.						
	Type of detectors	8 8	MIK				
	Location of Main Panel		. /				
	Location of Repeater Panel						
	Alternate source of power						
	Hooters' Location	-					
8	MOEFA		NIR				
9	Public Address System.						
	X		NIR				
10	Automatic Sprinkler System.		NII 0				
	Basement		MIK	(6)			
	Upper Floor						
	Sprinkler above false ceiling			*			
11	Internal Hydrants	×	0				
	Size of riser/down-comer		NIN				
	Number of hydrants per floor			*			
12	Hose Box Yard Hydrants.			1 ,			
1 4	Total number of hydrants		AILR				
	Hose Box		NJ K				
13	· ·			*			
13	Pumping Arrangements.						
	Ground Level Discharge Conic B		77//	8.			
	Discharge of main Pump						
	Head of Main pump						
	> Number of main pumps		7	. ;			
	> Jockey Pump out put	to the second se	5				
	> Jockey pump head			*			
	> Standby Pump out put	9		<i>-</i>			
	> Standby Pump Head			52 W			
	Auto Starting/ Manual stopping	Ð					
	> Pump House Access						
	Terrace level						
	Discharge of pump		,				
	Head of the pump						
	Power Supply Auto Starting of numer	-		_			
	Auto Starting of pump	50.					

	Captive Water Storage for fire fighting.	1 1		χ			
	Underground tank capacity		NIR	The second secon			
	> Draw-off connection			92			
	> Fire service inlet						
1	> Access to tank			z Z			
	Overhead Tank capacity			<i>8</i>			
15	Exit Signage.		NIR				
16	Provision of Lifts.						
	Pressurization of Lift Shaft		NA				
	Pressurization of Lift lobby		1				
	Communication In lift Car						
	Fireman's Grounding Switch						
	Lift Signage						
17	Standby power supply						
18	Refuge Area.						
	> Total Area		NIA	Walter Control of the			
	> Location	· · · · · · · · · · · · · · · · · · ·	. J				
19	Fire Control Room						
	Detector System Panel		NIR	d d			
	Flow Switch Panel		1				
	PA System Panel						
	Batter backup	ž.		A CONTRACTOR OF THE CONTRACTOR			
	Building Floor Plans			:			
20	Special Fire Protection Systems for Protection of special Risks, if any:	_	NiL				

The fire protection systems provided in the building were test checked and found functional at the time of inspection.

Keeping in view the substantial compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the Delhi Fire Service Rules 2010/ issue shortcomings as noted at serial numbers.....

Signature of the Inspecting Officer

Signature of the Inspecting Officer

Name

Designation

Name (SHYAM LAL)

Designation Assit Divn. officer