

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI-110001

NO. F6/DFS/MS/2013 | Hospital/213

Dated: 26/04/2013

FIRE SAFETY CERTIFICATE

Certified that the Maharishi Balmiki Hospital, Pooth Khurd, Delhi comprised of Basement, Ground + three upper floors owned/occupied by Govt. of NCT of Delhi have complied with the fire prevention and fire safety requirement in accordance with rule 33 of the Delhi Fire Service Rules, 2010. And verified by the officer concerned of Fire Service on 11/01/2013 in the presence of Sh. R. D. Vashist JE (E) PWD and that the building /premises is fit for occupancy Institutional building with effect from 26.4.13 for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010.

1. Means of escape shall not be kept locked or bolted from outside and shall be easily open able by guests in an event of emergency.
2. All employees shall be acquainted with the use and maintenance of all the fire fighting installation/equipments.
3. The fire suppression / protection arrangements provided in the guest house are to minimize losses, if maintained in good working condition. These systems cannot give any guarantee that there will be no fire or losses in the event of one.
4. Any loss of life and property due to non-functional of fire safety arrangements and other installations shall be the responsibility of the licensee.
5. This report may not in any way be treated as regularization of unauthorized construction, if any.
6. The owner / occupier shall submit a declaration every year in form "K" provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on WWW.dfs.Delhigovt.nic.in

Issued on.....26.04.13.....at New Delhi.


(SANTOKH SINGH)
Chief Fire Officer
Delhi Fire Service
Ph: 011-23414250
cfowz.dlfire@nic.in

Copy to:-



The Medical Superintendent, Maharishi Balmiki Hospital, Pooth Khurd, Delhi

Reinspection carried out on 11/1/13 to verify shortcomings compliance

INSPECTION REPORT

1. Name & address of the building: Mahasiki Balmiki Hospital, Pooth khund, Badli, Delhi.
2. Type of Occupancy: Hospital Bldg 100 bedded (Institutional Bldg)
3. Type of Case: New case
4. Details of previous NOC: Letter No NIL
5. Fire Safety directives Letter No.: FG/DPS/Hospital/95/805 dtd 20/6/95 & FG/DPS/ms/SP/97/Hospital/965 dtd 8897
6. Date of inspection: 11/1/13
7. Name of the Inspecting Officer: DCFO (W2) & DO NW
8. Name and designation of Officer from the building side: Sh R.D. Vashist JE(E) PWD ~~100~~ 352
9. Year of Construction: 2002
10. Applicant's letter No.: DB(3)/M-352/2012-13/841 dtd 17/12/12

| to | Minimum standards on fire prevention and fire safety U/R 33 | BBL Requirements | Provided at site | Remarks MR/NMR |
|----|---|------------------|------------------|----------------|
| | Access of building | | | |
| | • Road width | | | |
| | • Gate width | | | |
| | • Width of internal road | | | |
| | Number, width, Type & Arrangements of exits | | | |
| | a. Number of staircases | | | |
| | • Upper floors | | | |
| | • Basements | | | |
| | b. Width of staircases | | | |
| | • Upper floors | | | |
| | • Basements | | | |
| | c. Protection of exits | | | |
| | • Fire check door | | | |
| | • Pressurization | | | |
| | d. No of continuous staircase to terrace | | | |

| | | | | |
|-----|---|-----------------|--|---|
| | e. Width Of Corridor f. Door Size | | | |
| 3. | Compartmentation | | | |
| | <ul style="list-style-type: none"> • Fire check door • Sealing of electrical shafts • Fire Rating of shaft door • Water Curtain • Fire Dampers | | | |
| 4. | Smoke managements System | | | |
| | <ul style="list-style-type: none"> • Basements • Upper floors | 30 a/c per hour | | |
| | | 12 a/c per hour | | |
| 5. | Fire Extinguishers | | | |
| | <ul style="list-style-type: none"> • Total numbers • Types • IS marking | ISI marked | | |
| 6. | First - Aid Hose Reels | | | |
| | <ul style="list-style-type: none"> • Total numbers on each floor • Length of hose reel hose • Nozzle diameter | | | |
| 7. | Automatic fire detection and alarming system | | | |
| | <ul style="list-style-type: none"> • Type of detectors • Location of Main Panel • Location of Repeater Panel • Alternate source of power • Hooters' Location | R | Heat & Smoke Provided.  |  |
| 8. | MOEFA | | | |
| 9. | Public Address System | R | P | M/R |
| 10. | Automatic Sprinkler System | | | |
| | <ul style="list-style-type: none"> • Basements • Upper Floor • Sprinkler above false ceiling | | | |
| 11. | Internal Hydrants | | | |
| | <ul style="list-style-type: none"> • Size of riser/down- comer | | | |

| | | | | |
|-----|---|--|--|--|
| | <ul style="list-style-type: none"> • Number of hydrants per floor • Hose Box | | | |
| 12. | Yard Hydrants | | | |
| | <ul style="list-style-type: none"> • Total number of hydrants • Hose Box | | | |
| 13. | Pumping Arrangements | | | |
| | <ul style="list-style-type: none"> • Ground Level • Discharge of main pump ➤ Head of main pump ➤ Number of main pumps ➤ Jockey pump out put ➤ Jockey pump head ➤ Standby Pump out put ➤ Standby Pump Head ➤ Auto Staring/Manual stopping ➤ Pump House Access • Terrace level ➤ Discharge of pump ➤ Head of the pump ➤ Power supply ➤ Auto starting of pump | | | |
| 14. | Captive water Storage for fire fighting | | | |
| | <ul style="list-style-type: none"> • Under ground tank capacity ➤ Draw of connection ➤ Fire service inlet ➤ Access to tank • Overhead Tank capacity | | | |
| 15. | Exit Signage | | | |
| 16. | Provision of Lifts. | | | |
| | <ul style="list-style-type: none"> ➤ Pressurization of Lift Shaft ➤ Pressurization of lift lobby ➤ Communication in lift Car | | | |

| | | | | |
|-----|--|--|--|--|
| | <ul style="list-style-type: none"> ➤ Fireman's Grounding Switch ➤ Lift Signage | | | |
| 17. | Standby power supply | | | |
| 18. | Refuge Area | | | |
| | <ul style="list-style-type: none"> ➤ Total area ➤ Location | | | |
| 19. | Fire control room | | | |
| | <ul style="list-style-type: none"> ➤ Detector system panel ➤ Flow Switch Panel ➤ PA System Panel ➤ Batter backup ➤ Building Floor Plans | | | |
| 20. | Special Fire Protection Systems for Protection of special Risks, if any; | | | |

The fire protection systems provided in the building were test checked and found functional at the time of inspection.

Keeping in view the substantial compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the Delhi Fire Service Rules 2010/issue shortcomings as noted at serial numbers

X

Signature of the Inspecting Officer

Signature of the Inspecting Officer

Name

Name

Designation

Designation

Guish
19/1/13
SS Tuli
DO (NW)

DEP (W2)