

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI  
HEADQUARTERS: DELHI FIRE SERVICE, CONNAUGHT PLACE  
NEW DELHI- 110001

Ph - 23414333 Fax - 23412593 Email - cfohq.dfire@nic.in

NO. F6/DFS/MS/EH/2013/1102/515

DATED: 05/07/13

FIRE SAFETY CERTIFICATE

Certified that the Zaika Bazaar, 6, Parmesh complex-II, Karkardooma Community Centre, Delhi-92, owned/occupied by Narson Foods Pvt. Ltd, comprising of ground plus one upper floors was granted NOC vide letter no. No. F6/DFS/MS/EH/2010/1839 dated 21.06.2010. The building was re-inspected by the officers concerned of this department on dated 22.06.13 in the presence of Mr. Raj Nath Bhat (Manager) and found that the building have deemed complied with the fire prevention and fire safety requirements in accordance with the Rule 36 unless renewed under Rule 37 or sooner cancelled under Rule 40 and that the building is fit for occupancy Group D "Assembly Building" with effect from 05/07/13 for a period of three years, subject to conditions printed overleaf.

Issued on 05/07/13 at New Delhi by



(Dr. G.C. Misra)  
Chief Fire Officer  
Delhi Fire Service

4.7.13

To,

Sh. Raj Nath Bhat (Manager)  
Zaika Bazaar, 6, Parmesh complex-II,  
Karkardooma Community Centre, Delhi-92.

Copy to:-

The Deputy Health Officer,  
Shahdara (South) Zone, EDMC,  
Health Department, Shahdara South Zone,  
Karkardooma, Delhi

- Conditions -

1. All the means of escape shall be kept free of all type of obstruction all the time.
2. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
3. All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
4. The clarification with regards electrical installation, ventilation, structure stability set back areas, occupancy and constructional deviation in building etc .may be got verified from the authorities concerned.
5. This certificate cannot be treated in any case for regularizations of unauthorized construction unauthorized use of land if any.
6. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on [www.dfs.delhigovt.nic.in](http://www.dfs.delhigovt.nic.in)

IRN-6

**INSPECTION REPORT**

1. Name & address of the building : Zaika Bazaar, 6, Parmesh complex-II, Karkardooma Community Centre, Delhi-92.
2. Building is comprised of : G+1
3. Type of Occupancy : Assembly
4. Type of Case : Renewal
5. Details of Previous NOC : Letter No- F6/DFS/MS/EH/2010/1839 Dated 21.06.2010
6. Fire Safety direction letter No : Old requirements
7. Date of Inspection : 21.06.13
8. Name of the Inspecting Officers: : Suresh singh (ADO)
9. Name of the designation of Officer  
from the building side : Mr. Raj Nath Bhat (Manager)
10. Year of Construction :
11. Applicant's letter No : Dated 30.05.13

S.No	Minimum Standards on fire prevention and fire safety U/R33	.....	Provided at Site	Old Accepted
1	Access to building			
	Road width	.....	30 m	Old Accepted
	Gate width	.....	.....	.....
	Width of internal road	.....	.....	.....
2	Number, Width, Type and Arrangement of Exits			
	a. Number of Staircases	.....	3 no.	Old Accepted
	Upper Floor	.....	.....	.....
	Basement	.....	.....	.....
	B. Width of Staircases	.....	1.1 m, 0.9 m, 0.7 m	Old Accepted
	Upper Floor	.....	.....	.....
	Basement	.....	.....	.....
	c. Protection of exits	.....	.....	.....
	Fire check door	.....	.....	.....
	Pressurization	.....	.....	.....
	e. No. of continuous staircases to terrace	.....	.....	.....
g. Width of Corridor	.....	.....	.....	
h. Door size	.....	G.F= 1 m, 0.8 m 1 <sup>st</sup> .F= 08, 0.8, 0.8 m	Old Accepted	
3	Compartmentation.	Required	Provided	
	• Fire check door	.....	.....	.....
	• Sealing of electrical shafts	.....	.....	.....
	• Fire rating of shaft door	.....	.....	.....
	• Water curtain	.....	.....	.....
	• Fire Dampers	.....	.....	.....
4	Smoke Management System.	N/A		
	• Basement	.....	.....	.....
	• Upper floor	.....	.....	.....

1RN-7

5.	Fire Extinguisher			
	• Total numbers	.....	04 no.	Old Accepted
	• Types	.....	Co2 & ABC	Old Accepted
	• IS marking	.....	ISI marked	Old Accepted
6	First-aid-Hose Reels.			
	Total numbers of each floor	.....	01 no.	Old Accepted
	Length of hose reel hose	.....	30 m	Old Accepted
	Nozzle diameter	.....	5 mm	Old Accepted
7	Automatic fire detection and alarming system. N/A			
	Type of detectors	.....	.....	.....
	Location of main panel	.....	.....	.....
	Location of repeater panel	.....	.....	.....
	Alternate source of power	.....	.....	.....
	Hooters's location	.....	.....	.....
8	MOEFA	.....	Provided	Old Accepted
9	Public address System.	.....	.....	.....
10	Automatic Sprinkler System.	Required	Provided	
	basement	.....	.....	.....
	upper floor	.....	Provided	Old Accepted
	sprinkler above false ceiling	.....	.....	.....
11	Internal Hydrants			
	size of riser/down-comer	.....	100 mm	Old Accepted
	Number of hydrants per floor	.....	1 no.	Old Accepted
	Hose Box	.....	1 no.	Old Accepted
12	Yard Hydrants.	N/A		
	Total number of hydrants	.....	.....	.....
	Hose Box	.....	.....	.....
13	Pumping Arrangements.			
	• Ground Level	.....	.....	.....
	➤ Discharge of main Pump	.....	.....	.....
	➤ Head of Main Pump	.....	.....	.....
	➤ Number of main pumps	.....	.....	.....
	➤ Jockey pump out put	.....	.....	.....
	➤ Jockey pump head	.....	.....	.....
	➤ Standby pump out put	.....	.....	.....
	➤ Standby pump Head	.....	.....	.....
	➤ Auto Starting /Manual stopping	.....	.....	.....
	➤ Pump House Access	.....	.....	.....
	• Terrace Level	.....	.....	.....
	➤ Discharge of pump	.....	450 LPM	Old Accepted
	➤ Head of the Pump	.....	40 m	Old Accepted
	➤ Power supply	.....	.....	.....
	➤ Auto Starting of pump	.....	.....	.....
		.....	.....	.....

1 RN-8

Zaika Bazaar, 6, Parmesh complex-II, Karkardooma Community Centre, Delhi 92.

14	Captive Water Storage for Fire Fighting.			
	Underground tank capacity	.....	.....	.....
	Draw-off connection	.....	.....	.....
	Fire service inlet	.....	.....	.....
	Access to tank	.....	.....	.....
	Overhead Tank capacity	.....	5000 Liters	Old Accepted
15	Exit Signage.	.....	Provided	Old Accepted
16	Provision of Lifts.	N/A		
	Pressurization of Lift Shaft	.....	.....	.....
	Pressurization of Lift lobby	.....	.....	.....
	Communication in lift car	.....	.....	.....
	Firemen's grounding switch	.....	.....	.....
	Lift Signage	.....	.....	.....
17	Standby power supply	.....	.....	.....
18	Refuge Area.	N/A		
	Total area	.....	.....	.....
	Location	.....	.....	.....
19	Fire Control Room	N/A		
	Detector system panel	.....	.....	.....
	Flow switch panel	.....	.....	.....
	PA system panel	.....	.....	.....
	Batter backup	.....	.....	.....
	Building Floor Plans	.....	.....	.....
20	Special Fire Protection systems for protection of special Risks, if any:	N/A		

The fire protection systems provided in the building were test checked at the time of inspection. Keeping in view the substantial compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the Delhi Fire Service Rule 2010

Signature of the Inspecting Officer

Name *Suresh Singh*

Designation *ADD*

