## GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI-110001

NO. ff/ pfs/ms/ school/2013/858

Dated: 05/09 /2013

## FIRE SAFETY CERTIFICATE

Certified that the M C Primary Co-ed School, Sec B-4 PKT-7, Narela, Delhi-110040 is comprised of One Block, Ground + One upper floor and Two Block Pota Cabin owned/occupied by M C Primary Co-ed School, have complied with the fire prevention and fire safety requirements in accordance with the Circular No F.16/Estate/CC/Fire Safety/2011/3298-3398 dated 01/03/2011 issued by Director of Education and verified by the officer concerned of Fire Service on 17/08/2013 in the presence of Sh. Mahander Singh, (Principal) and that the building / premises is fit for occupancy of Educational building with effect from \_\_\_\_\_/ of / of \_\_\_\_\_ for a period of three years, subject to compliance of the conditions mentioned below:

## Conditions for the validity of Fire Safety Certificate:

- All the fire safety arrangement provided their in shall be maintained in good working conditions at all times.
- Loss of life or property due to non functional fire safety measure shall be at the responsibility of the management.
- The trained fire fighting staff should be available round the clock.
- Any deviation with regard to the construction etc shall be verified by the concerned building sanctioning agency.
- The basement shall be used strictly as per the provision of building bye laws.
- This certificate cannot be treated in any case for regularizations of unauthorized construction
- The owner / occupier shall submit a declaration every year in form "K" provided in the schedule of Delhi Fire Service Rules 2010. The form WWW.dfs.Delhigovt.nic.in

Issued on \_\_\_\_\_\_ at New Delhi

(SANTOKH SINGH) Chief Fire Officer Delhi Fire Service Ph: 011-23414250

cfowz.dlfire@nic.in

Se a

Copy to:

- 1. The Principal, MC Primary Coed School, Sec B-4 PKT-7, Narela, Delhi-110040
- 2. The Addl. Director of Education, NMCD, Civic Centre, Delhi.

one Black-Gr + one 1 two Black. Pota Cabin

A CONTRACTOR OF THE CONTRACTOR							
INSPEC	CTION REPORT	ч					
1. Name & address of the building: M &	Prémareco	. Sol Sec. B-4.	Pht-7				
2. Type of Occupancy :	1. Name & address of the building: Mc Prémary Co. Sol Sec. B-4. Pht-7  2. Type of Occupancy: Solution						
4. Details of previous NOC : Letter	No. Mil	Dated	l:				
5. Fire Safety directives letter No :							
6. Date of inspection :	12.8.15	3					
7. Name of the Inspecting Officers:	ADO (BW)	)					
8. Name and designation of officers		Λ					
from the building side : <u>Sh.</u>	Mahande	St.	"ncipal				
9. Year of Construction :	2007	<i>O</i> .					
10. Applicant's letter No. :	le MONIE	st.					
S. Minimum Standards on fire	NBC	Provided at site	D				
No. prevention and fire safety U/R 33	Requirement	Frovided at site	Remarks MR/NMR				
Access to building			0				
Road width	Breesphle	Accessable	MIP /				
• Gate width		Accessable	M/R				
Width of internal road		Accessable	MIP				
Number, Width, Type & Arrangement							
a. Number of staircases							
• Upper Floors	1	2	m/R				
• Basements							
b. Width of staircases							
• Upper Floors	1.5 Mtr	1.50+1.70ml	MIR				
• Basements	_						
c. Protection of exits							
Fire check door	~						
<ul> <li>Pressurization</li> </ul>							
e. No. of continuous staircases to terrace							
g. Width of Corridor	~						
h. Door Size	INTA	1-10 mtr	M/R				
I .	1	1 2 4 4 1 1 1 11 11 11 11 11 11					

3	Compartmentation.		27 21		
	Fire check door				
	<ul> <li>Sealing of electrical shafts</li> </ul>				
	<ul> <li>Fire Rating of shaft door</li> </ul>		allA	6	
	Water Curtain		P		
	• Fire Dampers		**		
	Smoke Management System.				
	Basements	30 a/c per hour	1		
	<ul> <li>Upper floors</li> </ul>	12 a/c per hour			
,	Fire Extinguishers			н а	
	Total numbers	0000	8	MIR	
	• Types	SABC. ISI marked	ABC	MIR.	
	IS marking	181 marked			
5	First-Aid Hose Reels.				
	Total numbers on each floor				
	<ul> <li>Length of hose reel hose</li> </ul>				
	Nozzle diameter	30 m	MA	3	
7					
7	Automatic fire detection and alarming	system.			
	• Type of detectors		* * *	-	
	<ul> <li>Location of Main Panel</li> </ul>				
	Location of Repeater Panel			3 .	
	Alternate source of power		I A	5 X	
	Hooters' Location		NI		
8	MOEFA			5	
9	Public Address System.			ş	
10	Automatic Sprinkler System.				
	Basement				
	Upper Floor				
	Sprinkler above false ceiling				
11	Internal Hydrants		ALLA		
	Size of riser/down-comer		N		
6.8	Number of hydrants per floor				
	Hose Box				

Č	• Total number of hydrants	
	II.	
	i de la companya de l	
3 I	Pumping Arrangements.	
	Ground Level	
	<ul><li>Discharge of main Pump</li></ul>	
	Head of Main pump	
	Number of main pumps	
	Jockey Pump out put	
	Jockey pump head	
	Standby Pump out put	
	> Standby Pump Head	
	> Auto Starting/ Manual	
	stopping  > Pump House Access	
	Terrace level	
	<ul><li>Discharge of pump</li></ul>	
	> Head of the pump	
	> Power Supply	
	> Auto Starting of pump	
14	Captive Water Storage for fire fighting	3.
	Underground tank capacity	
	> Draw-off connection	
	> Fire service inlet	11 A
	> Access to tank	M
	Overhead Tank capacity	
15	Exit Signage.	
16	Provision of Lifts.	
	Pressurization of Lift Shaft	
	Pressurization of Lift lobby	
	Communication In lift Car	
	Fireman's Grounding Switch	4
s i	Lift Signage	
17	Standby power supply	

18	Refuge Area.			
	> Total Area	-		
	> Location			
19	Fire Control Room			
	Detector System Panel		٥	
	Flow Switch Panel		þ.	
	PA System Panel		, A	~
	Batter backup		HI.	-
	Building Floor Plans	2 - 2		
20	Special Fire Protection Systems for Protection of special Risks, if any:			

The fire protection systems provided in the building were test checked and found functional at the time of inspection.

Keeping in view the substantial compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the Delhi Fire Service Rules 2010/ issue shortcomings as noted at serial

Signature of the Inspecting Officer

Name

Name

Designation

Designation

Signature of the