GOVER NMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI-110001

NO. F6/OFS/MS/School/w13/w2/899 Dated: 10/09/2013

FIRE SAFETY CERTIFICATE

Certified that the D.A.V Public School, Ishwar Colony Bawana, Delhi is comprised of Two Blocks, Ground + One Upper floor and Ground floor owned/occupied by D.A.V Public School has already been issued fire safety certificate vide letter no. F-6/DFS/MS/2009/1294 dated 13/05/2009. The premises was re-inspected by the officer from this department on dated 02/07/2013 in the presence of Sh. Prem Thakran, (Principal) and observed that all the fire prevention & fire safety arrangements as provided in the premises found in good working condition. The premises have there fore deemed complied with the requirements of circular issued by Director of Education letter dated 17/01/2005 and the building / premise is fit for occupancy of Group Class B (Educational) with effect from 1° / 6 ? /2013 for a period of three years, subject to compliance of the conditions mentioned below:

Conditions for the validity of Fire Safety Certificate:

- 1. All the fire safety arrangement provided there-in shall be maintained in good working conditions at all times.
- 2. Loss of life or property due to non functional fire safety measure shall be at the responsibility of the management.
- 3. The trained fire fighting staff should be available round the clock.
- 4. Any deviation with regard to the construction etc shall be verified by the concerned building sanctioning agency.
- 5. The basement shall be used strictly as per the provision of building bye laws.
- 6. This certificate cannot be treated in any case for regularizations of unauthorized construction
- 7. The owner / occupier shall submit a declaration every year in form "K" provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on WWW.dfs.Delhigovt.nic.in

Issued on 10/68/13 at New Delhi by

(SANTOKH SINGH) Chief Fire Officer Delhi Fire Service Ph: 011-23414250 cfowz.dlfire@nic.in

8ck

Copy to:

- 1. The Principal, D.A.V Public School, Ishwar Colony Bawana, Delhi-110039
- 2. Director of Education, Old Sectt. Delhi for information

(Ground + one floor)

		(ground + or	re troop		
IN	SPECTION RE	PORT				
1. Name & address of the building:	AV Public So	hool Ishi	vas Colong Barran	a Delhi-39		
2. Type of Occupancy :.	: Educational					
3. Type of Case :	: New Case / Renewal					
4. Details of previous NOC :						
5. Fire Safety directives letter No :	Fire Safety directives letter No:					
1	: 2-7.2013					
7. Name of the Inspecting Officers:	ers: K 15. SHXEMA ADO					
8. Name and designation of officers	^		0			
from the building side :	Phem th	aktrar	1 Clourcep	(g)		
				•		
10. Applicant's letter No.	DAV B/H.	-1581-	A off-23.5	13		
TS-370 TT-5						
Minimum Standards on fire prevention and fire safety U/R	200 DOCUM		Provided at site	Remarks MR/NMR		
Access to building	nt-	173.05				
Road width	Acce	seeble	Accessable	MIR		
Gate width			,, = = = = = = = = = = = = = = = = = =	m/R		
Width of internal road				inst		
Number, Width, Type & Arrang	ement of Exits					
a. Number of staircases		7 7				
Upper Floors	2 1	Inh	P	MIR		
Basements						
b. Width of staircases			-			
Upper Floors	re.	neval	1.22 m trs . 70mg	MRCO		
Basements				- Company		
c. Protection of exits						
Fire check door		ū.				
Pressurization						
e. No. of continuous staircases to t	terrace					
g. Width of Corridor						
h. Door Size	11	Mtr	Intr	MIR		
3 Compartmentation.	<u> </u>	CQT S				
Fire check door		Les				
Sealing of electrical shafts	3	Lognesi	Supplied Control of the Control of t			
 Fire Rating of shaft door 		re and	Council grand			
			1			

Water Curtain

5	Fire Extinguishers		IA Klad	MR			
	Total numbers	2 NO.	4 Nes				
	• Types	ISI marked	ABC	MIR			
1 0	IS marking	1	-	4-11			
6	First-Aid Hose Reels.		,	31			
	Total numbers on each floor	N/R	P	mlR			
	 Length of hose reel hose 	30 m	P	MIR			
	Nozzle diameter	5 mm	D	MIR			
7	Automatic fire detection and alarming system.						
	Type of detectors	T					
	 Location of Main Panel 	· Y		п			
	Location of Repeater Panel						
	Alternate source of power						
	Hooters' Location						
8							
	MOEFA						
9	Public Address System.			A N			
10	Automatic Sprinkler System.						
	Basement						
	Upper Floor						
	Sprinkler above false ceiling						
11	Internal Hydrants						
	Size of riser/down-comer			1.			
	Number of hydrants per floor		. (a				
	Hose Box						
12	Yard Hydrants.						
	Total number of hydrants						
	Hose Box						
13	Pumping Arrangements.						
	Ground Level						
	Discharge of main Pump		э н				
	➤ Head of Main pump		2 2 2 3				
	Number of main pumps						
Name of the latest of the late	> Jockey Pump out put			2			
	Jockey pump head		A				
	> Standby Pump out put						
	> Standby Pump Head						
	> Auto Starting/ Manual	i de la designa	a compara / Amiliana				
	stopping	400					
	> Pump House Access		also belle a rection				
	Terrace levelDischarge of pump	2:2049	/ 0				

	ouperto water Storage for the lighting.	
	Underground tank capacity	
	> Draw-off connection	
	Fire service inlet	
	> Access to tank	
	Overhead Tank capacity	
15		NIR 2500lts MR
15	Exit Signage.	
16	Provision of Lifts.	
	Pressurization of Lift Shaft	
	Pressurization of Lift lobby	
	Communication In lift Car	
	Fireman's Grounding Switch	
	Lift Signage	
17	Standby power supply	
18	Refuge Area.	
	> Total Area	
	> Location	
19	Fire Control Room	
	Detector System Panel	,
	Flow Switch Panel	
	PA System Panel	
	Batter backup	
	Building Floor Plans	
20	Special Fire Protection Systems for	
	Protection of special Risks, if any:	
20	Protection of special Risks, if any:	

The fire protection systems provided in the building were test checked and found functional at the time of inspection.

Keeping in view the substantial compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the Delhi Fire Service Rules 2010/ issue shortcomings as noted at serial numbers.

Signature of the Inspecting Officer

Name

Designation

20 (7/1w) Buil 3/12/13

Signature of the Inspecting Officer

Name KK SAXEMA

Designation ASO