## GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI-110001

No. f6/ DFS/ ans/ school/2013/ w2/912

Dated: 13 / 0 / /2013

## FIRE SAFETY CERTIFICATE

Nagar, Delhi – 110052 comprise of Ground floor only, owned / occupied by M.C.Primary Co – Education School, have complied with the fire prevention and fire safety requirements in accordance with Director of education circular dated 01/03/2011 and verified by the officer concerned of Fire Service on 10/07/2013 in the presence of Smt. Nanki Devi ( Principal) and the building/premises is fit for occupancy Educational with effect from 1 / 6 / 2013 for a period of three years subject to conditions printed below.

Issued on \_\_\_\_\_13/09/13\_\_\_at New Delhi.

(SANTOKA SINGH)
Chief Fire Officer
Delhi Fire Service
Ph: 011-23414250
cfowz.dlfire@nic.in

Copy to:

- 1. The Principal, M.C.Primary Co-ed School, E-Block, Shastri Nagar, Delhi -52
- 2. The Director (Education), Govt. of NCT of Delhi, Old Sectt. Delhi.

## Following fire safety directives must be adhered to

- 1. All the Means of escape shall be kept free of obstruction all the time.
- 2. All the employees shall be acquainted with the use and maintenance of fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
- 3. All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
- 4. Any deviation with regards to construction, electrical installation etc. may be got verified from the concerned authorities.
- 5. This NOC may not be treated in any case for regularizations of unauthorized construction, if any.
- 6. The owner / occupier shall submit a declaration every year in form "K" provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in

CA & 360 m2 INSPECTION REPORT 1. Name & address of the building: 2. Type of Occupancy 3. Type of Case New 4. Details of previous NOC : Letter No 5. Fire Safety directives Letter No.: ----10/07/2013 6. Date of inspection 7. Name of the Inspecting Officer: ADO S K Dua 8. Name and designation of Officer Smt. Nance Devi, Principal

Nil dated 10/07/2013 from the building side 9. Year of Construction 10. Applicant's letter No.

Minimum standards on fire prevention and fire safety U/R 33 Access of building	BBL DOE Wicul	uProvided at site	Remarks MR/NMR
<ul> <li>Road width</li> <li>Gate width</li> <li>Width of internal road</li> </ul>	Accessible Repaired	- Provided Accessible NA	MR MR NA
Number, width, Type & Arrangeme  a. Number of staircases	ents of exits	to the same to the	
• Upper floors	NA	NA	NA
<ul><li>Basements</li><li>b. Width of staircases</li></ul>	MA	MA	AA .
<ul><li>Upper floors</li><li>Basements</li></ul>	NA.	MA	MA
c. Protection of exits	MA	NA	AM
* Fire check door	NA	NA	
<ul> <li>Pressurization</li> <li>No of continuous staircase</li> </ul>	NA	NA	NA
to terrace	MA	NA	NA

	e.	111111111111111111111111111111111111111			
		Width Of Corridor	1.1.1	<b>-</b>	
	f.	Door Size	HI.	NA	NA
			10 milai	1-1 min	n MR
3.	Comp	artmentation	1		1110
	ø	Fire check door			
		Sealing of all and a			
	v	Sealing of electrical shafts			U.
	96	Fire Rating of shaft door		N/A	
12	; <b>9</b>	Water Curtain			
	10	Fire Dampers			
4.	Smoke	e managements System			ů 'o
	9	Basements	30 a/c per hour		
			- s and por moun	AIM	
	0	Upper floors	12 a/c per hour		
5.	Fire Ex	ktinguishers			
		Total numbers		<u> </u>	
		Cest 2.5 100g	03	mideo	. MR
	46	Total numbers  Legs 2.5 100  Types An Co S 100 11  IS marking a 300 m <sup>2</sup>			
	_	10 @ 300 m 21	ISI marked	fronde	d MR
6.	First -	Aid Hose Reels		Provide	d MR
		Total numbers on each floor			
	*	a star framtoers on each 1100r	**		Ů
	•	Length of hose reel hose			
				NIA	e kan
1	ð	Nozzle diameter			
7.	Autom	natic fire detection and alarming			
	•	Type of detectors	g system		0
			·		,
	40	Location of Main Panel			
	٠	Location of D		MA	
		Location of Repeater Panel		21/10	
*		Alternate source of power		`	
				=	The second secon
	•	Hooters' Location			
8. 1	MOEF	A	·		A 0
9.		Address System	NA .	NA.	NA
10.	Autom	atic Sprinkler System	NA	NA	NA
	•	Basements		1	, U
	ф	Upper Floor		NA	The state of the s
11. I	Interna	Sprinkler above false ceiling		C 1- (1)	
11. 1	interna	l Hydrants Size of riser/down- comer			

	A STATE OF THE STA		- 10/15	
	Number of hydrants per			
	floor		VII V	
	* Hose Box		16/14	
<b>1</b> /-	Yard Hydrants		And the second second second principles was principles and the second se	
	<ul> <li>Total number of hydrants</li> </ul>		NIA	
12	* Hose Box			
13.	Pumping Arrangements			
	<ul> <li>Ground Level</li> </ul>	*	The state of the s	
	<ul> <li>Discharge of main pump</li> </ul>		5	2
	> Head of main pump			
	> Number of main pumps		,	
	> Jockey pump out put	F		18
	> Jockey pump head	6	1	
	> Standby Pump out put			
	> Standby Pump Head		e e	
	Auto Staring/Manual			./
	<ul><li>stopping</li></ul>			
	Pump House Asses			La.
	<ul><li>Pump House Access</li><li>Terrace level</li></ul>			
	retrace level		114	
	Discharge of pump		1	
"	go or bamb			·
	Head of the pump			
1				
	Power supply			•
	> Auto starting of pump			
14.	Captive water Storage for fire fighting	ρ		
TO SERVICE STATE OF THE PERSON STATE OF THE PE	• Under ground tank capacity	8		
	Draw of connection	The second secon		
The state of the s	Fire service inlet		110	
	> Access to tank*		I III.	
				And the second s
5	Overhead Tank capacity			
	DXII-Signage	MA	A 1 A	*
	Provision of Lifts.		MA	NA
-	> Pressurization of Linguis		-	
	Pressurization of Lift Shaft			
=	► Pressurization of lift lobby		NIA	
		•		
	Communication in lift Car			
,				
A		3	Constitution of the Principle of the Pri	
7				

- My-

	<ul><li>Fireman's Grounding</li><li>Switch</li><li>Lift Signage</li></ul>		NA	
17. 18.	Standby power supply Refuge Area  ➤ Total area	NA	NA:	MA
19.	➤ Location Fire control room		MA	١
	<ul> <li>Detector system panel</li> <li>Flow Switch Panel</li> <li>PA System Panel</li> <li>Batter backup</li> <li>Building Floor Plans</li> </ul>		NA	0
.0.	Special Fire Protection Systems for Protection of special Risks, if any;	NO	NA	NA.

The fire protection systems provided in the building were test checked and found functional at the time of inspection.

Keeping in view the substantial compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the Delhi Fire Service Rules 2010/issue shortcomings as noted at serial numbers

Signature of the Inspecting Officer

Signature of the Inspecting Officer

Name ADO SK Dug

Name

Designation ADO (WP)

Designation