GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI-110001

NO. F6/DFS/ms/school/2014/W2/258

Dated: 24/02/2014

FIRE SAFETY CERTIFICATE

Certified that the M C Primary Pratibha School, Bhalswa Village, Delhi-110033 is comprised of Ground floor only owned/occupied by M C Primary Pratibha School have complied with the fire prevention and fire safety requirements in accordance with the Circular No F.16/Estate/CC/Fire Safety/2011/3298-3398 dated 01/03/2011 issued by Director of Education and verified by the officer concerned of Fire Service on 11/02/2014 in the presence of Sh. Sube Singh Chauhan (Principal) and that the building / premises is fit for occupancy of Educational building with effect from 24/02/2014 for a period of three years, subject to compliance of the conditions mentioned below:

Conditions for the validity of Fire Safety Certificate:

- 1 All the fire safety arrangement provided their in shall be maintained in good working conditions at all times.
- Loss of life or property due to non functional fire safety measure shall be at the responsibility of the management.
- The trained fire fighting staff should be available round the clock.
- 4 Any deviation with regard to the construction etc shall be verified by the concerned building sanctioning agency.
- 5 This certificate cannot be treated in any case for regularizations of unauthorized construction
- The owner / occupier shall submit a declaration every year in form "K" provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on WWW.dfs.Delhigovt.nic.in

Issued on 14/02/14 at New Delhi

(SANTOKH SINGH)
Chief Fire Officer
Delhi Fire Service
Ph: 011-23414250
cfowz.dlfire@nic.in

ACQ

Copy to:

- 1. The Principal, M C Primary Pratibha School, Bhalswa Village, Delhi-110033.
- The Addl. Director of Education, North MCD, Civic Centre, Delhi.

Ground floor only

. INSPECTI	ON REPORT						
1. Name & address of the building: MC.	simary Pri	atileha Schoo	of vill Bhal				
2. Type of Occupancy : Sales	cational	Del	?he-35				
Now Cose / Penewal							
4. D. tella of marriage NOC	D to the of provious NOC N1'L						
5 Fire Safety directives letter No :	un-ef Edi	Kr					
/	11. 9) 1/2						
6. Date of inspection7. Name of the Inspecting Officers :	so (sanxna)	KK Saxena					
Name and designation of officers							
from the building side	neipal-Jul	he Singh Cha	lehan.				
9. Year of Construction :	93 + 201	3					
10. Applicant's letter No. : Of M	o-Mil d	t.27.1:14					
PA-4452 m2 CA-1286 m	2 1405-62	4 NOCK-	-14				
Minimum Standards on fire prevention and fire safety U/R 33	NBC Requirement	Provided at site	Remarks MR/NMR				
Access to building		2 d °					
Road width	Accessable	Accessable	MIR				
Gate width	Accessable	Accessable	m/R				
Width of internal road							
Number, Width, Type & Arrangement of	of Exits						
a. Number of staircases	_						
Upper Floors			·				
• Basements							
b. Width of staircases							
Upper Floors							
Basements							
c. Protection of exits							
Fire check door							
• Pressurization							
e. No. of continuous staircases to terrace							
g. Width of Corridor							
h. Door Size	1 mtz	Inth	MR				
3 Compartmentation.							
Fire check door							

	Sealing of electrical shafts		·	
	• Fire Rating of shaft door		*	./
	Water Curtain	* .	-	/
	Fire Dampers		, K	
4	Smoke Management System.		7/	
	Basements	30 a/c per hour	/.	
	Upper floors	12 a/c per hour		
of to				w.
5	Fire Extinguishers			
	Total numbers	9 ABC	9	MIR
	• Types	ISI marked	ABC	MR
	IS marking		yes	M/R
6	First-Aid Hose Reels.			
	Total numbers on each floor		T .	
	• Length of hose reel hose	30 m	414	
	Nozzle diameter	5 mm		
7	Automatic fire detection and alarming	system.		
*	Type of detectors		1	
	Location of Main Panel			
	Location of Repeater Panel			
	Alternate source of power			
	Hooters' Location		NIA	
8				
	MOEFA			
9	Public Address System.		2	10
10	Automatic Sprinkler System.			
	Basement			
	Upper Floor			
	Sprinkler above false ceiling		/	0 0
1.1	Internal Hydrants	1.		
2 1	Size of riser/down-comer		11/4	
	Number of hydrants per floor		P	
10	Hose Box		1	
12	Yard Hydrants.			
	 Total number of hydrants 			8
	Hose Box			

13	Pumping Arrangements.	
	Ground Level	
	Discharge of main Pump	
	> Head of Main pump	
	> Number of main pumps	
	Jockey Pump out put	
	> Jockey pump head	
	Standby Pump out put	1/4
.00	> Standby Pump Head	
	> Auto Starting/ Manual	
	stopping starting	
	> Pump House Access	
	Terrace level	
	> Discharge of pump	
	> Head of the pump	
	> Power Supply	
	> Auto Starting of pum	
14 .	Captive Water Storage for fire fighting	g.
F	Underground tank capacity	
	> Draw-off connection	
	> Fire service inlet	
	> Access to tank	NIA
	Overhead Tank capacity	
15	Exit Signage.	
16	Provision of Lifts.	
	Pressurization of Lift Shaft	
	Pressurization of Lift lobby	
. 88	Communication In lift Car	
	Fireman's Grounding Switch	MIA
	Lift Signage	
17	Standby power supply	
9.3		
18.	Refuge Area. > Total Area	
	> Location	
10		MA
19	Fire Control Room	
	Detector System Panel	

	 Flow Switch Panel PA System Panel Batter backup 		
	Building Floor Plans	AIM	
20	Special Fire Protection Systems for Protection of special Risks, if any:		

The fire protection systems provided in the building were test checked and found functional at the time of inspection.

Keeping in view the substantial compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to grant Fire Safety Certificate under rule 35 the Delhi Fire Service Rules 2010/ issue shortcomings as noted numbers.....

Signature of the Inspecting Officer

Name

Signature of the Inspecting

Name Designation