GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE, CONNAUGHT PLACE NEW DELHI- 110001
Ph.23414333:23412593,E-mail:cfohq.dlfire@nic.in

No. F6/DFS/ms/school/2014/NO2/356

Dated: 25/03/14

FIRE SAFETY CERTIFICATE

Issued on. 2.5/03/1.4.... at New Delhi by

(Dr.G.C.Misra) Chief Fire Officer Delhi Fire Service

To,

The Principal
Universal Nursery School
A-Block, Preet Vihar, Delhi-92.

olch

- Conditions -

- 1. All the means of escape shall be kept free of all type of obstruction all the time.
- 2. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case
- 3. All the fire fighting equipments shall be maintained in good working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
- 4. The clarification with regards electrical installation, ventilation, structure stability set back areas, occupancy and constructional deviation in building etc .may be got verified from the authorities concerned.
- 5. This Fire Safety certificate can not be treated in any case for regularizations of unauthorized construction if any.
- 6. Basement shall be used as per BBL.
- 7. The owner / occupier shall submit a declaration every year in form 'K' provided in first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in

NIT

1. Name & address of the building: Universal Nursery School at A- Block, Preet Vihar, Delhi -92.

2. Building is comprised of Basement & Ground floor only.

3. Type of Occupancy : Educational4. Type of Case : Renewal

5. Details of Previous NOC letter: F.6/DFS/MS/2006/2570 dated 15.09.2006

6. Fire Safety direction letter No : F.6/DFS/MS/BP/2004/1700 dated 03.08.2004

7. Date of Inspection : 13.03.2014

8. Name of the Inspecting officers: A DO Suresh Singh

9. Name and designation of Officer:

from the building side : Smt.Maya Gupta (Principal).

10. Year of Construction - :2006

11. Applicant's letter No : dated 29.01.2014.

NO.	Minimum Standards on fire prevention and fire safety U/R33	Directives Requirement	Provided at Site	Remarks				
1	Access to building	rtoquirement						
-	Road width	06 Mtrs.	06 Mtrs.	MR				
	Gate width							
	Width of internal road	4.5 Mtrs.	06 Mtrs.	MR				
		N/A	N/A	N/A				
2	Number, Width, Type and Arrangement of Exits							
	a. Number of Staircases	11/4	21/4	N1/A				
	Upper Floor	N/A	N/A	N/A				
	Basement	02 Nos	02 Nos.	MR				
	B. Width of Staircases							
	Upper Floor	N/A	N/A	N/A				
	Basement	1.5 M	1.5 M & 80 CM	MR				
	Desta di sa afra ila	N/A	N/A	N/A				
	c. Protection of exits	N/A	N/A	N/A				
	Fire check door	Required	Provided	MR				
	Pressurization	1no.	1 No.	MR				
	e. No. of continuous staircases to							
	terrace	1.5 M	2.0 M	MR				
	g. Width of Corridor	1.0 Mtrs	1.0 Mtrs	MR				
3	II. Door Size							
3	Compartmentation. Fire check door N/A Required							
	Graining of Grootificat Charles	N/A N/A	N/A N/A	N/A				
	Fire rating of shaft doorWater curtain	N/A N/A		N/A				
	A CONTRACTOR OF THE PROPERTY O	N/A N/A	N/A	N/A				
4	• Fire Dampers N/A N/A N/A Smoke Management System.							
	Basement	Required	Ventilated	MR				
	Upper floor							
		N/A	N/A	N/A				
5.	Fire Extinguishers							
	Total numbers	04 Nos.	05 Nos.	MR -				
	Types	ABC & Co2	ABC & Co2	MR				
	IS marking	ISI marked	ISI marked	MR				
6	First-aid-Hose Reels.							
	Total numbers of each floor	1 no.	1 no.	MR				
	Length of hose reel hose	30 M	30 M	MR				
	Nozzle diameter	5 mm	5 mm	MR				

7	Automatic fire detection and alarming	system.		
	T. w. c. of detectors	N/A	N/A	N/A
	Type of detectors	N/A	N/A	N/A
	Location of main panel	N/A	N/A	N/A
	Location of repeater panel	N/A	N/A	N/A
	Alternate source of power	N/A	N/A	N/A
	Hooter's location	N/A	N/A	N/A
3	MOEFA		Provided	MR
9	Public address System.	Required	Provided	IVIIV
10	Automatic Sprinkler System.	D	Provided	MR
	Basement	Required	Provided	IVIN
	upper floor	N/A	N/A	N/A
	sprinkler above false ceiling	N/A	N/A	N/A
11	Internal Hydrants			
1 1	size of riser/down-comer	100 MM	100 MM	MR
		1 No.	1 No.	MR
	Number of hydrants per	I INO.	1110.	TVII X
	floor	1No.	1 No.	MR
10	Hose Box	TINO.	1 140.	IVII
12	Yard Hydrants.	h1/A	NI/A	N/A
	Total number of hydrants	N/A	N/A	A COUNTY OF
	Hose Box	N/A	N/A	N/A
13	Pumping Arrangements.	N/A	N/A	N/A
	Ground Level	N/A	N/A	N/A
	Discharge of main Pump	N/A	N/A	N/A
	Head of Main Pump	N/A	N/A	N/A
	Number of main pumps	N/A	N/A	N/A
	Jockey pump out put	180 LPM	180 LPM	MR
	Jockey pump head	40 M	40 M	MR
	Standby pump out put	N/A	N/A	N/A
	Standby pump Head	N/A	N/A	N/A
	Auto Starting /Manual	N/A	N/A	N/A
	stopping			9
	Pump House Access	N/A	N/A	N/A
A.N.	Terrace Level	Required	Provided	MR /
	Discharge of pump	900 LPM	900 LPM	MR /
	➢ Head of the Pump	40 M	40 M	MR
	Power supply	Required	Provided	MR
	, constant of	/		
	Auto Starting of pump	Required	Provided	MR
14	Captive Water Storage for Fire	N/A	N/A	N/A
16	Fighting.			
15	Underground tank capacity	N/A	N/A	N/A
	> Draw-off connection	N/A	N/A	N/A
	> Fire service inlet	N/A	N/A	N/A
	> Access to tank	N/A	N/A	N/A
	Overhead Tank capacity	10,000 Ltrs.	10,000 Ltrs.	MR
16	Exit Signage.	N/A	N/A	N/A
10	Provision of Lifts.	IN//	14//	11//1
		N/A	N/A	N/A
	Pressurization of Lift Shaft			
3	Pressurization of Lift lobby	N/A	N/A	N/A
	Communication in lift car	N/A	N/A	N/A
	Firemen's grounding switch	N/A	N/A	N/A
17	Lift Signage	N/A	N/A	N/A
18	Standby power supply	N/A	N/A	N/A
	Refuge Area.	N/A	N/A	N/A
	Total area	N/A	N/A	N/A
19	Location	N/A	N/A	N/A
	Fire Control Room	N/A	N/A	N/A
	Detector system panel	N/A	N/A	N/A
	Flow switch panel	N/A	N/A	N/A
The second second	ottitori parior	N/A	N/A	N/A

N/9

20	Building Floor Plans	N/A	N/A	N/A	
	Special Fire Protection systems for protection of special Risks, if any:	N/A	N/A	N/A	

The fire protection systems provided in the building were tested/checked and found functional at the time of inspection.

In view of the deemed compliance of the minimum standards of fire prevention and fire safety measures as required under the rules. The NOC issued vide letter no. F.6/DFS/MS/2006/2570 dated 15.09.2006 renewal under the directives letter no. F.6/DFS/MS/BP/2004/1700 dated 03.08.2004 is recommended.

Signature of the Inspecting Officer

Name:-Suresh Singh

Designation:-ADO(Shah.)

DOKE