

**GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI**  
**HEADQUARTERS: DELHI FIRE SERVICE: CANNAUGHT PLACE**  
**NEW DELHI- 110 001**

No. FG/DFSS/MS/FW/2015/MD2/1729

Dated 22/09/15

**FIRE SAFETY CERTIFICATE**

Certified that the M/s Utsav Fireworks running the trade of sale and possession of fireworks Up to 600 Kgs (100 KG manufactured Fireworks and 500 KG Chinese/Sparklers) on Ground floor at Shop no. 29/17, Gali no. 13, 60 feet Road, Vishwas Nagar, Delhi-32, owned/occupied by M/s Utsav Fireworks have complied with the fire prevention and fire safety requirements in accordance with the Explosive Act & theirunder Rule and verified by the officer concerned of Fire Service on 13.09.2015 in the presence of Sh. Anil Singhal (Prop.), and found that the Shop No. 29/17, is fit for occupancy class Fireworks storage with effect from 22/09/15 for a period of three years, subject to conditions printed overleaf.

Issued on 22/09/15 at New Delhi by



**(Dr. G.C. Misra)**

Chief Fire Officer

Ph -011- 23414333

Dr. G.C.

Copy to:-

1. The Joint Commissioner of police (Licensing),  
1<sup>st</sup> Floor, P.S. Defence colony, New Delhi.
2. Sh. Anil Singhal S/o Late Sh. P.C. Aggarwal & Smt. Tripti Gupta W/o Sh. Anil Singhal  
both R/o A-48, Jitar Nagar, Parwana Road, Delhi-51

## CONDITIONS

1. The owner /occupier shall apply for renewal of this fire safety certificate to the Director in form J' [sub rule (1) of rule 37] along with a copy of this certificate, six months prior to its expiry.
2. All the means of escape shall be kept free of all type of obstruction all the time.
3. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
4. All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
5. Any deviation, with regards to construction, ventilation, occupancy, electric installation etc. may be got verified from the concerned authorities.
6. This Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction unauthorized use of land if any.
7. The owner / occupier of the building shall, under clause 38 of the DFS Rules, declare in form 'K' every year that the fire prevention and safety measures provided in the premises.

**INSPECTION REPORT**

1. Name & address of the building : M/s Utdav Fireworks, at Shop no. 29/17, Gali no. 13, 60 Feet Road, Vishwas Nagar, Delhi-32  
Delhi-32, upto 600 Kg. Prop. Sh. Anil Singhal & Ms. Tripti Gupta
2. Type of Occupancy : Storage Fireworks
3. Type of Case : New Case
4. Details of Previous NOC : Nil
5. Fire Safety direction letter No : .....
6. Date of Inspection : 13.09.2015
7. Name of the Inspecting Officers: : Suresh Singh ADO(Shah)
8. Name of the person from the building side : Prop. Sh. Anil Singhal
9. Year of Construction : 2015
10. Reference/Licensing deptt. Letter no. : No. (PFW/13)/2015/15086-88/Joint CP/Lic.(Expl.), dated 26.08.2015

S.No	Point of Inspection	Requirement	Provided at Site	Remarks MR/NMR
<b>1</b>	<b>Type of construction and floor area &amp; floor level</b>			
	a. Minimum floor area	9 m <sup>2</sup> (min.)	13.35 m <sup>2</sup>	MR
	b. Construction	Pucca	Provided	MR
	c. Premises Location	Not under the staircase/Mean of escape	Provided	MR
	d. Business permissible only at ground floor level	Required	Provided	MR
	e. Business from pavement of road prohibited	Prohibited	Yes	MR
<b>2</b>	<b>Entrance &amp; Exits to the licensed premises</b>			
	The licensed premises shall have independent entrance and exit	Required	Provided (Yes)	MR
<b>3</b>	<b>Type and distance of the surrounding risk</b>			
	The premises shall be situated at a distance of 15 m from any such premises used for similar explosives/inflammable or hazardous materials.	Required 15 m	Provided	MR
<b>4</b>	<b>Nature of business run in the licensed premises</b>			
	The premises in which fireworks are kept shall be used only for possession and sale for fireworks and no other purposes	Required	Provided (Yes)	MR
<b>5.</b>	<b>Type of electrical wiring and electrical fitting</b>			
	a. Preferably concealed or through conduit	Required	Provided	MR
	b. All electrical fitting should be flame/spark proof	Required	Provided with Casing & Capping	MR
<b>6.</b>	<b>Extension of shop for business</b>			
	Prohibited	Prohibited	Yes	MR



<b>7.</b>	<b>Approach Road</b>			
	The road width on the side of which premises is located should be 12 m	12m	15 m	MR
<b>8.</b>	<b>Fire protection arrangements</b>			
	a ) Extinguishers (Type & No's.)	2 no. of Water type & 1 no. of ABC/CO <sub>2</sub> type	Provided	MR
	B ) Sand and Water Buckets	2 nos. each	Provided	MR
	C ) Water Drum (s)	1 nos.	Provided	MR
<b>9.</b>	<b>Any other point that is contrary to the safety of people.</b>			

The fire protection systems provided in the building were test checked and found functional at the time of inspection.

Keeping in view the substantial compliance of the minimum standards on fire prevention and fire safety required under the rules it is recommended to grant Fire Safety Certificate under rule 35 of the Delhi Fire Service Rule 2010.

*Suresh Singh*  
16.9.15

Signature of the Inspecting Officer

Name Suresh Singh

Designation ADO (Shah)

