GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: CANNAUGHT PLACE NEW DELHI- 110 001

No. F6/D6-S/ars/school/2015/NO2/1778 Dated: 01/10/15

FIRE SAFETY CERTIFICATE

Certified that the B.D. Memorial Public School at B-46, Saboli Extn., Shahdara, Delhi - 110093, comprised of ground plus first floor owned/occupied by B.D. Memorial Public School was issued NOC vide letter No.-F6/MS/DFS/2006/2294 dated-04/09/2006. The school building was re-inspected by the officer concerned of this department on 02/09/2015 in the presence of Mr. Prem Kumar, Manager of the school and found that the school building have deemed complied with the fire prevention and fire safety requirements in accordance with Circular Letter No-F16/Estate/CC/FS/2011/3298to3398 dt-01/03/11 issued by Director of Education the school building is fit for occupancy class "B" 'Educational Building' for ground plus first floor with effect from .o.l/(.o.l/s... for a period of three years, subject to conditions, printed overleaf.

(**Dr. G.C. Misra**) Chief Fire Officer Ph.011-23414333

olc M

To,

The Principal, B.D. Memorial Public School, B-46, Saboli Extn., Shahdara, Delhi -110093

'opy:-

The Dy. Director of Education B–Block, Yamuna Vihar, North-East, Delhi-110053

CONDITIONS

- 1. All the means of escape shall be kept free of all type of obstruction all the time.
- All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
- All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
- 4. Any deviation, with regards to construction, ventilation, occupancy, electric installation etc. may be got verified from the concerned authorities.
- 5. This Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction /unauthorized use of land if any.
- The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in
- 7. The owner / occupier shall apply for renewal of this Fire Safety Certificate of the Director in Form 'J' [sub rule (1) of rule (37)] along with a copy of this Certificate, Six Months prior to its expiry

1. Name & address of the building

: B.D. Memorial Public School

B-46, Saboli Extn., Shahdara, Delhi-110093

2. Building is comprised of

: Ground plus two upper floor

(school is running on ground plus first floor only)

3. Type of Occupancy

: Educational

Type of Case 4.

Renewal

5. Details of Previous NOC letter

: F6/MS/DFS/2006/2294 dated-04/09/2006

6. Fire Safety direction letter No

: F16/Estate/CC/FireSafety/2011/3298to3398 dt-01/03/11

7. Date of Inspection

: 02/09/2015

8. Name of the Inspecting officers

: ADO Vijay Bahadur

9. Name and designation of officer

: Mr. Prem Chand (Manager)

from the building side

: 2005 & 2013

10. Year of Construction 11. Applicant's letter No

: Letter No.-2P/247/15, Dated- 07/08/2015

Sr.	Minimum Standards on Fire	Circular	Provided at Site	Remarks MR/NMF				
No.	Prevention and Fire Safety U/R33	Requirement		IVIPOTATIVITA				
01	Access to Building							
:	Road width	06 mtr.	06 mtr.	MR				
	Gate width	N/A	N/A	N/A				
	 Width of internal road 	N/A	N/A	N/A				
02	Number, Width, Type and Arrangement of Exits							
	a. Number of Staircases							
	 Upper floor 	01 no.	02 nos.	MR				
	 Basement 	N/A	N/A	N/A				
	b. Width of Staircases			no casing dep				
	Upper floor	1.50 mtr.	1.04 & 0.80 mtr.	MR				
	 Basement 	N/A	N/A	N/A				
	c. Protection of exits							
	 Fire check door 	N/A	N/A	N/A				
	 Pressurization 	N/A	N/A	N/A				
	d. No. of Continuous Staircases	01 no.	01 nos.	MR				
	to Terrace		0.40	145				
	e. Width of corridor	1.50 mtr.	2.13 mtr.	MR				
	f. Door Size	01 mtr.	01 mtr.	MR				
03	Compartmentation.							
	Fire check door	N/A	N/A	N/A				
	Sealing of electrical shafts	N/A	N/A	N/A				
	Fire rating of shaft door	N/A	N/A	N/A				
	Water curtain	N/A	N/A	N/A				
	Fire dampers	N/A	N/A	N/A				
04	Smoke Management System.							
	Basement	N/A	N/A	N/A				
	Upper floor	N/A	N/A	N/A				
05.	Fire Extinguishers							
	Total numbers	06 nos.	07 nos.	MR				
	• types	ABC /CO ₂	ABC /CO ₂	MR				
	IS marking	ISI marked	ISI marked	MR				

06	First-Aid-Hose Reels.						
	Total numbers on each floor	N/A	01 no.	MR			
	Length of hose reel hose	N/A	30 mtr.	MR			
	Nozzle diameter	N/A	05 mm	MR			
07	Automatic fire detection and alarming system.						
	Type of detectors	N/A	N/A	N/A			
	 Location of main panel 	N/A	N/A	N/A			
	 Location of repeater panel 	N/A	N/A	N/A			
	Alternate source of power	N/A	N/A	N/A			
	Hooter's location	N/A	N/A	N/A			
08	MOEFA	N/A	N/A	N/A			
09	Public Address System.	N/A	N/A	N/A			
10	Automatic Sprinkler System.						
	Basement	N/A	N/A	N/A			
	upper floor	N/A	N/A	N/A			
	sprinkler above false ceiling	N/A	N/A	N/A			
11	Internal Hydrants						
	size of riser/down-comer	N/A	N/A	N/A			
	Number of hydrants per floor	N/A	N/A	N/A			
	Hose box	N/A	N/A	N/A			
12	Yard Hydrants.						
	Total number of hydrants	N/A	N/A	N/A			
	Hose box	N/A	N/A	N/A			
13	Pumping Arrangements.						
	➤ Ground Level						
	Discharge of main Pump	N/A	N/A	N/A			
	Head of Main Pump	· N/A	N/A	N/A			
	Number of main pumps	N/A	N/A	N/A			
	Jockey pump out put	N/A	N/A	N/A			
	Jockey pump head	N/A	N/A	N/A			
	Standby pump out put	N/A	N/A	N/A			
	Standby pump Head	N/A	N/A	N/A			
	Auto Starting /Manual stopping	N/A	N/A	N/A			
	Pump House Access Terrace Level	N/A	N/A	N/A			
	Discharge of pump	N/A	220 Lpm	MD			
	Head of the Pump	N/A	40 M	MR MR			
	Power supply	N/A	Provided	MR			
	Auto Starting of pump	N/A	N/A	N/A			
14	Captive Water Storage for Fire Fighting.						
	Underground tank capacity	N/A	N/A	N/A			
	Draw-off connection	N/A	N/A	N/A			
	Fire service inlet	N/A	N/A	N/A			
	Access to tank	N/A	N/A	N/A			
	Overhead Tank capacity	N/A	2,000 Ltr.	MR			
15	Exit Signage.	N/A					

16	Provision of Lifts.						
***************************************	Pressurization of lift shaft	N/A	N/A	N/A			
	 Pressurization of lift lobby 	N/A	N/A	N/A			
	Communication in lift car	N/A	N/A	N/A			
	 Firemen's grounding switch 	N/A	N/A	N/A			
	Lift signage	N/A	N/A	N/A			
17	Standby Power Supply	N/A	N/A	N/A			
18	Refuge Area.						
	Total area	N/A	N/A	N/A			
	Location	N/A	N/A	N/A			
19	Fire Control Room						
	Detector system panel	N/A	N/A	N/A			
	 Flow switch panel 	N/A	N/A	N/A			
	 PA system panel 	N/A	N/A	N/A			
	Battery backup	N/A	N/A	N/A			
	Building floor plans	N/A	N/A	N/A			
20	Special Fire Protection Systems for Protection of Special Risks, if any:	N/A	N/A	N/A			

The fire protection systems provided in the building were tested/checked at the time of inspection. The school building was issued NOC vide letter No.-F6/MS/DFS/2006/2294 dated-04/09/2006

Keeping in view the deemed compliance of the minimum standards on fire prevention and fire safety required under the circular No- F16/Estate/CC/FireSafety/2011/3298to3398 dt-01/03/11, it is recommended to grant Fire Safety Certificate.

> Signature of the Inspecting Officer Name- Vijay Bahadur

Designation- A.D.O

DOJEDI Submitted for approval please.