

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEADQUARTERS: DELHI FIRE SERVICE: CANNAUGHT PLACE
NEW DELHI- 110 001


No. F6/DFS/MS/2015/FW/ND2/1845

Dated 14/10/15

FIRE SAFETY CERTIFICATE

Certified that the M/s Angad Fireworks running the trade of sale and possession of fireworks Up to 1500 Kgs (300 KG manufactured Fireworks and 1200 KG Chinese/Sparklers) on Ground floor at Shop no. A-1/9, Kabir Nagar, Main 100 ft. Road, Delhi-94, was granted FSC by this department vide Letter No- F6/DFS/MS/FW/2012/3306 dated 11.09.2012. The Fireworks shop was re-inspected by the officer concerned of this department on 03.10.2015 in the presence of Sh. Ravi Jain (Prop.) and found that the Shop no. A-1/9 have deemed complied with the fire prevention and fire safety requirements in accordance with the Explosive Act & theirunder Rule and found that the Shop No. A-1/9, is fit for occupancy class Fireworks storage with effect from14/10/15...renewed for a period of three years, subject to conditions printed overleaf.

Issued on.....14/10/15.....at New Delhi by



(Dr. G.C. Misra)

Chief Fire Officer

Ph -011- 23414333

etc sm

Copy to:-

Sh. Ravi Jain S/o Shri Bhupender Kumar Jain,
R/o 1/1593, M.S. Park, Shahdara, Delhi-32

CONDITIONS

1. The owner /occupier shall apply for renewal of this fire safety certificate to the Director in form 'J' [sub rule (1) of rule 37] along with a copy of this certificate, six months prior to its expiry.
2. All the means of escape shall be kept free of all type of obstruction all the time.
3. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
4. All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
5. Any deviation, with regards to construction, ventilation, occupancy, electric installation etc. may be got verified from the concerned authorities.
6. This Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction unauthorized use of land if any.
7. The owner / occupier of the building shall, under clause 38 of the DFS Rules, declare in form 'K' every year that the fire prevention and safety measures provided in the premises.

INSPECTION REPORT

1. Name & address of the building : M/s Angad Fireworks at Shop no. A-1/9, Kabir Nagar,
100 Feet Road, Delhi-94
upto 1500 Kg. Prop. Sh. Ravi Jain
2. Type of Occupancy : Storage Fireworks
3. Type of Case : Renewal Case
4. Details of Previous NOC : F6/DFS/MS/FW/2012/3306 dated 11.09.2012
5. Fire Safety direction letter No :
6. Date of Inspection : 03.10.2015
7. Name of the Inspecting Officers: : Suresh Singh ADO(Shah)
8. Name of the person from the building side : Prop. Sh. Ravi Jain
9. Year of Construction : 2005
10. Reference/Licensing deptt. Letter no. : Nil

S.No	Point of Inspection	Requirement	Provided at Site	Remarks MR/NMR
1	Type of construction and floor area & floor level			
	a. Minimum floor area	9 m ² (min.)	22.98 m ²	MR
	b. Construction	Pucca	Provided	MR
	c. Premises Location	Not under the staircase/Mean of escape	Provided	MR
	d. Business permissible only at ground floor level	Required	Provided	MR
	e. Business from pavement of road prohibited	Prohibited	Yes	MR
2	Entrance & Exits to the licensed premises			
	The licensed premises shall have independent entrance and exit	Required	Provided (Yes)	MR
3	Type and distance of the surrounding risk			
	The premises shall be situated at a distance of 15 m from any such premises used for similar explosives/inflammable or hazardous materials.	15 m	Provided	MR
4	Nature of business run in the licensed premises			
	The premises in which fireworks are kept shall be used only for possession and sale for fireworks and no other purposes	Required	Provided (Yes)	MR
5.	Type of electrical wiring and electrical fitting			
	a. Preferably concealed or through conduit	Required	Provided	MR
	b. All electrical fitting should be flame/spark proof	Required	Provided with Casing & Capping	MR
6.	Extension of shop for business			
	Prohibited	Prohibited	Yes	MR

2/9

7.	Approach Road			
	The road width on the side of which premises is located should be 12 m	12m	30 m	MR
8.	Fire protection arrangements			
	a) Extinguishers (Type & No's.)	2 no. of Water type & 1 no. of ABC/CO ₂ type	Provided	MR
	B) Sand and Water Buckets	2 nos. each	Provided	MR
	C) Water Drum (s)	1 nos.	Provided	MR
9.	Any other point that is contrary to the safety of people.			

The fire protection systems provided in the building were test checked and found functional at the time of inspection.

In view of the deemed compliance of the minimum standards on fire prevention and fire safety measures as required under the Rules the FSC issued vide letter no. F6/DFS/MS/FW/2012/3306 dated 11.09.2012 renewal under the rule 35 of the Delhi Fire Service rules 2010 is recommended.

Singh
6.10.15

Signature of the Inspecting Officer

Name Suresh Singh

Designation ADO (Shah)



DO (EAST)

Submitted for approval please.

King