



DELHI JAL BOARD
GOVERNMENT OF NCT OF DELHI
OFFICE OF THE ASSISTANT COMMISSIONER(W)
VARUNALAYA, PHASE-II, KAROL BAGH,
NEW DELHI-110005.
PHONE No. 011- 23544796,
E-mail - ac.water22@yahoo.co.in



No.298(15)/DJB/AC(W)/2015/

136632

Dated : 20.10.2015

INSTRUCTIONAL ORDERS

In pursuance to directions issued by Hon'ble Minister (Water) vide U.O. No.3521 dated 09.10.2015 all the DDOs/Controlling Officers concerned are hereby directed to ensure that the Anti Corruption Hoardings/Boards giving names/detail of officers to whom complaint can be made in case of any demand for bribe are installed at all the offices/installations of Delhi Jal Board including all ZRO Offices. **A compliance report after doing the needful may kindly be sent to this office within 07 days for the perusal of Hon'ble Minister (Water).**

In addition to above, Hon'ble Minister has further desired that CCTVs may be installed in the offices of all the ZROs. Hence, necessary action may kindly be ensured in this regard immediately and compliance report, after installation of CCTVs be send to this office within 03 weeks for kind perusal of Hon'ble Minister.

All the DDOs/Controlling Officers are hereby requested to furnish the compliance report as requested above to their respective Chief Engineers/Directors, so that consolidated report/ATR could be received in this office for kind perusal of Hon'ble Minister.

WJ
19.10.15

(U. B. TRIPATHI)
DIRECTOR(ADMN. & PERS.)

ALL DDOs/Controlling Officers

Copy for kind information to :

1. Chairman/Vice Chairman,DJB/Members, DJB
2. CEO,DJB
3. Member(A)/(F)/(WS)/(DR)/CVO
4. All Directors
5. **All Chief Engineers/Dir.(Rev.) – with the request to ensure urgent necessary action and consolidated ATR in this office.**
6. Addl. CEO/Secretary, DJB/Secretary to C.E.O.
7. EE(EDP) – with the request to upload this on the website of DJB under intimation to this office.
8. Master File

WJ
19.10.15

DIRECTOR(ADMN. & PERS.)

5426
21/10/15

SE/EDP

Sh. Jagan
P.P.T.