

DELHI JAL BOARD (Govt. of N.C.T. of Delhi)

OFFICE OF EXECUTIVE ENGINEER (C) DR. VIII

Yamuna Vihar Sewage Treatment Plant (Adjoining Dr. Ambedkar College) Delhi - 110094

Phone: 011-22813593

Office Order No. 28

Dated: - 16.11.2015

Consequent upon O.O. No. 267 dated 10.11.2015 issued by AC(T), Sh. Ashok Kumar, AE(C) Emp. Code 20006122 is relieved from this office today i.e. on 16.11.2015 (A.N.) and directed to report EE(EDP) for further assignment.

Sh. Ashok Kumar, AE(C) will hand over his charge immediately to Sh. Raj Kumar Jain, newly joined AE.

> Sd/-EE(C)Dr-VIII

No. F.1(1)/DJB/ EE(C)DR-VIII/2015/1385

Dated:- 16.11.2015

C

Сору	to:-		
1.	Secy. to Chairman	:	for kind information
2.	PS to Vice Chairman	:	-do-
3.	Secy. to CEO	:	-do-
4.	PA to Member (A)		•ůů-
5.	PA to Secy. (DJB)	:	-do-
6.	CE(Dr)Proj-II	1	-do-
7.	SE(Dr)Proj-E&NE		-do-

8. AC(T) -do-9. AC(W)CR Cell -do-

for uploading on DJB website. For kind in tormation. 10. EE(EDP) -do-11. Sr. AO(Dr.)Proj-E&NE

12. AAO (C)Dr-VIII

13. Head Clerk:

14. Individual's

15. O.O. Register

18/11/15 AES/Hel su sanjay Prof.

Mulae
20.15.15.

EE(C)Dr-VIII