GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: CANNAUGHT PLACE NEW DELHI- 110 001

No. 76/075/015/5 charl/ 6/16/M02/488

Dated:31/2/16

FIRE SAFETY CERTIFICATE

Certified that the Gold Line Public School at 461, Gali No.-3, Kardam Puri, Shahdara, Delhi-110094, comprised of ground plus first floor owned/occupied by Gold Line Public School have complied with the fire prevention and fire safety requirements in accordance with the circular No-F-16/Estate/CC/FireSafety/2011/3298 to 3398 dated-01/03/11 issued by the Director of Education and verified by the officer concerned of this department on 09/03/2016 in the presence of Mr. Ahmad Ali Khan, General Manager of the school and found that the school building is fit for occupancy class B' Educational Building' for ground plus first floor with effect from 31/2..... for a period of **three** years, subject to conditions printed overleaf.

(**Dr. G.C. Misra**) Chief Fire Officer Ph.011-23414333

0/0

To,

The Manager, Gold Line Public School, 461, Gali No.-3, Kardampuri, Shahdara, Delhi-110094

Copy:-

The Dy. Director of Education, B–Block, Yamuna Vihar, North-East, Delhi-110053

CONDITIONS:

- 1. All the means of escape shall be kept free of all type of obstruction all the time.
- All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
- All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
- 4. Any deviation, with regards to construction, ventilation, occupancy, electric installation etc. may be got verified from the concerned authorities.
- 5. This Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction /unauthorized use of land if any.
- 6. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in
- 7. The owner / occupier shall apply for renewal of this Fire Safety Certificate of the Director in Form 'J' [sub rule (1) of rule (37)] along with a copy of this Certificate, Six Months prior to its expiry.

1. Name & address of the building : Gold Line Public School,

461, Gali No.-3, Kardam Puri,

Shahdara, Delhi-110094

2. Building is comprised of Ground plus first floor

3. Type of Occupancy : Educational

4. Type of Case : New

5. Details of Previous NOC letter : Nil

6. Fire Safety direction letter No : F16/Estate/CC/FireSafety/2011/3298to3398 dt-01/03/11

7. Date of Inspection : 09/03/2016

8. Name of the Inspecting officers : ADO Vijay Bahadur

9. Name and designation of Officer

from the building side : Mr. Ahmad Ali Khan (General Manager)

10. Year of Construction : 2001

11. Applicant's letter No : Letter No.-Nil, Dated-25/02/2016

Sr.	Minimum Standards on Fire	Circular	Provided at Site	Remarks				
No.	Prevention and Fire Safety U/R33	Requirement		MR/NMF				
01	Access to Building							
	Road width	06 mtr.	06 mtr.	MR				
	 Gate width 	N/A	N/A	N/A				
	Width of internal road	N/A	N/A	N/A				
02	Number, Width, Type and Arrangement of Exits							
	a. Number of Staircases							
	Upper floor	01 no.	02 nos.	MR				
	Basement	N/A	N/A	N/A				
	b. Width of Staircases							
	Upper floor	1.50 mtr.	01 mtr & 0.80 mtr.	MR				
	Basement	N/A	N/A	N/A				
	c. Protection of Exits							
	 Fire check door 	N/A	N/A	N/A				
	Pressurization	N/A	, N/A	N/A				
	d. No. of Continuous Staircases	01 no.	01 no.	MR				
	to Terrace	4.50	4.50	* 450				
	e. Width of Corridor	1.50 mtr.	1.50 mtr.	MR				
	f. Door Size	01 mtr.	01 mtr.	MR				
03	Compartmentation.							
	Fire check door	N/A	N/A	N/A				
	Sealing of electrical shafts	N/A	N/A	N/A				
	 Fire rating of shaft door 	N/A	N/A	N/A				
	Water curtain	N/A	N/A	N/A				
	Fire dampers	N/A	N/A	N/A				
04	Smoke Management System.							
	Basement	N/A	N/A	N/A				
	 Upper floor 	N/A	N/A	N/A				
05.	Fire Extinguishers							
	Total numbers	04 nos.	04 nos.	MR				
	• Types	ABC /CO ₂	ABC/CO ₂	MR				
	IS marking	ISI marked	ISI marked	MR				

06	First-Aid-Hose Reels.					
	Total numbers on each floor	N/A	N/A	N/A		
	 Length of hose reel hose 	N/A	N/A	N/A		
	Nozzle diameter	N/A	N/A	N/A		
07	Automatic Fire Detection and Alarming Sy	stem.				
	Type of detectors	N/A	N/A	N/A		
	 Location of main panel 	N/A	N/A	N/A		
•	 Location of repeater panel 	N/A	N/A	N/A		
	 Alternate source of power 	N/A	N/A	N/A		
	Hooter's location	N/A	N/A	N/A		
08	MOEFA	N/A	N/A	N/A		
09	Public Address System.	N/A	N/A	N/A		
10	Automatic Sprinkler System.					
	◆ Basement	N/A	N/A	N/A		
	upper floor	N/A	N/A	N/A		
	sprinkler above false ceiling	N/A	N/A	N/A		
11	Internal Hydrants					
	size of riser/down-comer	N/A	N/A	N/A		
	 Number of hydrants per floor 	N/A	N/A	N/A		
	Hose box	N/A	N/A	N/A		
12	Yard Hydrants.		*			
	Total number of hydrants	N/A	N/A	N/A		
	 Hose box 	N/A	N/A	N/A		
13	Pumping Arrangements.					
***************************************	➢ Ground Level					
	Discharge of main pump	N/A	N/A	N/A		
	Head of main pump	N/A	N/A	N/A		
	 Number of main pumps 	N/A	N/A	N/A		
	 Jockey pump out put 	N/A	N/A	N/A		
	Jockey pump head	N/A	N/A	N/A		
	 Standby pump out put 	N/A	N/A	N/A		
	Standby pump head	N/A	N/A	N/A		
	Auto starting /manual stopping	N/A	N/A	N/A		
	Pump house access Terrace Level	N/A	N/A	N/A		
	a Disabarga of nump	NI/A	NI/A	NI/A		
	Discharge of pump Head of the pump	N/A N/A	N/A N/A	N/A		
	Head of the pumpPower supply	N/A	N/A N/A	N/A N/A		
	Auto starting of pump	N/A	N/A	N/A N/A		
14	Captive Water Storage for Fire Fighting.	1 477 3	14/1	INA		
	Underground tank capacity	N/A	N/A	N/A		
	Draw-off connection	N/A	N/A	N/A		
	Fire service inlet	N/A	N/A	N/A		
	Access to tank	N/A	N/A	N/A		
	Overhead tank capacity	N/A	N/A	N/A		
15	Exit Signage.	N/A	N/A	N/A		

16	Provision of Lifts.					
	Pressurization of lift shaft	N/A	N/A	N/A		
	 Pressurization of lift lobby 	N/A	N/A	N/A		
	 Communication in lift car 	N/A	N/A	N/A		
	 Firemen's grounding switch 	N/A	N/A	N/A		
	 Lift signage 	N/A	N/A	N/A		
17	Standby Power Supply	N/A	N/A	N/A		
18	Refuge Area.					
	Total area	N/A	N/A	N/A		
	 Location 	N/A	N/A	N/A		
19	Fire Control Room					
	Detector system panel	N/A	N/A	N/A		
	 Flow switch panel 	N/A	N/A	N/A		
	 PA system panel 	N/A	N/A	N/A		
	Battery backup	N/A	N/A	N/A		
	Building floor plans	N/A	N/A	N/A		
20	Special Fire Protection Systems for Protection of Special Risks, if any:	N/A	N/A	N/A		

The fire protection systems provided in the building were tested/checked at the time of inspection.

Keeping in view the compliance of the minimum standards on fire prevention and fire safety required under the circular no- F16/Estate/CC/FireSafety/2011/3298to3398 dt-01/03/11, it is recommended to grant Fire Safety Certificate.

Signature of the Inspecting Officer

Name- Vijay Bahadur Designation- A.D.O

DO ED)

Submitted for approval please.