GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE, NEW DELHI- 110001

NO. F6/DFS/MS/School/2016/SZ/ 695

Dated:

04/05/16

FIRE SAFETY CERTIFICATE

Certified that the Kid's Castle School located at H4/77, Bengali Colony, Mahavir Enclave, New Delhi – 110045, comprised of ground plus one upper floor (having five rooms including office at ground floor & five class rooms at first floor) have complied with the fire prevention and fire safety requirements in accordance with Directorate of Education GNCT of Delhi Letter No: Estate/CC/Fire Safety/2011/3298 dated 01.03.2011 and verified by the officer concerned of fire service on 06.04.2016 in the presence of Sh. B S Sharma (Manager) and that the school Premises/building is fit for occupancy class B "Educational Building" with effect from output of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010 subject to conditions printed overleaf.

Issued on at New Delhi by

(Atul Garg)

Dy. Chief Fire Officer

Ph.011-26189168

Copy to:

- 1 Director (Education) SDMC, 23rd floor, Civic Centre, Minto Road, New Delhi.
- 2 Manager, KID'S Castle School, H-4/77, Bengali Colony, Mahavir Enclave, New Delhi 110045.

CONDITIONS

- 1. All the means of escape shall be kept free of all type of obstruction all the time.
- 2. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
- 3. All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
- 4. Any deviation, with regards to construction, ventilation, occupation, electric installation etc. may be got verified from the concerned authorities.
- 5. The Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction / unauthorized use of land if any.
- 6. All comments / directions of licensing Department shall always be permitted and followed.
- 7. The owner /occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in
- 8. The owner / occupier shall apply for renewal of this **Fire Safety Certificate to the Director in 'Form J' (sub Rule (1) of Rule 37)**along with copy of the certificate, six months prior to its expiry.

	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
4	IN	INSPECTION	REPORT		
2	Name & address of the building	Kid's Castle S	chool, H-4/77, Be	engali Colony M	lahavir Enclave
2	Type of Occupancy	THOW DOINE I	0045.		iditavii Eficiave,
3	Type of case	Educational B	uilding "B"		
4	Details of previous NOC	New			
5	Fire safety directives letter No	Nil Directoreta OS	FILE		8
	7 2 2 3 3 3 1 5 1 5 1 7 1 5	Safety/2011/3	Education Circul 298 dated 01.03.2	ar. No. F.16/Est	ate/CC/Fire
6	Date of inspection	6.4.2016	290 dated 01.03.2	2011.	
7	Name of the inspecting Officers :	ADO S.P. Bha	mali '		
8	Name and designation of officers		-		
	from the building side	Sh. B S Sharm	ia (Manager)		
9	Year of construction	2009			
10	Applicant's letter No.	30.3.2016		(C*******	
			(Ground floor		
				ground	cluding office) a floor & 5 class
S. NO.	Minimum Standards on fire preventi	on NDC D		room	s at 1st floor
	and fire safety U/R 33	on NBC Requirer Director EDU	nent/ Pro	vided at site	Remarks
		Dt. 01.03.20			MR / NMR
1	Access to building	= 5. 01100.20		>	
	1) Road width	Accessible	6 Mtrs.		I.I.D
	2) Gate width	Approachable		Abute on Road)	MR
2	3) Width of internal road	NI/A	N/A	Route on Road)	MR
	Number, width Type & arrangement	of exits	TWA		N/A
	a. Number of staircases				
		One of 1.5 Mtrs.	(If		
		less than 1.5 Mt			
	1. Upper floors	then required Tw Nos.	/0 ""		MR
	2. basements	N/A	NI/A		
	b. Width of staircase	INA	N/A		N/A
	1. Upper floors	1.5 Mtrs.	1 Mtr. & .75	Mtrs	MR
	2. basements				IVIK
	c. Protection of exits	N/A	N/A		N/A
	1. Fire check door				
	2. Pressurization	N/A	N/A		N/A
	d. No. of continuous staircase t	N/A	N/A		N/A
	terrace t	:o N/A	N/A		N/A
	e. Width of corridor				
	f. Door size	1.01 Mtrs.	1.5 Mtrs.		MR
		1 Mtr.	1 Mtr.		MR
	Compartmentation.				1
	1. Fire check door	N/A	N/A		N/A
	2. Sealing of electrical shafts	N/A	N/A		N/A
	3. Fire Rating of shaft door	N/A	N/A		N/A
	4. Water curtain	N/A	N/A		N/A
	5. Fire dampers	N/A	N/A		N/A
4	Smoke Management system.				10//
ŀ	pasement		N/A		
F		-			N/A
	upper floors	-			
	Fire Extinguishers	N/A	N/A		N/A
	otal numbers				
I to	ordi IIdilibela				
	Types	1 Co2 OR ABC for every 300 Sq. Mtrs.	4 Nos.		MR

6	First-Aid Hose Reels.					
	total numbers on each floor	N/A	N/A	N/A		
	Length of Hose reel hose	N/A	N/A	N/A		
	Nozzle Diameter	N/A	N/A	N/A		
7	Automatic fire detection and alarming system					
	Type of detectors	N/A	N/A	N/A		
	location of Main Panel	N/A	N/A	N/A		
	location of Repeater panel	N/A	N/A	N/A		
	Alternate source of power	N/A	N/A	N/A		
	hooter's location	N/A	N/A	N/A		
8	MOEFA	N/A	N/A	N/A		
9	Public Address System.	N/A	N/A	N/A		
10	Automatic Sprinkler System.					
	basement	N/A	N/A	N/A		
	upper floors	N/A	N/A	N/A		
	sprinkler above false ceiling	N/A	N/A	N/A		
11	Internal Hydrants					
	Size of riser/down-corner	N/A	N/A	N/A		
	Number of Hydrants per floor	N/A	N/A	N/A		
	hose Box	N/A	N/A	N/A		
12	Yard Hydrants.					
	total number of hydrants	N/A	N/A	N/A		
	hose box	N/A	N/A	N/A		
13	Pumping arrangements					
	1. Ground level					
	a. Discharge of main Pump	N/A	N/A	N/A		
	b.Head of main pump	N/A	N/A	N/A		
	c.Number of main pumps	N/A	N/A	N/A		
	d.jockey pump out put	N/A	N/A	N/A		
	e.jockey pump head	N/A	N/A	N/A		
	f. Standby Pump output	N/A	N/A	N/A		
	g.Stanby Pump head	N/A	N/A	N/A		
	h.Auto Starting/Manual stopping	N/A	N/A	N/A		
	pump house access	N/A	N/A	N/A		
	2.Terrace level					
	a. Discharge of pump	N/A	N/A	N/A		
	b. head of the pump	N/A	N/A	N/A		
	c. Power supply	N/A	N/A	N/A		
	d. Auto starting of pump	N/A	N/A	N/A		
14	Captive water storage for fire fighting					
-7	Underground tank capacity	N/A	N/A	N/A		
	a. Draw-off connection	N/A	N/A			
	b. fire service inlet	N/A	N/A N/A	N/A		
	c.Access to tank	N/A	N/A N/A	N/A		
	7			N/A		
15	Over head tank Capacity	N/A	N/A	N/A		
	Exit Signage.	N/A	N/A	N/A		
16	Provision of lifts.	NI/A	NI/A	1		
	a. Pressurization of lift labbu	N/A	N/A	N/A		
	b. pressurization of lift lobby	N/A	N/A	N/A		
	c. communication in lift car	N/A	N/A	N/A		
	d. Fireman's grounding switch	N/A	N/A	N/A		
	e. Lift signage	N/A	N/A	N/A		

NIG

17	Standby power supply	N/A	N/A	N/A	
18	Refuge Area.	Not Required			
100	total area				
	location				
19	Fire control room				
	a. detector system Panel	N/A	N/A	N/A	
	b. Flow switch Panel	N/A	N/A	N/A	
	c. PA system Panel	N/A	N/A	N/A	
	d. Batter backup	N/A	N/A	N/A	
	e. Building floor plans	N/A	N/A	N/A	
20	Special Fire Protection systems for protection of special risks, if any:				
	N		Turk		

The Fire protection system provided in the building were checked and found functional at the time of inspection.

Keeping in view the substantial compliance of the minimum standards on fire prevention and fire safety measures required under the rules, issuance of fire safety certificate is recommended under rule 35 of the Delhi Fire Service Rules, 2010.

Accordingly DFA is put up for approval and signature please.

Signature of the Inspecting Officer

Name

S.P. Bhardwaj

Designation

ADO (Dwarka)

DASNO (12/14/16)

DASNO (12/14/16)

DIRECTOR (883) (1/14)