FORM 'H'
FORM FOR ISSUING FIRE SAFETY CERTIFICATE

[Refer sub - rule (1) of rule 35]

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEAD QUARTERS: DELHI FIRE SERVICE, CONNAUGHT PLACE

NEW DELHI

No. F-6/DFS/MS/School/2016/WZ

Dated: 23/08/2016

FIRE SAFETY CERTIFICATE

Certified that the MC Primary Boys School Located at AC Block, Shalimar Bagh, Delhi – 110088.comprised of Ground Floor only was issued FSC vide Letter No. F-6/DFS/MS/School/2013/WZ/741 dated -19/08/2013 The premises was re inspected by the officer concerned of this department on 05/08/2016 in the presence of Mis Dipika (Incharge) and observed that all the fire prevention and fire safety arrangements provided in the premises found in good working condition. The premises have therefore deem complied with the fire prevention and fire safety requirements in accordance DOE: Circular 3298-3398 dated 01-03-2011and that the premises is fit for occupancy class "Educational" Group B with effect from 23.08.2016 for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010.

Issued on ... 23.06.2016. at New Delhi by.

(Atul Garg) Chief Fire Officer Delhi Fire Service

Copy to:

The Principal, MC Primary Boys School, AC Block, Shalimar Bagh, Delhi – 110088...

Following fire safety directives must be adhered to:-

1. All the fire safety arrangements provided therein shall be maintained in good working condition at all times.

2. Any loss of life or property due to non-functional fire safety measures shall be at the risk and responsibility of the management.

3. The trained staff should be available round the clock.

4. Any deviations w.r.t. construction shall be verified by the concerned building sanctioning agency.

5. The certificate may not be treated in any case for the regularization of the unauthorized construction, if

6. The owner/ occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this certificate, six months prior to its expiry.

7. The owner/occupier shall submit a declaration every year in the form 'K' provided in the first schedule of Delhi Fire Service Rules 2010, form is available on www.dfs.delhigovt.nic.in.

INSPECTION REPORT

1. Name & address of the building: MC Primary Boys School Located at AC Block, Shalimar Bagh, Delhi – 110088.

2. Type of Occupancy

: Educational (04 Blocks, Ground Floor only)

3. Type of Case

: Renewal

4. Details of previous NOC

: F-6/DFS/MS/School/2013/WZ/741 dated -

19/08/2013

5. Fire Safety directives Letter No.: Circular 3298-3398 dated 01-03-2011

6. Date of inspection

: 05/08/2016

7. Name of the Inspecting Officer: Udai vir singh, ADO (WP)

No. of Students=435 No. of class rooms=13

8. Name and designation of Officer

No. of class rooms=13 Plot area=6290 Sqmt

Covered area=2000Sqmt

from the building side

:Mis Dipika (Incharge)

9. Year of Construction

: 1983

10. Applicant's letter No.

: Nil dated -Nil

S	Minimum standards on fire	Circular	Provided at site	Remarks		
No	prevention and fire safety U/R	3298–3398		MR/NMR		
	33	Dated 01-				
		03-2011		-		
1.	Access of building					
		9				
	 Road width 	6 mtr	Provided	MR		
	Gate width	Required	310 cm	MR(Being old		
				case)		
	Width of internal road	NA	NA	NÁ		
2.	2. Number, width, Type & Arrangements of exits					
	a. Number of staircases					
	Upper floors	NA	NA	NA		
	 Basements 	NA	NA	NA		
	b. Width of staircases			-		
	 Upper floors 	NA	NA	NA		
	Basements	NA	NA	NA		
	c. Protection of exits					
200	Fire check door	NA	NA	NA		
	 Pressurization 	NA	NA	NA		
	d. No of continuous	NA	NA	NA		
	staircase to terrace					
	e. Width Of Corridor	NA	NA	NA		
	f. Door Size	1 mtr	Provided 110cm	MR		

4/7

Compartmentation					
	NA	NA	NA		
 Sealing of electrical shafts 	NA	NA	NA		
 Fire Rating of shaft door 	NA	NA	NA		
Water Curtain	NA	NA	NA		
 Fire Dampers 	NA	NA	NA		
Smoke managements System		=			
 Basements 			NA		
Upper floors	NA	NA	NA		
Fire Extinguishers					
Total numbers	08nos.	Provided	MR		
Types	ABC & CO ₂	Provided	MR		
IS marking	ISI marked	Provided	MR		
First – Aid Hose Reels					
Total numbers on each floor	NA	NA	NA		
 Length of hose reel hose 	NA	NA	NA		
Nozzle diameter	NA	NA	NA		
Automatic fire detection and alarming system					
Type of detectors	NA	NA	NA		
			NA		
 Location of Repeater Panel 	NA		NA ,		
• Alternate source of power	NA	NA	NA		
Hooters' Location	NA	NA	NA		
MOEFA	NA	NA	NA		
Public Address System	NA	NA	NA		
Automatic Sprinkler System					
Basements	NA	NA	NA		
 Upper Floor 	NA	NA	NA		
 Sprinkler above false ceiling 	NA	NA	NA		
Internal Hydrants:					
Size of riser/down- comer	NA	NA	NA		
 Number of hydrants 	NA	NA	NA		
• Hose Box	NA	NA	NA		
Yard Hydrants		- L			
Total number of hydrants	NA	NA	NA		
Hose Box	NA	NA	NA		
	Sealing of electrical shafts Fire Rating of shaft door Water Curtain Fire Dampers Smoke managements System Basements Upper floors Fire Extinguishers Total numbers Types IS marking First – Aid Hose Reels Total numbers on each floor Length of hose reel hose Nozzle diameter Automatic fire detection and ala Type of detectors Location of Main Panel Location of Repeater Panel Alternate source of power Hooters' Location MOEFA Public Address System Automatic Sprinkler System Basements Upper Floor Sprinkler above false ceiling Internal Hydrants: Size of riser/down-comer Number of hydrants per floor Hose Box Yard Hydrants	• Fire check door • Sealing of electrical shafts • Fire Rating of shaft door • Water Curtain • Fire Dampers Smoke managements System • Basements • Upper floors • Total numbers • Total numbers • Total numbers on each floor • Length of hose reel hose • Nozzle diameter • Type of detectors • Location of Main Panel • Alternate source of power • Hooters' Location MA MOEFA Public Address System • Basements • WA Automatic Sprinkler System • Basements • NA Public Address System • Basements • Upper Floor • Sprinkler above false ceiling Internal Hydrants • Total number of hydrants per floor • Hose Box NA NA NA NA NA NA NA NA NA N	Fire check door Sealing of electrical shafts Fire Rating of shaft door Water Curtain Fire Dampers NA NA NA NA NA Smoke managements System Basements Upper floors NA		

Wa

13.	Pumpi	ng Arrangements:			
	•	Ground Level			
	•	Discharge of main	NA	NA	NA
		pump			
1	>	Head of main pump	NA	NA	NA
	>		NA	NA	NA
The state of the s	~	Jockey pump out put	NA	NA	NA
and the same of th	>	Jockey pump head	NA	NA	NA
	>	Standby Pump out put	NA	NA	NA
	>		NA	NA	NA
-	>	Auto Staring/Manual stopping	NA	NA	NA
	A	Pump House Access	NA	NA	NA
	•	Terrace level			
100	>	Discharge of pump	NA	NA	NA
	>	Head of the pump	NA	NA	NA
		Power supply	NA	NA	NA
	>	Auto starting of pump	NA	NA	NA
4.	Captiv	re water Storage for fire fi			
	•	Under ground tank capacity	NA	NA	NA
	>	Draw off connection	NA	NA	NA
The state of the s	>	Fire service inlet	NA	NA	NA
N.	>	Access to tank	NA	NA	NA
	•	Overhead Tank capacity	NA	NA	NA
5	Exit S		NA	NA	NA
6.		ion of Lifts	1		
2010		Pressurization of Lift Shaft	NA	NA	NA
	>	Pressurization of lift lobby	NA	NA	NA
	>	Communication in lift	NA ,	NA	NA
and the supplemental supplement	>	Car Fireman's Grounding	NA	NA	NA
	>	Switch Lift Signage	NA	NA	NA
7.		by power supply	NA	NA	NA
8.	Refuge Area				
	>	Total area	NA	NA	NA
	>	Location	NA	NA	NA
9.	Fire control room				
	>	Detector system panel	NA	NA	NA
	>	Flow Switch Panel	NA	NA	NA
	>	PA System Panel	NA	NA	NA
	>	Battery backup	NA	NA	NA
		Building Floor Plans			

0/

		1	119	
20.	Special Fire Protection Systems for Protection of special Risks, if any;	NA	NA	NA
	Note:-General requirements for son and the second s	ries Kept i t Wiring 1983 N board D	Clear	d ELCB
	The fire protection syste found functional at the time. In view of the comprevention and fire safety no. F-6/DFS/MS/School/2 of the Delhi Fire Service F	ne of inspe deemed co are require 2013/WZ/7	ction. Ompliance of minied under the rules the 41 dated -19/08/20	mum standards on fire e NOC issued vide letter
	Signature of the Inspecting Office Name Udu 1/8 2/6 Designation ADD/WP		Signature o Name	f the Inspecting Officer
	Designation ADO (WP)		Designation	1
	Typo (W2)	[18]16	1 2 12 HK	
	CA . NOST 111			