GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS, DELHI FIRE SERVICE, NEW DELHI-110001

No.F6/DFS/MS/GH/2017/ 807

Dated: 07.06.17

FIRE SAFETY CERTIFICATE

Issued -07.06.17 --- at New Delhi by.

(Vipin Kental) Chief Fire Officer Delhi Fire Service Ph: - 011-23412225

Copy to: (1) The Joint Commissioner of Police (Lic.), 1st Floor, Police Station, Defence Colony, New Delhi.

(2) Dy. Health Officer, North Delhi Municipal Corporation, Delhi.

(3) The Manager,M/s Din Dunia Guest House,900, Chatta Sheikh Mangloo, Jama Masjid, Delhi.

Conditions:-

- 1. All the fire safety arrangements provided therein shall be maintained in good working conditions at all times.
- 2. The means of escape shall be kept unobstructed / unlocked & remain available for speedy evacuation of occupants in case of an emergency.
- 3. Any loss of life or property due to non functional fire safety measures shall be at the responsibility of the management.
- 4. The trained fire fighting staff should be available round the clock.
- 5. Any deviation w.r.t. construction etc. shall be verified by the concerned building sanctioning authority.
- 6. This fire safety certificate may not be treated in any case for regularization of unauthorized construction, if any.
- 7. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in
- 8. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in form 'J' [sub rule (I) of rule 37] along with a copy of this Certificate, six month prior to its expiry".

INSPECTION REPORT

1. Name & address of the building: M/s Din Dunia Guest House, 900, Chatta Sheikh Mangloo, Jama Masjid, Delhi.

2. Type of occupancy:-

Residential Group A-1 Ground, + 1upper floor, (Ground floor 08 guest rooms & 1st

floor owner residence)

3. Type of case:-

4. Details of previous FSC:-

Renewal No. F6/DFS/MS/GH/2014/NDZ/558 dated

02/05/2014.

5. Fire safety directives No.-

6. Date of inspection:-

N/A 24/05/17

7. Name of the inspecting officer:-

D.O. Gurmukh Singh & A.D.O. Mehmood

8. Name & designation of officer

From the building side:9. Year of construction:-

Mr. Arshad Ali (Prop.) 2000

10 Applicant's letter No:-

Nil. dated 04/05/17

S.No.	Minimum Standards on fire Prevention and fire safety	Requirement/ Existing Fire	Pro	vided at site		marks VNMR
	U/R 33	Safety Measures				
1.	Access to Building					
1	1) Road width	N/A		03 Mtr. MI		
	2) Gate width	N/A	N/A	1	N/A	A
	3)Width of internal road	NA	NA		NA	1
2.	Number, Width Type & Arran	gement of Exits		V		-115
	A. Number of staircases					100
	1. Upper floors	N/A	N/A		N/	
	2. Basements	NA	NA		NA	<u> </u>
	B. Width of staircase			A Charles		
	1. Upper floors	N/A	N/A		N/	
	2. Basements	NA	NA		NA	4
	C. Protection of exits	177	•		1	
	1. Fire check door	N/A	N/A		N/	
	2. Pressurization	N/A	N/A		N/	
	D. No. of continuous staircase to terrace	N/A	N/A		N/	
	E. Width of corridor	N/A	N/A		N	
	F. Door size	1 Mtr.	1 Mtr.		M	R
3.	Compartmentation	-				
	1) Fire check door	N/A	N/A			/A
	2) Sealing of electrical shafts	N/A	N/A		N/A	
	3) Fire rating of shaft door	N/A	N/A		N/A	
	4) Water curtain	N/A	N/A			/A
	5) Fire Dampers	N/A	N/A		N	/A
4.	Smoke Management System					
	1) Basements	30 ACPH	NA			NA
	2) Upper floors	12 ACPH	N/A			N/A
5.	Fire Extinguishers				22	

300

	1) T-4-1	Lace			
	1) Total numbers	02Nos.	04Nos.	MR	
	2) Types	ABC & CO2	ABC, CO2 &	MR	
7	3) ISI marking	Required	Provided	MR	
6.	First-Aid Hose Reel				
	1)Total number of each	N/A	N/A	N/A	
	floor				
	2) Length of hose reel hose	N/A	N/A	N/A	
	3) Nozzle diameter	N/A	N/A	N/A	
7.	Automatic Fire Detection & Alarming System				
	1) Type of detectors	N/A	N/A	N/A	
	2) Location of main panel	N/A	N/A	N/A	
	3) Location of repeater panel	N/A	N/A	N/A	
	4) Alternate source of power	N/A	N/A	N/A	
4-11	5) Hooter's Location	N/A	N/A	N/A	
3.	MOEFA	NA	NA	NA	
).	Public Address System	NA	NA	NA	
0.	Automatic Sprinkler System				
- 1	1) Basement	NA	NA	NA	
	2) Upper floors	N/A	N/A	N/A	
	3) Sprinkler above false	N/A	N/A	N/A N/A	
N. T.	ceiling	1071	IVA	IN/A	
11.	Internal Hydrants				
	1) Size of riser/down-comer	NA	NA	NIA	
	2) Number of hydrants per	NA	NA NA	NA NA	
* = 1	floor	IVA	INA	NA	
	3) Hose box	NA	NA	NTA	
12.	Yard Hydrants	IVA	INA	NA	
	1) Total number of hydrants	N/A	N/A	DT/A	
1	2) Hose box	N/A		N/A	
3.	Pumping Arrangement	IN/A	N/A	N/A	
J.	1) Ground level	27/4			
5		N/A	N/A	N/A	
	a) Discharge of main	N/A	N/A	N/A	
	pump	27/1			
	b) Head of main pump	N/A	N/A	N/A	
	c) Number of main pump	N/A	N/A	N/A	
	d) Jockey pump out put	N/A	N/A	N/A	
	e) Jockey pump head	N/A	N/A	N/A	
	f) Stand by pump output	N/A	N/A	N/A	
	g) Stand by pump head	N/A	N/A	N/A	
	h) Auto starting/Manual	N/A	N/A	N/A	
	stopping				
	2) Terrace level				
	a) Discharge of pump	N/A	N/A	N/A	
	b) Head of pump	N/A	N/A	N/A	
	c) Power supply	N/A	N/A	N/A	
	d) Auto starting of pump	N/A	N/A	N/A	
1.	Captive Water Storage for Fire	Fighting	- 1,1,2,5,5,1,1,2,5,1		
	1) Under ground tank	N/A	N/A	N/A	
- 1		THE STATE OF THE STATE OF	1		

	capacity			,
	a) Draw-off connection	N/A	N/A	N/A
	b) Fire service inlet	N/A	N/A	N/A
	c) Access to tank	N/A	N/A	N/A
	d) Over head tank capacity	N/A	N/A	N/A
15.	Exit Signage.	Required	Provided	MR
16.	Provision of Lifts.			IVIIC
	a) Pressurization of lift shaft	N/A	N/A	N/A
	b) Pressurization of lift lobby	N/A	N/A	N/A
	c) Communication in lift car	N/A	N/A	N/A
	d) Fireman's switch	N/A	N/A	N/A
15	e) Lift signage	N/A	N/A	N/A
17.	Stand by Power Supply	Required	Provided	MR
18.	Refuge Area	N/A	N/A	N/A
	Total area location	N/A	N/A	N/A
19.	Fire Control Room	N/A	N/A	N/A
	a) Detector system panel	N/A	N/A	N/A
	b) Flow switch panel	N/A	N/A	N/A
	c) PA system panel	N/A	N/A	N/A
	d) Battery backup	N/A	N/A	N/A
	e) Building floor plan	N/A	IN/A	N/A
20.	Special Fire Protection System for Protection of special Risk, if any:			N/A

The fire protection system provided in the guest house were tested, checked at random and found functional at the time of inspection.

In view of the deemed compliance of the minimum standards of fire prevention and fire safety measures as required under the rules the FSC issued vide letter No. F6/DFS/MS/GH/2012/1378 dated 17/04/2012, renewal under Rule 35 of the Delhi Fire Service rules 2010, is recommended

Gurmukh Singh (5))

Divisional Officer

3221CFON

Mehmood

Assistant Divisional Officer

Dycho(Npt)

2615