GOVERNMENT OF NATIONAL CAPITAL TERRITOTY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI- 110001

Fax No. 011-23412593, Ph. 011-23412225

No. F6/DFS/MS/Petrol/2017/SZ/909

Dated: 23.06.17

FIRE SAFETY CERTIFICATE

Certified that M/s BP Green Park, Bharat Petroleum Corporation Limited Retail Outlet (COCO) located at S-19, Green Park Extension, New Delhi, comprised of Single Storey building was granted FSC by this department vide letter No. F.6/DFS/MS/2014/Petl/SZ/835 dated 08/0714. The premises was re-inspected by the officer concerned of this department on 07/06/2017 in the presence of Mr. Jitender Kr. (Manager) of the said filling station and found that the said premises have deemed complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010 and that the premises is fit for occupancy class Group-J, Hazardous Building as above with effect from the date of issue of this certificate for a period of Three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010.

Issued on 23.06. 17 at New Delhi by

(Vipin Kental) Chief Fire Officer

Copy to: -

MAL

- 1. The Administrative Officer, South Zone, South MCD, Green Park, New Delhi-110016
- 2. The Manager, BP Green Park (BPCL Retail Outlet), S-19, Green Park Extn. New Delhi.

Conditions for the validity of Fire Safety Certificate

- 1. All the fire safety arrangement provided therein shall be maintained in good working condition at all time.
- 2. Any loss of life or property due to non-functional fire safety measures shall be the responsibility of the management.
- 3. Building Sanctioning authority may verify any deviation with regard to construction/occupancy in the building. In case of any deviation, the fire safety certificate stands null & void.
- 4. The staff shall be trained for operating fire fighting system and mock evacuation drill be conducted at regular interval and record be maintained.
- 5. This fire safety certificate may not be treated in any case for regularization of unauthorised construction, if any.
- 6. The Owner/Occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rules, 2010. The form is available on www.dfs.delhigovt.nic.in.
- 7. The Owner/Occupier shall apply for renewal of this Fire Safety Certificate to the Director in the form 'J' [sub rule (1) of rule 37] along with copy of this certificate, six months prior to its expiry. The form is available on www.dfs.delhigovt.nic.in.

1	Name & Address of the Building	DN REPORT Bharat Petroleum Corporation Ltd (BP Green Park located at S-19, Green Park Extension, New Delhi			
2	Type of Occupancy	Hazardous Building "Group-J" (Filling Station)			
3	Building Comprised of	Ground floor only			
4	Type of Case	Renewal			
5	Details of Previous NOC	F.6/DFS/MS/2014/Petl/SZ/835 Dt. 08/07/2014			
6	Fire Safety Directives Letter No	Nil			
7	Date of Inspection	04-06-2017			
8	Name of the Inspecting Officers	ADO R.N. Singh			
9	Name & Designation of	Mr. Jitender Kr. (Manager)			
	Officers from the building side				
10	Year of construction				
11	Applicant letter No.	No. RTD.BP Green Park Dt.22-05-2017			
S. No	Minimum standards on Fire Prevention	As per Ole		Remarks	
	and Fire Safety U/R 33	NOC-200	The state of the s	MR/NMI	
1	Access to Building.				
	Road width	Required	Appoachable	MR	
	Gate width	N/A	N/A	N/A	
	Width of internal road	N/A	N/A	N/A	
2	Number, width, type & arrangement of exits.				
	a. Number of Staircase			-	
	Upper floors.	N/A	N/A	N/A	
	Basement.	N/A	N/A	N/A	
	b. Width of Staircase	1-74-14		14/11	
	> Upper floors	N/A	N/A	N/A	
	➢ Basement	N/A	N/A	N/A	
	c. Protection of exits		2.02	14/21	
	Fire check door	N/A	N/A	N/A	
	> Pressurization	N/A	N/A	N/A	
	d. No. of continuous staircase to terrace	N/A	N/A	N/A	
	e. Width of corridor	N/A	N/A	N/A	
	f. Door size	N/A	N/A	N/A	
3	Compartmentation.		17/21	14/71	
	Fire check door.	N/A	N/A	N/A	
	Sealing of electrical shafts.	N/A	N/A	N/A	
	Fire rating of shaft door.	N/A	N/A	N/A	
	Water curtain	N/A	N/A	N/A	
	Fire dampers.	N/A	N/A	N/A	
4.	Smoke Management system.			14/11	
	Basement	N/A	N/A	N/A	
	Upper floors	N/A	N/A	N/A	
5.	Fire Extinguishers.	14/11	IV/A	IN/A	
	Total numbers	_	23 No's	MD	
	• Types	ISI Marked	DCP(10kg)-10, Co2-(50kg)-01,	MR	
	ISI Marking	151 Iviai KCU	Co2 (4.5 kg)-01, Foam-11,	MR	
		Provided		MR	
6.	First Aid Hose Reels.				
	Total numbers on each floor.	N/A	N/A	N/A	
	 Length of hose-reel hose. 	N/A	N/A	N/A	
	Nozzle Diameter	N/A	N/A	N/A	

7 A	utomatic fire detection & alarming system.	No.	4 2	
	Type of detectors	N/A	N/A	N/A
	Location of Main Panel	N/A	N/A	N/A
	Location of Repeater Panel	N/A	N/A	N/A
- 1 .	Alternate source of power	N/A	N/A	N/A
	Hooter's location	N/A	N/A	N/A
8. M	IOEFA	N/A	N/A	N/A
	ublic Address System	N/A	N/A	N/A
	utomatic Sprinkler System			
	Basement	N/A	N/A	N/A
	Upper floors	N/A	N/A	N/A
	Sprinkler above false ceiling	N/A	N/A	N/A
1. Ir	iternal Hydrants.			
	Size of Riser/Down-comer	N/A	N/A	N/A
1	 Number of Hydrant per floor 	N/A	N/A	N/A
	Hose box.	N/A	N/A	N/A
2. Y	ard Hydrants.			
	Total number of hydrants.	N/A	N/A	N/A
4 - 4	Hose box.	N/A	N/A	N/A
3. P	umping arrangements.			
	Ground Level			7
	Discharge of main pump.	N/A	N/A	N/A
	➤ Head of main pump.	N/A	N/A	N/A
	Number of main pumps.	N/A	N/A	N/A
	Jockey Pump output.	N/A	N/A	N/A
	> Jockey Pump head.	N/A	N/A	N/A
	Standby Pump output.	N/A	N/A	N/A
*	Standby Pump head.	N/A	N/A	N/A
	Auto Starting / Manual Stopping.	N/A	N/A	N/A
	> Pump house access.	N/A	N/A	N/A
•	Terrace Level			
11	Discharge of pump.	N/A	N/A	N/A
	➤ Head of pump.	N/A	N/A	N/A
	Power supply.	N/A	N/A	N/A
	> Auto starting of pump.	N/A	N/A	N/A
14. C	aptive water storage for Fire Fighting.			
	Underground tank capacity.	N/A	N/A	N/A
The state of the s	Draw-off connection.	N/A	N/A	N/A
	• Fire Service Inlet.	N/A	N/A	N/A
	Access to tank. Overhead tank connecity.	N/A	N/A	N/A
	Overhead tank capacity.	N/A	N/A	N/A
	xit Signage.	N/A	N/A	N/A
16. P	rovision of Lifts.	NI/A	NI/A	N/A
	 Pressurization of lift shaft. Pressurization of lift lobby. 	N/A	N/A	
100	 Pressurization of lift lobby. Communication in lift car. 	N/A	N/A N/A	N/A
	Fireman's switch.	N/A		N/A
	• Lift signage.	N/A	N/A	N/A N/A
17		N/A	N/A N/A	N/A N/A
	tandby Power Supply	N/A	IN/A	IN/A
18. R	Refuge Area	N/A	N/A	N/A
	Total area			
	• Location	N/A	N/A	N/A

19.	Fire Control Room.			
	Detector system panel.	N/A	N/A	N/A
	2. Flow switch panel.	N/A	N/A	N/A
	3. PA system panel.	N/A	N/A	N/A
	4. Battery backup.	N/A	N/A	N/A
	5. Building floor plan.	N/A	N/A	N/A
20.	Special Fire Protection System for the Protection of special Risk, if any.	N/A	N/A	N/A

The Filling Station (BP Green Park, BPCL Retail Outlet) was inspected by the undersigned on 07.06.20 7 in the presence of Mr. Jitender Kr. (Manager) and observed that filling station is comprised of ground floor only.

The fire protection system such as fire extinguishers of different type and capacity, fire buckets filled with loose dry sand & water provided at suitable places in the retail outlet area were checked and found functional at the time of inspection. "No Smoking" sign boards were found displayed both in Hindi & English at conspicuous places. No loose electrical wiring was seen in the premises.

Keeping in view of the deemed compliance of the minimum standards on fire prevention and fire safety measures as required under the rules, the FSC issued vide letter No. F.6/DFS/MS/2014/SZ/717 dated 12.06.2014, renewal under rule 37 of the Delhi Fire Service rules, 2010 is recommended.

Accordingly DFA is put up for approval and signature please.

Signature of the Inspecting Officer

Name : R.N. Singh

Designation: ADO

D. O. (SD) (12/6/17)