FORM 'H'

FORM FOR ISSUING FIRE SAFETY CERTIFICATE

[Refer sub - rule (1) of rule 35]

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEAD QUARTERS: DELHI FIRE SERVICE, CONNAUGHT PLACE

NEW DELHI

No. F6/DFS/MS/SCHOOL/2018 225

Dated: 1 2 /2018

FIRE SAFETY CERTIFICATE

Certified that the M.C. D. Primary School Located at, SP Block, Pitampura Delhi-110088 comprised of Ground+ One Upper Floor (Except Multi-activity Hall) was issued FSC vide Letter No. F6/DFS/MS/SCHOOL/2012/3976, Dated-23/10/2012. The premises was re inspected by the officer concerned of this department on 15-01-2018 in the presence of Ms. Asha Rani (Principal) and observed that all the fire prevention and fire safety arrangements provided in the premises found in good working condition. The premises have therefore deem complied with the fire prevention and fire safety requirements in accordance Circular DOE 3298-3398 dated 01-03-2011 and that the premises is fit for occupancy class "Educational" Group B with effect from Society for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010.

Chief Fire Officer Pelhi Fire Service

Copy to:

The Principal, M.C. D. Primary School Located at, SP Block, Pitampura Delhi-110088

Following fire safety directives must be adhered to:-

- 1. All the fire safety arrangements provided therein shall be maintained in good working condition at all times.
- 2. Any loss of life or property due to non-functional fire safety measures shall be at the risk and responsibility of the management.
- 3. The trained staff should be available round the clock.
- 4. Any deviations w.r.t. construction shall be verified by the concerned building sanctioning agency.
- 5. The certificate may not be treated in any case for the regularization of the unauthorized construction, if any.
- 6. All the exit route shall be kept free from any obstruction.
- 7. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this certificate, six months prior to its expiry.
- **8.** The owner/occupier shall submit a declaration every year in the form 'K' provided in the first schedule of Delhi Fire Service Rules 2010, form is available on www.dfs.delhigovt.nic.in.

TIDI DOTTOTTI TELI OTTI

Name & address of the building: Block, Pitampura Delhi-110088.

M.C. D. Primary School Located at, SP

2. Type of Occupancy

: Educational (Ground+ One Upper Floor)

3. Type of Case

: Renewal

4. Details of previous NOC

: F6/DFS/MS/SCHOOL/2012/3976,Dated-

23/10/2012

5. Fire Safety directives Letter No.: DOE 3298-3398 dated 01-03-2011

6. Date of inspection

:15-01-2018

No. of Students=398 No. of class rooms=17

7. Name of the Inspecting Officer: Udai vir singh, ADO (WP)

Plot area=7125sq.m Covered area=1892sqm

8. Name and designation of Officer

from the building side

:Ms. Asha Rani (Principal)

9. Year of Construction

: 1985 New Buliding-2017

10. Applicant's letter No.

:Nil dated 13/10/2017

Minimum standards on fire prevention and fire safety U/R 33	Cr.No.3298-3398 dated 1-3-11		Provided at site	Remarks MR/NMR
Access of building				51
Road width	Accessible 7			MR
 Gate width 	Accessible			MR
 Width of internal road 	NA	NA		NA
Number, width, Type & Arra	ingements c	of exits	8	a
a. Number of				
staircases	02		3 Provided	MR
 Upper floors 	NA		NA	NA
Basements			2	
b. Width of staircases	1.5mtr	1x150c	cm,1x155cm,1x140cm	MR
 Upper floors 		Provid	ed	
	NA NA			NA
 Basements 				
c. Protection of exits	NA		NA	NA
 Fire check door 	NA		NA	NA
 Pressurization 	1		Provided	MR
	1.5mtr		155cm Provided	MR
e. Width Of Corridor f. Door Size	1 mtr		112cm Provided	MR
Compartmentation				
 Fire check door 	NA		NA	NA
• Sealing of electrical shafts	NA		NA	NA
 Fire Rating of shaft door 	NA		NA	NA
Water Curtain	NA		NA	NA
Fire Dampers	NA	2	NA	NA
Smoke managements System		*		
Basements	NA		NA	NA NA
	prevention and fire safety U/R 33 Access of building Road width Gate width Width of internal road Number, width, Type & Arra a. Number of staircases Upper floors Basements b. Width of staircases Upper floors Basements c. Protection of exits Fire check door Pressurization d. No of continuous staircase to terrace e. Width Of Corridor f. Door Size Compartmentation Fire check door Sealing of electrical shafts Fire Rating of shaft door Water Curtain Fire Dampers Smoke managements System	prevention and fire safety U/R 33 Access of building Road width Gate width Width of internal road Number, width, Type & Arrangements of staircases Upper floors Basements Width of staircases Upper floors Width of staircases Upper floors Basements C. Protection of exits Fire check door Pressurization A. No of continuous staircase to terrace E. Width Of Corridor F. Door Size Compartmentation Fire check door Sealing of electrical shafts Fire Rating of shaft door Water Curtain Fire Dampers NA Accessible Accessible NA NA NA NA NA NA NA NA NA NA	prevention and fire safety U/R 33 Access of building Road width Gate width Width of internal road Number, width, Type & Arrangements of exits a. Number of staircases Upper floors Basements b. Width of staircases Upper floors Upper floors Basements c. Protection of exits Fire check door Pressurization d. No of continuous staircase to terrace e. Width Of Corridor f. Door Size Compartmentation Fire check door Sealing of electrical shafts Fire Rating of shaft door Water Curtain Fire Dampers Maccessible NA	prevention and fire safety U/R 33 Access of building Road width Gate width Width of internal road Number, width, Type & Arrangements of exits a. Number of staircases Upper floors Basements b. Width of staircases Upper floors Basements c. Protection of exits Fire check door Pressurization d. No of continuous staircase to terrace e. Width Of Corridor f. Door Size Compartmentation Fire check door Sealing of electrical shafts Fire Dampers NA NA Accessible Accessible A70cm Provided NA

5.	Fire Extinguishers							
	Total numbers		7 nos.	8 Provided	MR			
	• Types		ABC & CO ₂	Provided	MR			
	• IS marking		ISI marked	Provided	MR			
6.	First – Aid Hose Reels			110/10/00	17110			
0.	Total numbers on each		NA	NA	NA			
	floor		1471	INA	INA			
			NA	NA NA	NA			
	 Length of hose reel hose Nozzle diameter 		INA	INA	INA			
			NA	NA	NIA			
7		1		INA	NA			
7.	Automatic fire detection and alarming system							
	• Type of detectors NA			NA	NA			
	 Location of Main 	NA		NA	NA			
	Panel	NA	L	NA	NA			
	 Location of 							
	Repeater Panel	NA		NA	NA			
	 Alternate source of 		NA NA					
	power	NA		NA	NA			
_	 Hooters' Location 		×					
8.	MOEFA	NA		NA	NA			
9.	Public Address System	NA		NA	NA			
10.	Automatic Sprinkler System			-	1 =			
				20				
	• Basements NA			NA	NA			
	Upper Floor	NA		NA	NA			
	• Sprinkler above	NA		NA	NA NA			
				1471	INA			
11.	false ceiling Internal Hydrants:							
11.	internar rryurants.							
	Size of riser/down-	NA		NA	NIA			
_		INA		INA	NA			
	comer	NA		NIA	NIA			
	• Number of hydrants	INA		NA	NA			
	per floor	NA		NA	D.T.A.			
10	Hose Box	INA		INA	NA			
12.	Yard Hydrants							
		271		Tari				
	Total number of	NA		NA	NA			
	hydrants							
	Hose Box	NA	4	NA	NA			
13.	Pumping Arrangements:							
	Ground Level							
	Discharge of main pump							
	Head of main pumpNumber of main pumps		NA	NA	NA			
			NA	NA	NA			
	> Jockey pump out put		NA	NA	NA			
	Jockey pump head		NA	NA	NA			
	> Standby Pump out put		NA	NA •	NA			
	 Standby Pump Head Auto Staring/Manual stopping Pump House Access Terrace level Discharge of pump 		NA	NA	NA			
			NA	NA	NA			
			NA	NA	NA NA			
			1121	11/21	INCI			
			NA	NA	NIA			
			INA	INA	NA			
	Head of the pump	NIA	NIA	DIA				
	 Power supply Auto starting of pump 		NA	NA	NA			
			NA	NA	NA			
			NA	NA	NA			
			NA	NA	NA			
THE PERSON NAMED IN	Continua motor Stanger for fin	a fin	hting.					
14.	Captive water Storage for fir	c ng	iting.	NA				

The state of the s	> Access to tank	NA	NA	NA
	Overhead Tank capacity		27.4	NA
- 1	xit Signage	NA	NA	IVA
	rovision of Lifts			NA
6. Provision of Lifts Pressurization of Lift Shaft	Pressurization of Lift	NA	NA	NA NA
	NA	NA	100 17	
	> Pressurization of lift	NA	NA	NA
		NA	NA	NA
	lobby Communication in lift	NA	NA	NA
			8	
	Car Fireman's Grounding			
		•		
	Switch			
	> Lift Signage	NA	NA	NA
	Standby power supply	1111		
18.	Refuge Area	NA	NA	NA
	> Total area	NA	NA	NA
	> Location	INA	1122	
19.	Fire control room	27.4	NA	NA
	> Detector system	NA	NA	NA
	panel	NA	NA NA	NA
	I IOW DWITE	NA		NA
	> PA System Panel	NA	NA	NA
	> Battery backup	NA	NA	1477
	> Building Floor	_		
	Plans		274	NA
20.	The state of the s	NA	NA	INA
20.	Systems for Protection of			*
	special Risks, if any;			

The fire protection systems provided in the building were test checked and found functional at the time of inspection.

In view of the deemed compliance of minimum standards on fire prevention and fire issued NOC the F6/DFS/MS/SCHOOL/2012/3976, Dated-23/10/2012 renewal under rule 35 of the Delhi Fire rules Service Rules 2010 is recommended.

Signature of the Inspecting Officer

Designation ADO (W/)

Name Udas Vor Singh

Signature of the Inspecting Officer

Name

Designation