

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE NEW DELHI-110001

No. F.6/DFS/MS/School/2018/SZ/ 1191

Dated: 23/5/18

FIRE SAFETY CERTIFICATE

Certified that Vinay Nagar Bengali Senior Secondary School located at A.K. Roy Marg, Sarojini Nagar, New Delhi-110023 comprised of Ground plus two upper floors was issued NOC by this department vide letter No.F.6/DFS/MS/08/2432 dated 26/08/08. The premises was re-inspection by officer concerned by this department on 11.05.2018 in the presence of Sh. N.K. Burman (Vice Principal) of the school and found that fire prevention and fire safety requirements have deemed complied in accordance with Circular No. 262-362 dated 17/01/05 issued by Education Directorate, Govt. of NCT of Delhi, Old Secretariat, New Delhi and that the premises fit for occupancy class Education Building, Group—B (School up to Sr. Sec. level) as above with effect from the date of issue of this certificate for period of three years subject to compliance of conditions mentioned below.

Issued 23 518 at New Delhi by

(Vipin Kental) Chief Fire Officer

Copy to: -

- 1. Principal, Vinay Nagar Bengali Sr. Sec. School, AK Roy Marg, Sarojini Nagar, New Delhi-23
- 2. Directorate of Education, South MCD, Civic Centre, Minto Road, New Delhi-110002

Conditions for the validity of Fire Safety Certificate: -

- 1. All the means of escape/entry/exit shall be kept free from any obstruction.
- 2. All the fire safety arrangement provided therein shall be maintained in good working condition at all time as seen during inspection. Any loss of life property due to non-functional fire safety measures shall be at the responsibility of the management.
- 3. All the staff members must know the correct method of operation of fire fighting system.
- 4. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in
- 5. This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or Alteration (Clause 1.4.3 of UBBL- 2016), if any.
- 6. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in form 'J' [sub rule (I) of rule 37] along with a copy of this Certificate, six month prior to its expiry.

2	INCDECTI	ON DEPODT			
		ON REPORT	gali Senior Secondary Sc	bool A V	
1	Name & Address of the Building				
		Roy Marg, Sarojini Nagar, New Delhi-110023			
2	Type of Occupancy	Educational, Group-B (School)			
3	Building Comprised of	Ground plus two upper floors			
4	Type of Case	Renewal			
5	Details of Previous NOC	F.6/DFS/MS/2008/2432 dated 26/08/2008			
6	Fire Safety Directives Letter No	DOE Circular No. 262 – 362 dated 17/01/2005			
7	Date of Inspection	11-05-2018			
8	Name of the Inspecting Officers	Mehmood, ADO (SJ)			
9	Name & Designation of Officers from the building side	Sh. NK Burman (Vice Principal)			
10	Year of construction	1952			
11	Applicant letter No.	VNBSSS/2018-19/1224 dated 19-04-2018			
S. No.	Minimum standards on Fire Prevention	Old NOC	Provided at Site	Remarks	
), I (U,	and Fire Safety U/R 33	requirements		MR/NMR	
1	Access to Building.	/		9	
	Road width	Required	6 mtr	MR	
	• Gate width	-NA-	3 mtr	-NA-	
	Width of internal road	-NA-	-NA-	-NA-	
2	Number, width, type & arrangement of ex				
	a) Number of Staircase	l .			
		02 Nos	03 Nos	MR	
	> Upper floors.		-NA-	-NA-	
	> Basement floor.	-NA-	-NA-	-IVA-	
	b) Width of Staircase			1.15	
	Upper floors		1.55, 1.62 & 1.25m (Iron)	MR	
	Basement floor	-NA-	-NA-	-NA-	
	c) Protection of exits				
	> Fire check door	-NA-	-NA-	-NA-	
	> Pressurization	-NA-	-NA-	-NA-	
		-NA-	-NA-	-NA-	
		-NA-	-NA-	MR	
	e) Width of corridor f) Door size	1 mtr	Provided	MR	
3	Compartmentation.	1 11101	11071444		
3	• Fire check door.	-NA-	-NA-	-NA-	
		-NA-	-NA-	-NA-	
	Sealing of electrical shafts. Sing pating of shaft door. The pating of shaft door.	-NA-	-NA-	-NA-	
	• Fire rating of shaft door.	-NA-	-NA-	-NA-	
	Water curtain Fire demonstration	-NA-	-NA-	-NA-	
	• Fire dampers.	-1N/X-	-11/1	1111	
4.	Smoke Management system.	30 ACPH	-NA-	-NA-	
	Basement				
	Upper floors	12 ACPH	-NA-	-NA-	
5.	Fire Extinguishers.		Y	T	
	Total numbers	Required	14 Nos	MR	
	• Types	ABC / CO2	ABC-10, CO2-04	MR	
	ISI Marking	ISI mark	Provided	MR	
6	First Aid Hose Reels.				
6.	Total numbers on each floor.	02 Nos	Provided	MR	
		30m	Provided	MR	
	• Length of hose-reel hose.				
	Nozzle Diameter Vinay Nagar Bengali Sr. Sec. School	5mm	Provided	MR	

Vinay Nagar Bengali Sr. Sec. School, AK Roy Marg, Sarojini Nagar, New Delhi

7 Aut	tomatic fire detection & alarming system.	-NA-	-NA-	-NA-
	Type of detectors	-NA-	-NA-	-NA-
	Location of Main Panel	-NA-	-NA-	-NA-
	Location of Repeater Panel	-NA-	-NA-	-NA-
	Alternate source of power	-NA-	-NA-	-NA-
	Hooter's location		Provided	MR
	OEFA	Required -NA-	-NA-	-NA-
	blic Address System	-IVA-	-11//-	1111
10. Au	tomatic Sprinkler System	-NA-	-NA-	-NA-
	Basement	-NA-	-NA-	-NA-
	• Upper floors	-NA-	-NA-	-NA-
	Sprinkler above false ceiling	-IVA-	-1471	
11. Int	ternal Hydrants.	-NA-	100 mm	-NA-
	Size of Riser/Down-comer	-NA-	Two	-NA-
	Number of Hydrant per floor		Two	-NA-
	Hose box.	-NA-	1 WO	14/1-
12. Ya	ard Hydrants.	NIA	NIA	-NA-
	 Total number of hydrants. 	-NA-	-NA-	-NA-
	Hose box.	-NA-	-NA-	-IVA-
13. Pu	imping arrangements.			
	Ground Level	714	NIA	-NA-
	Discharge of main pump.	-NA-	-NA-	-NA-
	Head of main pump.	-NA-	-NA- -NA-	-NA-
	Number of main pumps.	-NA-		-NA-
	Jockey Pump output.	-NA-	-NA- -NA-	-NA-
	Jockey Pump head.	-NA-	-NA-	-NA-
	Standby Pump output.	-NA-	-NA-	-NA-
	Standby Pump head.Auto Starting / Manual Stopping.	-NA-	-NA-	-NA-
	Auto Starting / Manual Stopping.Pump house access.	-NA-	-NA-	-NA-
		-NA-	-11/-1-	-1474
	Terrace Level	Required	450 LPM	MR
	Discharge of pump.	Required	40 mtr	MR
	Head of pump.	Required	Provided	MR
	Power supply.Auto starting of pump.	Required	Provided	MR
		Required	110,1100	
14. C	aptive water storage for fire fighting.	-NA-	-NA-	-NA-
	 Underground tank capacity. Draw-off connection. 	-NA-	-NA-	-NA-
		-NA-	-NA-	-NA-
	Access to tank.	-NA-	-NA-	-NA-
		5,000 Ltr	Provided	MR
15 E		Required	Provided	MR
	xit Signage. rovision of Lifts.			
16. P	C1:C 1 C	-NA-	-NA-	-NA
	C1:01-1-1-	-NA-	-NA-	-NA
	1.0	-NA-	-NA-	-NA
	Communication in lift car.Fireman's switch.	-NA-	-NA-	-NA
		-NA-	-NA-	-NA
4= ~	• Lift signage.	-NA-	-NA-	-NA
	tandby Power Supply	-11/7-	1111	
18. R	Refuge Area	-NA-	-NA-	-NA
	• Total area	-NA-	-NA-	-NA
	Location Vinay Nagar Bengali Sr. Sec. School, A			

Vinay Nagar Bengali Sr. Sec. School, AK Roy Marg, Sarojini Nagar, New Delh

Fire Control Room.			
Detector system panel.	-NA-	-NA-	-NA-
	-NA-	-NA-	-NA-
	-NA-	-NA-	-NA-
	-NA-	-NA-	-NA-
Building floor plan.	-NA-	-NA-	-NA-
Special Fire Protection System for the	-NA-	-NA-	-NA-
Protection of special Risk, if any.			
	 Detector system panel. Flow switch panel. PA system panel. Battery backup. Building floor plan. Special Fire Protection System for the	 Detector system panel. Flow switch panel. PA system panel. Battery backup. Building floor plan. Special Fire Protection System for the 	 Detector system panel. Flow switch panel. PA system panel. Battery backup. Building floor plan. Special Fire Protection System for the NA- NA- NA- NA- NA- NA- NA- NA- NA-

The fire protection system provided in the building / premises were test checked at random and found functional at the time of inspection. Keeping in view of the deemed compliance of the minimum standards of fire prevention and fire safety measures as required under DOE circular, the FSC issued vide letter No. F.6/DFS/M\$/2008/2432 dated 26/08/2008, renewal under rule 37 of the Delhi Fire Service rules 2010, is recommended.

Accordingly DFA is put up for approval and signature please.

Signature of the In

Name: Mehmood Design: ADO (SJ)

Vinay Nagar Bengali Sr. Sec. School, AK Roy Marg, Sarojini Nagar, New Delhi

A 6-1 Letter Purcy for Signature blease

Approxy 1875/14

CROCSZP Miscell WETS.