## GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEAD QUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE NEW DELHI-110001

No.F.6 DFS/MS/School/2021/SZ/ 7 17

Dated: 7 / 9 / 2021

## FIRE SAFETY CERTIFICATE

Certified that S. D. M. C Primary School, Mehrauli Main, New Delhi 110030 (ID 1959058) Comprised of ground floors was issued Fire Safety Certificate by this department vide letter No. F6/DFS/MS/School/2018/SZ/1922 Dt. 21/08/2018. The said premises was re-inspected by officer concerned of this department on 28/08/2021 in presence of Sh. Bhupender Bharti the school and found that the said school building have deemed complied with the fire prevention and fire safety requirements in accordance with Directorate of Education Circular No F.16//Estate/CC/Fire Safety/2011/3298 to 3398 dated 01/03/2011 issued by Director of Education, Govt. of NCT of Delhi and that the building is fit for occupancy class "Educational Building Group – B" with effect from 7 / 9 / 2021 for a period of Three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of Delhi Fire Service Rules 2010.

Issued on 7 / 9 2021 at New Delhi by

(SUNIL CHAWDHARY) DY. CHIEF FIRE OFFICER (SZ) DELHI FIRE SERVICE

Copy to: -

- 1. The Principal, S. D. M. C Primary School, Mehrauli Main, New Delhi 110030 (ID 1959058)
- 2. The Director of Education, South MCD, Civic Centre, Minto Road, New Delhi-110002

## Conditions for the validity of Fire Safety Certificate

- 1. All the means of escape/entry/exit shall be kept free from any obstruction.
- 2. All the fire safety arrangements provided therein shall be maintained in good working condition at all time as seen during inspection. Any loss of life or property due to non-functional fire safety measures shall be at the responsibility of the management.
- 3. All the staff members must know the correct method of operation of firefighting system.
- 4. The owner/ occupier shall submit a declaration every year in Form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on <a href="https://www.dfs.delhigovt.nic.in">www.dfs.delhigovt.nic.in</a>
- 5. This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or Alteration (Clause 1.4.3 of UBBL-2016), if any.
- 6. "The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry."

NIN

	INSPECT	ION REPORT			
1	Name & Address of the Building S.D.M.C Primary School, Mehrauli Mai				
		Delhi 110030 (ID 1959058)			
2	Type of Occupancy	Educational, Group-B (School)			
3	Building Comprised of	Ground floor only			
4	Type of Case	Renewal F6/DFS/MS/School/2018/SZ/1922 Dt. 21/08/2018			
5	Details of Previous NOC				
6	Fire Safety Directives Letter No	DOE Circular 01/	(03/2011	700/2018	
7	Date of Inspection	28-08-2021			
8	Name of the Inspecting Officers	Sh. Rajesh Kumar, ADO (BCP)			
9	Name & Designation of Officers	Sh. Bhupender Bharti			
	from the building side				
11	Year of construction	1952			
S. No	Applicant letter No.	Gmail ID Dated 17/08/2021			
D. 140	Minimum standards on Fire Prevention	Old NOC	Provided at Site	Remark	
1	and Fire Safety U/R 33 Access to Building.	Requirement		MR/NM	
	Road width				
	Gate width	6 mtr	Provided	MR	
	D. CONTROL OF CONTROL OF	-NA-	NA	-NA-	
2	Width of Internal road	-NA-	-NA-	-NA-	
had	Number, width, type & arrangement of exits.  a) Number of Staircase				
	> Upper floors.		-		
	Basement floor.	-NA-	-NA-	-NA-	
		-NA-	-NA-	-NA-	
	b) Width of Staircase				
	> Upper floors	-NA-	-NA-	-NA-	
	➢ Basement floor	-NA-	-NA-	-NA-	
	c) Protection of exits			-11//-	
	Fire check door	-NA-	-NA-	-NA-	
	Pressurization	-NA-	-NA-		
	d) No. of continuous staircase to terrace	-NA-		-NA-	
	e) Width of corridor	-NA-	-NA-	-NA-	
	f) Door size		-NA-	-NA-	
3	Compartmentation.	1.0 m	Provided	MR	
	, and the same of	· [1]			
	Fire check door.	-NA-	-NA-	-NA-	
	<ul> <li>Sealing of electrical shafts.</li> </ul>	-NA-	-NA-	-NA-	
	Fire rating of shaft door.	-NA-	-NA-	-NA-	
	Water curtain	-NA-	-NA-	-NA-	
	Fire dampers.	-NA-	-NA-	-NA-	
4.	Smoke Management system.		1121	-11/7-	
	Basement	-NA-	-NA-	-NA-	
	Upper floors	-NA-	-NA-	-NA-	
5.	Fire Extinguishers.		11/2	-1VA-	
	Total numbers	02 No's	Provided	MR	
	Types	ABC / Co2	ABC Type	MR	
	ISI Marking	ISI mark	Provided		
6.	First Aid Hose Reels.		TIOVIDEU	MR	
	Total numbers on each floor.	-NA-	-NA-	NIA	
	<ul> <li>Length of hose-reel hose.</li> </ul>	-NA-	-NA-	-NA-	
	Nozzle Diameter	-NA-		-NA-	
	Automatic fire detection & alarming system.	_T 4\L_Z	-NA-	-NA-	

	Type of detectors	NT A		
	<ul><li>Type of detectors</li><li>Location of Main Panel</li></ul>	-NA-	-NA-	-NA-
	Location of Main Panel     Location of Repeater Panel	-NA-	-NA-	-NA-
	Alternate source of power	-NA-	-NA-	-NA-
	Hooter's location		-NA-	-NA-
8.	MOEFA	-NA-	-NA-	-NA-
9.		-NA-	-NA-	-NA-
10.	Public Address System Automatic Sprinkler System	-NA-	-NA-	-NA-
10.	Basement	274		
		-NA-	-NA-	-NA-
	• Upper floors	-NA-	-NA-	-NA-
11.	Sprinkler above false ceiling	-NA-	-NA-	-NA-
11.	Internal Hydrants.			
	Size of Riser/Down-comer	-NA-	-NA-	-NA-
	Number of Hydrant per floor	-NA-	-NA-	-NA-
10	Hose box.	-NA-	-NA-	-NA-
12.	Yard Hydrants.			
	Total number of hydrants.	-NA-	-NA-	-NA-
	Hose box.	-NA-	-NA-	-NA-
13.	Pumping arrangements.			
	Ground Level			
	Discharge of main pump.	-NA-	-NA-	-NA-
	Head of main pump.	-NA-	-NA-	-NA-
	Number of main pumps.	-NA-	-NA-	-NA-
	Jockey Pump output.	-NA-	-NA-	-NA-
	Jockey Pump head.	-NA-	-NA-	-NA-
	Standby Pump output.	-NA-	-NA-	-NA-
	Standby Pump head.	-NA-	-NA-	-NA-
	Auto Starting / Manual Stopping.	-NA-	-NA-	-NA-
	Pump house access.	-NA-	-NA-	-NA-
	Terrace Level		5 00	1 42 \$
	Discharge of pump.	-NA-	-NA-	-NA-
	Head of pump.	-NA-	-NA-	-NA-
	Power supply.	-NA-	-NA-	-NA-
_	Auto starting of pump.	-NA-	-NA-	-NA-
14.	Captive water storage for fire fighting.		1111	-11/1-
	<ul> <li>Underground tank capacity.</li> </ul>	-NA-	-NA-	-NA-
	Draw-off connection.	-NA-	-NA-	-NA-
	Fire Service Inlet.	-NA-	-NA-	-NA-
	Access to tank.	-NA-	-NA-	-NA-
	<ul> <li>Overhead tank capacity.</li> </ul>	-NA-	-NA-	-NA-
15.	Exit Signage.	Required	Provided	MR
16.	Provision of Lifts.	7	ALUTIOU	, IVIIV
	Pressurization of lift shaft.	-NA-	-NA-	-NA-
	Pressurization of lift lobby.	-NA-	-NA-	-NA-
	Communication in lift car.	-NA-	-NA-	-NA-
	• Fireman's switch.	-NA-	-NA-	-NA-
	• Lift signage.	-NA-	-NA-	
17.	Standby Power Supply	-NA-		-NA-
18.	Refuge Area	-11/7-	-NA-	-NA-
	Total area	-NA-	TA I	* T 4
	Location		-NA-	-NA-
10		-NA-	-NA-	-NA-
19.	Fire Control Room.			
100	<ul> <li>Detector system panel.</li> </ul>	-NA-	-NA-	-NA-
		-NA-	-NA-	-NA-

	<ul> <li>Flow switch panel.</li> </ul>			
	<ul> <li>PA system panel.</li> </ul>	-NA-	-NA-	
	Battery backup.	-NA-	-NA-	-NA-
20.	Building floor plan.  Special Fire Protection System for the Protection of special Risk, if any.	-NA-	-NA-	-NA-
		-NA-	-NA-	-NA-

The fire protection system provided in the building were randomly checked and found functional at the time of inspection.

Keeping in view of the deemed compliance of the minimum standard on fire prevention and safety measures as required under the rules, the FSC issued vide letter no F6/DFS/MS/School/2018/SZ/1922 Dt. 21/08/2018, renewal under rule 37 of the Delhi Fire Service rules, 2010 is recommended.

Accordingly, DFA is put up for approval and signature please.

Signature of the Inspecting Officer

Name: Sh. Rajesh Kumar Design: ADO (BCP)

DO (8D)

As approved, F.T. tettel for your signature P