GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE NEW DELHI-110 001.

No.F.6/DFS/MS/School/2021/SZ/ 10 78

FIRE SAFETY CERTIFICATE

Certified that the **Govt. Co-ed. Seconadry School,** Bindapur Pocket IV, New Delhi 110059 comprised of ground plus one upper floor, owned/occupied by Govt. Co-ed. Seconadry School was issued Fire Safety Certificate by this department vide letter No F.6/DFS/MS/School/2018/SZ/1890 dated 13/08/2018. The school building was re-inspected by the officer concerned of this department on 21/12/2021 in the presence of Sh. K.C Meena(V.Principal) and found that the School building have deemed complied with the fire prevention and fire safety requirements in accordance with the Circular No. F.16/Estate/CC/Fire Safety/2011/3298 to 3398 dated 01.03.2011 issued by the Director of Education and that the building/ premises is fit for occupancy class "Educational" w.e.f. the date of issue of this certificate for a period of three years, subject to compliance of the conditions printed as under.

Issued on 27122021 at New Delhi.

Dated: 27 12 2021

(SUNIL CHAWDHARY) DY.CHIEF FIRE OFFICER 9415

Copy to:-

- The Principal, Govt. Co-ed. Sec. School, Bindapur Pocket-IV, New Delhi-110059
- 2. Director of Education, Govt. of NCT of Delhi, Old Secretariat, New Delhi-110054

Following fire safety directives must be adhered to:-

- 1. All the fire safety arrangements provided therein shall be maintained in good working condition at all times.
- 2. Any loss of life or property due to non-functional fire safety measures shall be at the risk and responsibility of the management.
- 3. The trained staff should be available round the clock.
- 4. Any deviations w.r.t. construction shall be verified by the concerned building sanctioning agency.
- 5. The certificate may not be treated in any case for the regularization of the unauthorized construction, if any.
- 6. The owner/occupier shall submit a declaration every year in the form 'K' provided in the first schedule of Delhi Fire Service Rules 2010, form is available on www.dfs.delhigovt.nic.in.
- 7. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in the Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry.

N/12

6.	sio	INSPECTI	ON REPORT		
	 Name & address of the building Building is comprised of Two of Occurrence Ground plus one upper floor only. 				
	 Type of Occupancy Type of Case 	: Educational	1		
	5. Details of Previous NOC	: Renewal	S/Sabaal/2019/07/1		
_	6. Fire Safety directives letter No	· F 16/Estate//	S/School/2018/SZ/1	890 dated 13/08/20	18
7	7. Date of inspection	: 21/12/2021	CC/Fire Safety/2011/3	298 to 3398 dated 02	1.03.2011
Ē	8. Name of Inspecting Officer	: ADORK	Yaday		
c	9. Name and designation of officers				
-	From the building side	: Sh. K.C. Me	eena (V. Principal)		
	10. Year of Construction	: 2010			
-	11. Applicant's letter No.	: Nil dated 15			
	S. No. Minimum Standards on fire pr fire safety U/R 33	revention and	Requirement	Provided at	Remarks
	1. Access to building			site	MR/NMR
-	Road width				
	Gate width		06 m	09 m	MR
	Width of internal road		4.5 m	05 m	MR
2	2. Number, Width, Type & Arrar	gement of Frite	N/A	N/A	N/A
		-gement of Exits	5		
	a. Number of staircases				
	Upper Floors		02 no.'s	02 no.'s	MR
	• Basements b. Width of staircases		N/A	N/A	N/A
	Upper Floor				
	Basements		1.50 m & .75 m	1.48 & 1.41m	MR old case
	Basements		N/A	N/A	N/A
				IN/A	IN/A
	c. Protection of exits		N/A	N/A	N/A
	Fire check door		N/A	N/A N/A	
	• Pressurization		10/A	IN/A	N/A
	d. No. of continuous staircases to		N/A	N/A	N/A
	terrace	, ,	1.50 m	1.73 m	MR
	e. Width of Corridor				
	f. Door Size		1.0 m	.97 m	MR, being old
3.	Compartmentation			(double door)	case
	-				
	• Fire check door		N/A	N/A	N/A
	Sealing of electrical shaftsFire Rating of shaft door		N/A	N/A	N/A
	Water Curtain		N/A	N/A	N/A
	• Fire Dampers		N/A	N/A	N/A
4			N/A	N/A	N/A
4.	Smoke Management System				
	Basements		N/A	N/A	N/A
				1 1/ 4 2	
	• Upper floors		Required	Natural Ventilation provided	MR
5.	Fire Extinguishers				
	Total numbers		00.21.2		
	 Types 		08 No's	Provided	MR
	• IS marking		ABC/CO ₂ type ISI marked	Provided	MR
			101 markeu	ISI marked	MR

N	15

6.	First-Aid Hose Reels			
	Total numbers on each floor			
	 Length of hose reel hose 	N/A	N/A	N/A
	 Nozzle diameter 	N/A N/A	N/A	N/A
7.	Automatic fire detection and alarming system		N/A	N/A
	Type of detectors	N/A		
	 Location of Main Panel 	N/A N/A	N/A	N/A
	 Location of Repeater Panel 	N/A N/A	N/A	N/A
	Alternate source of power	N/A N/A	N/A	N/A
	Hooters' Location	N/A N/A	N/A	N/A
8.	MOEFA	N/A N/A	N/A N/A	N/A
0		IVA	IN/A	N/A
9.	Public Address System	N/A	Provided	MR
10.	Automatic Sprinkler System			
	• Basement	N/A	N/A	N/A
	Ground Floor	N/A N/A	N/A N/A	N/A N/A
	 Sprinkler above false ceiling 	N/A	N/A N/A	N/A
11.	Internal Hydrants	11/22	11//1	IV/A
	Size of riser/down-comer	N/A	N/A	N/A
9. 10. 11. 12. 13.	• Number of hydrants per floor	N/A	N/A	N/A
12	Hose Box Vard Hydropto	N/A	N/A	N/A
12.	Yard Hydrants			
	Total number of hydrantsHose Box	N/A	N/A	N/A
3.	Hose Box Pumping Arrangements	N/A	N/A	N/A
	Ground Level			
	 Discharge of main Pump 	N/A	N/A	N/A
	 Head of Main pump 	N/A N/A	N/A N/A	N/A N/A
	Number of main pumps	N/A N/A	N/A N/A	
	Jockey Pump out put			N/A
	Jockey pump head	N/A	N/A	N/A
	 Standby Pump out put Standby Pump Head 	N/A	N/A	N/A
	 Auto Starting/Manual Stopping 	N/A	N/A	N/A
		N/A	N/A	N/A
		N/A	N/A	N/A
	Pump House Access	N/A	N/A	N/A
	Terrace level	27/4		27/1
	Discharge of pump	N/A	N/A	N/A
	Head of the pump	N/A N/A	N/A N/A	<u>N/A</u> N/A
	 Power Supply Auto Starting of pump 	N/A N/A	N/A N/A	N/A N/A
	 Auto Starting of Pump 			
	Captive Water Storage for fire fighting			
	Underground tank capacity	N/A	N/A	N/A
	 Onderground tank cupacity Draw-off connection 	N/A	N/A	N/A
	 Fire service inlet 	N/A	N/A	N/A
	Access to tank	N/A	N/A N/A	N/A
	Overhead Tank capacity	N/A N/A	N/A	N/A
		N/A N/A	N/A N/A	N/A N/A
	Exit Signage.	IN/A		1 1/ 1 1

|--|

16.	Provision of Lifts.		(No Lift)		
	Pressurization of Lift Shaft	N/A	N/A	N/A	
	 Pressurization of Lift lobby 	N/A	N/A	N/A	
	 Communication In lift Car 	N/A	N/A	N/A	
	Fireman's Grounding Switch	N/A	N/A	N/A	
	Lift Signage	N/A	N/A	N/A	
7.	Standby power supply	N/A	N/A	N/A	
8.	Refuge Area.				
	> Total Area	N/A	N/A	N/A	
	> Location	N/A	N/A	N/A	
9.	Fire Control Room				
	Detector System Panel	N/A	N/A	N/A	
	Flow Switch Panel	N/A	N/A	N/A	
	PA System Panel	N/A	N/A	N/A	
	Battery backup	N/A	N/A	N/A	
	Building Floor Plans	N/A	N/A	N/A	
).	Special Fire Protection System for Protection of special Risks, if any:	N/A	N/A	N/A	

The fire protection systems provided in the building were tested, checked and found functional at the time of inspection.

In view of the deemed compliance of the minimum standards of fire prevention and fire safety measures as required under the rules the FSC issued vide letter number <u>F.6/DFS/MS/School/2018/SZ/1890</u> dated <u>13/08/2018</u> renewal in accordance with the Circular No. F.16/Estate/CC/Fire Safety/2011/3298 to 3398 dated 01.03.2011 issued by the Director of Education is recommended.

Signature of Insp ecting

Name:- R.K.Yadav Designation:- Asstt. Divisional Officer

Divisional Officer (South West)

C6