## GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEAD QUARTERS: DELHI FIRE SERVICE: NEW DELHI - 110001

No.F6/DFS/MS/School/2022/ 719

Dated: 29/06/2022

## **FIRE SAFETY CERTIFICATE**

Certified that the M.C. Primary Pratibha School located at Vijay Nagar, (New) Delhi-110009 comprised of Ground floors only (Shed Type) owned/occupied by M.C. Primary Pratibha School was granted FSC by this department vide letter no. No.F6/DFS/MS/2019/1472 dated 18.07.2019. The premises was re-inspected by the officer concerned of this department on 16.06.2022 in presence of Smt. Paramjeet kaur (Principal) and observed that all the fire safety arrangements as provided in the premises found in good working condition. The premises have deemed complied with requirements of circular issued by Director of Education vide letter no 3298-3398 dated 01.03.2011 and the building/ premise is fit for occupancy class "Group B Educational" with effect from .2.9./.o.6./.20.2.1. for a period of three years, subject to compliance of the conditions mentioned below:

Issued on . 29. 10.6. 20.22 at New Delhi by

(Dharampal Bhardwaj)
Dy. Chief Fire Officer
Ph.-011-23414250

10 you

Copy to: -

- 1. The Director, Education, Government of N.C.T of Delhi. Old Sectt. Delhi 110054.
- 2. The Principal, M.C. Primary Pratibha School located at Vijay Nagar, (New) Delhi-110009.

## Conditions for the validity of Fire Safety Certificate:

- 1 All the means of escape/entry/exit shall be kept free from any obstruction.
- 2 All the fire safety arrangements provided therein shall be maintained in good working condition at all time as seen during inspection. Any loss of life or property due to non-functional fire safety measures shall be at the responsibility of the management.
- 3 All the staff members must know the correct method of operation of firefighting system.
- The owner / occupier shall submit a declaration every year in Form "K" provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on <a href="http://delhi.gov.in./wps/wcm/connect/doit">http://delhi.gov.in./wps/wcm/connect/doit</a> fire/FIRE/Home/Forms.
- This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or Alteration (Clause 1.4.3 of UBBL-2016), if any.
- 6 "The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry".

## INSPECTION REPORT

. Name & address of the building : M.C Primary Pratibha School, Vijay Nagar, (New) Delhi-110009.

. Type of Occupancy : Educational

3. Composition of building : Ground floor only (Shed Type)

Type of Case

5. Details of previous NOC : F6/DFS/MS/2019/1472 Dated: 18.07.2019

: Renewal

6. Fire Safety directives letter No : Nil

7. Date of inspection : 16.06.2022 8. Name of the Inspecting Officers : ADO (RN)

9. Name and designation of officers

from the building side : Mrs. Paramjeet Kuar, Principal

| 10    | Year of Construction : 1974                                 | •                                 |                  |                   |  |  |  |  |
|-------|---|-----------------------------------|------------------|-------------------|--|--|--|--|
|       | Applicant's letter No. : Nil dated :19                      | /04/2016                          |                  |                   |  |  |  |  |
|       | rea-3000sqm Covered Area:1729sqm,                           | No. of students-300               | No. of Class roo | oms –14 (Shed Typ |  |  |  |  |
| TIOCA | Minimum Standards on fire prevention and fire safety U/R 33 | Circular of Director of Education | Provided at site | Remarks<br>MR/NMR |  |  |  |  |
|       | Access to building  |                                   |                  |                   |  |  |  |  |
|       | Road width  | 6m                                | 05m              | MR (old case)     |  |  |  |  |
|       | Gate width  | 4.5m                              | 1.75m & 01m      | MR (old case)     |  |  |  |  |
|       | • Width of internal road                                    | NA                                | NA               | NA                |  |  |  |  |
|       | Number, Width, Type & Arrangement of Exits                  |                                   |                  |                   |  |  |  |  |
|       | a. Number of staircases                                     |                                   |                  |                   |  |  |  |  |
|       | • Upper Floors  | NA                                | NA               | NA                |  |  |  |  |
|       | Basements   | NA                                | NA               | NA                |  |  |  |  |
|       | b. Width of staircases                                      |                                   |                  |                   |  |  |  |  |
|       | • Upper Floors  | NA NA                             | NA<br>NA         | NA<br>NA          |  |  |  |  |
|       | Basements   | NA                                | NA               | INA               |  |  |  |  |
|       | c. Protection of exits                                      | NA                                | NA               | NA                |  |  |  |  |
|       | Fire check door   |                                   |                  |                   |  |  |  |  |
|       | Pressurization  | NA                                | NA               | NA                |  |  |  |  |
|       | d. No. of continuous staircases to terrace                  | NA                                | NA               | NA                |  |  |  |  |
|       | e. Width of Corridor  | NA                                | NA               | NA                |  |  |  |  |
|       | f. Door Size  |                                   |                  |                   |  |  |  |  |
|       | Compartmentation  | 1 mtr                             | l mtr            | MR                |  |  |  |  |
|       | Compartmentation.   |                                   |                  |                   |  |  |  |  |
|       | Fire check door   | NA                                | NA               | NA                |  |  |  |  |
|       | Sealing of electrical shafts                                | NA                                | NA               | NA                |  |  |  |  |
|       | Fire Rating of shaft door                                   | NA                                | NA               | NA                |  |  |  |  |
|       | Water Curtain   | NA                                | NA               | NA                |  |  |  |  |
|       | Fire Dampers  | NA                                | NA               | NA                |  |  |  |  |
| 4     | Smoke Management System.                                    |                                   |                  |                   |  |  |  |  |
|       | • Basements   | 12 a/c per hour                   | NA               | NA                |  |  |  |  |
|       | Upper floors  | 12 a/c per hour                   | NA               | NA                |  |  |  |  |
| 5     | Fire Extinguishers  |                                   |                  |                   |  |  |  |  |
|       | Total numbers   | 04nos                             | 05nos            | MR                |  |  |  |  |

|    |  | 1          |        |          |  |  |  |
|----|--|------------|--------|----------|--|--|--|
|    | • Types  | ABC/Co2    | ABC—05 | MR       |  |  |  |
|    | ISI marking  | ISI Marked | Yes    | MR       |  |  |  |
| 6  | First-Aid Hose Reels.  |            |        |          |  |  |  |
|    | Total numbers on each floor  | NA         | · NA   | NA       |  |  |  |
|    | <ul> <li>Length of hose reel hose</li> </ul>                                       | NA         | NA     | NA       |  |  |  |
|    | Nozzle diameter  | NA         | NA     | NA       |  |  |  |
| 7  | Automatic fire detection and alarming system.                                      |            |        |          |  |  |  |
|    | Type of detectors  | NA         | NA     | NA       |  |  |  |
|    | Location of Main Panel   | NA         | NA     | NA       |  |  |  |
|    | Location of Repeater Panel   | NA         | NA     | NA       |  |  |  |
|    | Alternate source of power  | NA         | NA     | NA       |  |  |  |
|    | Hooters' Location  | NA         | NA     | NA       |  |  |  |
| 8  | MOEFA  | NA         | NA     | NA       |  |  |  |
| 9  |  | NA         | NA     | NA       |  |  |  |
| ,  | Public Address System.   | INA        | IVA    | INA      |  |  |  |
| 10 | Automatic Sprinkler System.  |            |        |          |  |  |  |
|    | Basement   | NA         | NA     | NA       |  |  |  |
|    | Upper Floor  | NA         | NA     | NA       |  |  |  |
|    | Sprinkler above false ceiling  | NA         | NA     | NA       |  |  |  |
| 11 | Internal Hydrants  |            |        |          |  |  |  |
|    | Sing of vices/down comes   | NA         | NA ·   | NA       |  |  |  |
|    | <ul> <li>Size of riser/down-comer</li> <li>Number of hydrants per floor</li> </ul> | NA NA      | NA     | NA       |  |  |  |
|    | Hose Box   | NA         | NA     | NA       |  |  |  |
| 12 | Yard Hydrants.   |            |        |          |  |  |  |
|    | Total number of hydrants   | NA         | NA     | . NA     |  |  |  |
|    | Hose Box   | NA         | NA     | NA       |  |  |  |
|    | Tiose Box  |            |        |          |  |  |  |
| 3  | Pumping Arrangements.  |            |        |          |  |  |  |
|    | Ground Level   |            |        |          |  |  |  |
|    | Discharge of main Pump   | N/A        | N/A    | N/A      |  |  |  |
|    | ➢ Head of Main pump  | N/A        | N/A    | N/A      |  |  |  |
|    | > Number of main pumps   | N/A        | N/A    | N/A      |  |  |  |
|    | > Jockey Pump out put  | N/A        | N/A    | N/A      |  |  |  |
|    | <ul><li>Jockey pump head</li><li>Standby Pump out put</li></ul>                    | N/A        | N/A    | N/A      |  |  |  |
|    | <ul><li>Standby Pump out put</li><li>Standby Pump Head</li></ul>                   | N/A        | N/A    | N/A      |  |  |  |
|    | > Auto Starting/ Manual stopping   |            | ,      | N/A      |  |  |  |
|    | > Pump House Access  | N/A        | N/A    |          |  |  |  |
|    | Terrace level  | N/A        | N/A    | N/A      |  |  |  |
|    | > Discharge of pump  |            |        |          |  |  |  |
|    | ➤ Head of the pump   | NA         | N/A    | NA<br>NA |  |  |  |
|    | Power Supply   | NA         | N/A    |          |  |  |  |
|    | Auto Starting of pump  | N/A        | N/A    | N/A      |  |  |  |
|    |  | N/A        | N/A    | N/A      |  |  |  |

g

|    | <ul> <li>Underground tank capacity</li> </ul>                            | NA  | NA  | NA  |  |  |  |
|----|--|-----|-----|-----|--|--|--|
|    | > Draw-off connection  | NA  | NA  | NA  |  |  |  |
|    | Fire service inlet   | NA  | NA  | NA  |  |  |  |
|    | Access to tank   | NA  | NA  | NA  |  |  |  |
|    | Overhead Tank capacity   | NA  | N/A | NA  |  |  |  |
| 15 | Exit Signage.  | NA  | NA  |     |  |  |  |
|    |  | IVA | INA | NA  |  |  |  |
| 16 | Provision of Lifts.  |     |     |     |  |  |  |
|    | Pressurization of Lift Shaft   | N/A | N/A | N/A |  |  |  |
|    | Pressurization of Lift lobby   | N/A | N/A | N/A |  |  |  |
|    | Communication In lift Car  | N/A | N/A | N/A |  |  |  |
|    | Fireman's Grounding Switch   |     |     |     |  |  |  |
|    | Lift Signage   | N/A | N/A | N/A |  |  |  |
|    |  | N/A | N/A | N/A |  |  |  |
| 17 | Standby power supply   | N/A | N/A | N/A |  |  |  |
| 18 | Refuge Area.   |     |     |     |  |  |  |
|    | Total Area   | N/A | N/A | N/A |  |  |  |
|    | Location   | N/A | N/A | N/A |  |  |  |
| 9  | Fire Control Room  |     |     |     |  |  |  |
|    | Detector System Panel  | N/A | N/A | N/A |  |  |  |
|    | Flow Switch Panel  | N/A | N/A | N/A |  |  |  |
|    | PA System Panel  | N/A | N/A | N/A |  |  |  |
|    | Batter backup  |     |     |     |  |  |  |
|    | Building Floor Plans   | N/A | N/A | N/A |  |  |  |
|    |  | N/A | N/A | N/A |  |  |  |
| )  | Special Fire Protection Systems for Protection of special Risks, if any: | N/A | N/A | N/A |  |  |  |

The fire protection systems provided in the building were tested/ checked randomly and found in working condition at the time of inspection.

Keeping in view the satisfactory compliance of the minimum standards on fire prevention and fire safety required as stipulated in Director of Education Circular, the FSC issued vide letter of even no.1472 dated 18.07.2019 renewal under rule 37 of the Delhi Fire Service Rules, 2010 is recommended

Signature of the Inspecting Officer

Name: - C.L. Meena Designation:- ADO/RN

As approved, F.T. letter Putup for your signature

Please,

Page (RM)

P.T.O.