

C-18

**GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI  
HEADQUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE  
NEW DELHI-110 001.**


No.F.6/DFS/MS/School/2022/SZ/ 787

Dated: 27/7/22

**FIRE SAFETY CERTIFICATE**

Certified that the **Maharishi Ramanand Public School**, J-167, Old Roshanpura, Najafgarh, New Delhi-110043, comprised of ground floor plus one upper floor was issued NOC by this department vide letter no. F.6/MS/DFS/2019/1320 dated 20/06/2019, having 04 class rooms at ground floor and 06 class rooms at first floor owned/occupied by Maharishi Ramanand Public School was re-inspected by the officer concerned of this department on 13/07/2022 in the presence of Smt. Indu sharma and found that Govt. of NCT of Delhi have deemed complied with the fire prevention and fire safety requirements in accordance with the Circular No. F.16/Estate/CC/Fire Safety/2011/3298 to 3398 dated 01.03.2011 issued by the Director of Education and that the school building/ premises is fit for occupancy class "Educational" w.e.f. the date of issue of this certificate for a period of three years, subject to compliance of the conditions printed as under.

Issued on.....27/7/22.....at New Delhi.

  
(SUNIL CHAUDHARY)  
DY.CHIEF FIRE OFFICER  
20/

Copy to:-

1. The Principal,  
Maharishi Ramanand Public School, J-167,  
Old Roshanpura, Najafgarh, New Delhi-110043.
2. Director of Education,  
Govt. of NCT of Delhi, Old Secretariat,  
New Delhi - 110054.

Following fire safety directives must be adhered to:-

1. All the fire safety arrangements provided therein shall be maintained in good working condition at all times.
2. Any loss of life or property due to non-functional fire safety measures shall be at the risk and responsibility of the management.
3. The trained staff should be available round the clock.
4. Any deviations w.r.t. construction shall be verified by the concerned building sanctioning agency.
5. The certificate may not be treated in any case for the regularization of the unauthorized construction, if any.
6. The owner/occupier shall submit a declaration every year in the form 'K' provided in the first schedule of Delhi Fire Service Rules 2010, form is available on [www.dfs.delhigovt.nic.in](http://www.dfs.delhigovt.nic.in).
7. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in the Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry.

**INSPECTION REPORT**

- Name & address of the building : Maharishi Ramanand Public School, J-167, Old Roshanpura, Najafgarh, New Delhi-110043.
2. Building comprised of : Ground plus one upper floor
  3. Type of Occupancy : Educational
  4. Type of Case : Renewal
  5. Details of Previous NOC : F.6/MS/DFS/School/2019/SZ/1320 dated 20/06/2019
  6. Fire Safety directives letter No : N/A
  7. Date of inspection : 13/07/2022
  8. Name of Inspecting Officer : A.D.O. R.K.Yadav
  9. Name and designation of officers  
From the building side : Smt. Indu sharma
  10. Year of Construction : 1997
  11. Applicant's letter No. : Nil dated 03/06/2022

S. No.	Minimum Standards on fire prevention and fire safety U/R 33	Dir. Of Edu. Circular dt. 01.03.2011	Provided at site	Remarks MR/NMR
1.	<b>Access to building</b>			
	<ul style="list-style-type: none"> <li>• Road width</li> <li>• Gate width</li> <li>• Width of internal road</li> </ul>	Old Case 4.5 mtrs N/A	04 mtrs Directly accessible from road N/A	M/R, being old case M/R N/A
2.	<b>Number, Width, Type &amp; Arrangement of Exits</b>			
	a. Number of staircases			
	<ul style="list-style-type: none"> <li>• Upper Floors</li> <li>• Basements</li> </ul>	01 No. N/A	02 No.'s N/A	M/R No basement
	b. Width of staircases			
	<ul style="list-style-type: none"> <li>• Upper Floor</li> <li>• Basements</li> </ul>	1.5m or less & .75m N/A	1.50, & .95 m N/A	M/R No basement
	c. Protection of exits			
	<ul style="list-style-type: none"> <li>• Fire check door</li> <li>• Pressurization</li> </ul>	N/A N/A	N/A N/A	N/A N/A
	d. No. of continuous staircases to terrace			
		N/A	N/A	N/A
	e. Width of Corridor			
		N/A	N/A	N/A
	f. Door Size			
		Old Case	.98 to 1.12m	M/R, being old case
3.	<b>Compartmentation</b>			
	<ul style="list-style-type: none"> <li>• Fire check door</li> <li>• Sealing of electrical shafts</li> <li>• Fire Rating of shaft door</li> <li>• Water Curtain</li> <li>• Fire Dampers</li> </ul>	N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A
4.	<b>Smoke Management System</b>			
	<ul style="list-style-type: none"> <li>• Basements</li> </ul>	N/A	N/A	No basement
	<ul style="list-style-type: none"> <li>• Upper floors</li> </ul>	N/A	Natural Ventilation	M/R
5.	<b>Fire Extinguishers</b>			
	<ul style="list-style-type: none"> <li>• Total numbers</li> <li>• Types</li> <li>• IS marking</li> </ul>	04 No's ABC/CO <sub>2</sub> type ISI marked	Provided Provided ISI marked	M/R M/R M/R
6.	<b>First-Aid Hose Reels</b>			
	<ul style="list-style-type: none"> <li>• Total numbers on each floor</li> <li>• Length of hose reel hose</li> <li>• Nozzle diameter</li> </ul>	N/A N/A N/A	N/A N/A N/A	N/A N/A N/A



Fire Control Room

<ul style="list-style-type: none"> <li>• Detector System Panel</li> <li>• Flow Switch Panel</li> <li>• PA System Panel</li> <li>• Battery backup</li> <li>• Building Floor Plans</li> </ul>	N/A	N/A	N/A
	N/A	N/A	N/A
	N/A	N/A	N/A
	N/A	N/A	N/A
	N/A	N/A	N/A
20. Special Fire Protection System for Protection of special Risks, if any:	N/A	N/A	N/A

The fire protection systems provided in the building were tested, checked and found functional at the time of inspection.

In view of the deemed compliance of the minimum standards of fire prevention and fire safety measures as required under the rules the FSC issued vide letter number F.6/MS/DFS/School/2019/SZ/1320 dated 20/06/2019 renewal in accordance with the Circular No. F.16/Estate/CC/Fire Safety/2011/3298 to 3398 dated 01.03.2011 issued by the Director of Education is recommended.

*R.K. Yadav*  
14/7/2022

Signature of Inspecting Officer  
Name:- R.K. Yadav  
Designation:- Asstt. Divisional Officer

Divisional Officer (South West)

*Dy CPO (S2)*  
*14/7/22* *FT*  
*[Signature]*

*A.O. (R.K.)*

*FT helter a put up for sign please*

*Dy CPO (S2)*  
*[Signature]*  
*MS All*

*R.K. Yadav*  
27/7/2022