

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI- 110001



No. F6/DFS/MS/School/WZ/2022/ 96 /

Dated: 5 / 9 /2022

FIRE SAFETY CERTIFICATE

Certified that the M.C.D. Primary School (ID-1556381 for Boys & 1556380 for Girls) Located at Peera Garhi Village-II, New Delhi-110087 in a building comprised of Two Blocks - Ground + 01 Upper Floor only (Connected to each other) was issued Fire Safety Certificate by this department Vide Letter No. F6/DFS/MS/School/WZ/2018/2019 Dated 31.08.2018. The said premise was re-inspected by the officer concerned of this department on 24.08.2022 in the presence of Ms. Kiran (Incharge, Morning Shift) and found that the premises / building have deemed complied with the fire prevention and fire safety requirements in accordance D.O.E., GNCT of Delhi, Circular no.3298-3398 dated 01-03-2011 and that the premises/building is fit for occupancy class "Educational Building" Group B with effect from ________ for a period of three years, subject to compliance of the conditions, printed below.

(Dharampal Bhardwaj)

Dy. Chief Fire Officer

(West Zone)

Copy to: -

1. The Director, Directorate of Education, GNCT of Delhi, Old Secretariat Delhi – 110054.

2. The Principal, M.C.D. Primary School, Peera Garhi Village-II, New Delhi-110087.

Following fire safety directives must be adhered to:-

- 1. All the means of escape shall be kept free of all type of obstruction all the time.
- 2. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
- 3. All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional if fire safety measures, management shall be responsible.
- 4. Any deviation, with regards to construction, ventilation, occupation, electric installation etc. may be got verified from the concerned authorities.
- 5. The Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction / unauthorized use of land if any.
- 6. All comments / directions of licensing Department shall always be permitted and followed.
- 7. The owner /occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in
- 8. The owner / occupier shall apply for renewal of this Fire Safety Certificate to the Director in 'Form J' (sub Rule (1) of Rule 37) along with copy of the certificate, six months prior to its expiry.

INSPECTION REPORT

1. Name and address of the building: M.C.D. Primary School, Located at Peeragarhi Village – II, New Delhi-87

2. Type of Occupancy : Educational (02 Blocks, G + 01 Upper Floor only)

3. Type of Case : Renewal

4. Details of previous NOC : F6/DFS/MS/School/2018/2019 Dated 31.08.2018

5. Fire Safety directives Letter No. : D.O.E Circular no.3298-3398 dated 01-03-2011

6. Date of inspection : 24.08.2022

7. Name of the Inspecting Officer: Aman Kumar Lathar, ADO (JWP)

8. Name and designation of Officer

from the building side : Ms. Kiran, (Incharge, Morning Shift)

9. Year of Construction : Old Block-1952 & New Block-2013

10. Applicant's letter No. : nil dated 27.07.2022

S No	Minimum standards on fire prevention and fire safety U/R 33	D.O.E. C		lo.	Provided at site	Remarks MR/NMI
1.0	prevention and the safety 6/10 33	01.03.20		r FSC	5110	
		dated 31.				
1.	Access of building					1
	Road width	06 m		P	rovided	MR
	 Gate width 	4.5	m	P	rovided	MR
	 Width of internal road 	N/	1		NA	NA
2.	Number, width, Type & Arrangen	nents of exi	S			
	a. Number of staircases					
	 Upper floors 	01			lew Block) Old Block)	MR
	 Basements 	NA			NA	NA
	b. Width of staircases					
	 Upper floors 	1.5 m			w Block) m (Old Block)	MR
	 Basements 	NA			NA	NA
	c. Protection of exits				•	
	 Fire check door 	NA			NA	NA
	 Pressurization 	NA			NA	NA
	d. No of continuous	01 each b	olock		NA	MR
	staircase to terrace					
	e. Width Of Corridor	1.5 n	1		ovided	MR
	f. Door Size	1 m		Pr	ovided	MR
C	ompartmentation				NA	
	Fire check door	NA			NA	NA
	 Sealing of electrical 	NA			NA	NA
	shafts	NA			NA	NA
	 Fire Rating of shaft door 	NA			NA	NA
	Water Curtain	NA			NA	ΝA
	Fire Dampers					
Sm	oke managements System					
	Basements	NA			NA	NA
	• Upper floors	NA			NA	NA
Fire	Extinguishers					
-	Total numbers	05 nos. ABC & CO ₂			nos.	MR
					ovided	MR
	TypesIS marking	ISI mark	ed	Pro	ovided	MR

	First – Aid Hose Reels	NIA	NA	NA
	Total numbers on each floor	NA NA	NA NA	NA NA
	 Length of hose reel hose 	NA NA	NA NA	NA NA
	Nozzle diameter	NA	INA	117/1
	Automatic fire detection and alarming sy			
	Type of detectors	NA	NA	NA
	Location of Main Panel	NA	NA	NA
	 Location of Repeater Panel 	NA	NA	NA
	Alternate source of power	NA	NA	NA
	 Hooters' Location 	NA	NA	NA
	MOEFA	NA	NA	NA
	Public Address System	NA	NA	NA
0.	Automatic Sprinkler System			
	Basements	NA	NA	NA
	Upper Floor	NA	NA	NA
	Sprinkler above false ceiling	NA	NA	NA
11.	Internal Hydrants:			
	Size of riser/down- comer	NA	NA	NA
	Number of hydrants per	NA	NA	NA
	floor	NA	NA	NA
	Hose Box			
12.	Yard Hydrants			
	 Total number of hydrants 	NA	NA	NA
	Hose Box	NA	NA	NA
13.	Pumping Arrangements:			
	Ground Level			
	 Discharge of main pump 	NA	NA	NA
	Head of main pump	NA	NA	NA
	Number of main pumps	NA	NA	NA
	Jockey pump out put	NA	NA	NA
	> Jockey pump head	NA	NA	NA
	Standby Pump Jord	NA	NA	NA
	Standby Pump Head	NA	NA	NA
	Auto Staring/Manual stopping	NA	NA	NA
	Pump House Access	NA	NA	NA
	Terrace level	INA	INA	INA
	Discharge of pump	NA	NA	NA
	Head of the pump		NA NA	NA NA
	or mie panny	N A		
	> Power supply	NA NA		
		NA	NA	NA
14	Power supplyAuto starting of pump	NA NA		
14	 Power supply Auto starting of pump Captive water Storage for fire fighting 	NA NA	NA	NA
14	Power supplyAuto starting of pump	NA NA ng:	NA NA	NA NA
14	 Power supply Auto starting of pump Captive water Storage for fire fighting Under ground tank capacity 	NA NA ng: NA	NA NA	NA NA
14	 Power supply Auto starting of pump Captive water Storage for fire fighting Under ground tank capacity Draw off connection 	NA NA ng: NA NA	NA NA NA	NA NA NA NA
14	 Power supply Auto starting of pump Captive water Storage for fire fightin Under ground tank capacity Draw off connection Fire service inlet Access to tank 	NA NA NA NA NA NA NA	NA NA NA NA	NA NA NA NA
	 Power supply Auto starting of pump Captive water Storage for fire fightin Under ground tank capacity Draw off connection Fire service inlet 	NA NA NA NA NA NA NA NA	NA NA NA NA NA	NA NA NA NA NA NA
1	 Power supply Auto starting of pump Captive water Storage for fire fightin Under ground tank capacity Draw off connection Fire service inlet Access to tank Overhead Tank capacity 	NA NA NA NA NA NA NA NA NA	NA NA NA NA NA NA	NA NA NA NA NA NA
1	 Power supply Auto starting of pump Captive water Storage for fire fighting Under ground tank capacity Draw off connection Fire service inlet Access to tank Overhead Tank capacity Exit Signage 	NA NA NA NA NA NA NA NA NA	NA NA NA NA NA NA	NA NA NA NA NA NA NA NA
1	 Power supply Auto starting of pump Captive water Storage for fire fightin Under ground tank capacity Draw off connection Fire service inlet Access to tank Overhead Tank capacity Exit Signage Provision of Lifts Pressurization of Lift Shaft Pressurization of lift lobby 	NA	NA	NA
1	 Power supply Auto starting of pump Captive water Storage for fire fightin Under ground tank capacity Draw off connection Fire service inlet Access to tank Overhead Tank capacity Exit Signage Provision of Lifts Pressurization of Lift Shaft Pressurization of lift lobby Communication in lift Car 	NA	NA	NA
1	 Power supply Auto starting of pump Captive water Storage for fire fightin Under ground tank capacity Draw off connection Fire service inlet Access to tank Overhead Tank capacity Exit Signage Provision of Lifts Pressurization of Lift Shaft Pressurization of lift lobby Communication in lift Car Fireman's Grounding Switcl 	NA N	NA	NA
1	 Power supply Auto starting of pump Captive water Storage for fire fightin Under ground tank capacity Draw off connection Fire service inlet Access to tank Overhead Tank capacity Exit Signage Provision of Lifts Pressurization of Lift Shaft Pressurization of lift lobby Communication in lift Car 	NA	NA	NA
1 1	 ➢ Power supply ➢ Auto starting of pump 4. Captive water Storage for fire fightin ● Under ground tank capacity ➢ Draw off connection ➢ Fire service inlet ➢ Access to tank ● Overhead Tank capacity 5 Exit Signage 6. Provision of Lifts ➢ Pressurization of Lift Shaft ➢ Pressurization of lift lobby ➢ Communication in lift Car ➢ Fireman's Grounding Switch ➢ Lift Signage 	NA N	NA N	NA N
1 1	 Power supply Auto starting of pump Captive water Storage for fire fighting Under ground tank capacity Draw off connection Fire service inlet Access to tank Overhead Tank capacity Exit Signage Provision of Lifts Pressurization of Lift Shaft Pressurization of lift lobby Communication in lift Car Fireman's Grounding Switch Lift Signage Standby power supply 	NA N	NA	NA
1 1	 ➢ Power supply ➢ Auto starting of pump 4. Captive water Storage for fire fighting ● Under ground tank capacity ➢ Draw off connection ➢ Fire service inlet ➢ Access to tank ● Overhead Tank capacity 5 Exit Signage 6. Provision of Lifts ➢ Pressurization of Lift Shaft ➢ Pressurization of lift lobby ➢ Communication in lift Car ➢ Fireman's Grounding Switch ➢ Lift Signage 17. Standby power supply 18. Refuge Area 	NA N	NA N	NA N
11	 Power supply Auto starting of pump Captive water Storage for fire fighting Under ground tank capacity Draw off connection Fire service inlet Access to tank Overhead Tank capacity Exit Signage Provision of Lifts Pressurization of Lift Shaft Pressurization of lift lobby Communication in lift Car Fireman's Grounding Switch Lift Signage Standby power supply 	NA N	NA N	NA N

19. Fire control room		1-15	
 Detector system panel Flow Switch Pa PA System Pan Battery backup Building Floor Special Fire Protection Systems for Protection special Risks, if any; 	nel NA NA NA NA NA NA NA	NA NA NA NA NA	NA NA NA NA NA

functional at the time of inspection.

In view of the deemed compliance of the minimum standards on fire prevention and fire safety requirements as per D.O.E. Circular no. 3298-3398 dated 01.03.2011, renewal of Fire Safety Certificate issued vide letter no. F6/DFS/MS/School/2018/2019 Dated 31.08.2018 is recommended.

Accordingly DFA is put up for approval please.

ADO (JWP)

for letter is mut-up for mignature 101.

111/11/
01/09/22