

## GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI- 110001



No. F6/DFS/MS/School/WZ/2022/ 1236

Dated: | 5 / | /2022

## FIRE SAFETY CERTIFICATE

Colony 1/1, Camp No. 2, (Budh Bazar Road), Nangloi, New Delhi-110041, comprised of Ground + 01 Upper Floor (Two Blocks) was issued Fire Safety Certificate by this department Vide Letter No. F6/DFS/MS/School/WZ/2019/1304 Dated 18.06.2019. The said premise was re-inspected by the officer concerned of this department on 03.11.2022 in the presence of Ms. Sarita (Principal) and found that the premises / building have deemed complied with the fire prevention and fire safety requirements in accordance D.O.E., GNCT of Delhi, Circular no.3298-3398 dated 01-03-2011 and that the premises/building is fit for occupancy class "Educational Building" Group B with effect from from the premise of three years, subject to compliance of the conditions, printed below.

(Dharampa Bhardwaj)
Dy. Chief Fire Officer

(West Zone)

Copy to: -

1. The Director, Directorate of Education, GNCT of Delhi, Old Secretariat Delhi – 110054.

2. The Principal, M.C. Primary Girls School (ID-1757076), J. J. Colony 1/1, Camp No. 2, (Budh Bazar Road), Nangloi, New Delhi-110041.

## Following fire safety directives must be adhered to:-

- 1. All the means of escape shall be kept free of all type of obstruction all the time.
- 2. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
- All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional if fire safety measures, management shall be responsible.
- 4. Any deviation, with regards to construction, ventilation, occupation, electric installation etc. may be got verified from the concerned authorities.
- 5. The Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction / unauthorized use of land if any.
- 6. All comments / directions of licensing Department shall always be permitted and followed.
- 7. The owner /occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on <a href="www.dfs.delhigovt.nic.in">www.dfs.delhigovt.nic.in</a>
- 8. The owner / occupier shall apply for renewal of this Fire Safety Certificate to the Director in 'Form J' (sub Rule (1) of Rule 37) along with copy of the certificate, six months prior to its expiry.

2

## INSPECTION REPORT

Name and address of the building: M.C. Primary Girls School (ID-1757076)

Located at J. J. Colony 1/1, Camp No. 2, (Budh

Bazar Road), New Delhi-110041

2 Type of Occupancy : Educational, (02 Blocks=G + 01 Upper Floor only)

3. Type of Case : Renewal

4. Details of previous NOC : F6/DFS/MS/School/2019/1304 Dated 18.06.2019

5. Fire Safety directives Letter No.: D.O.E Circular no.3298-3398 dated 01-03-2011

6. Date of inspection : 03.11.2022

7. Name of the Inspecting Officer: Aman Kumar Lathar, ADO (JWP)

8. Name and designation of Officer

from the building side : Ms. Sarita, (Principal)

9. Year of Construction : -----

10. Applicant's letter No. : Form 'J' dated 05.09.2022

| No | Minimum standards on fire prevention and fire safety U/R 33 | D.O.E. Circular No.   |                    | Provided at site                         | Remarks<br>MR/NMR |  |  |
|----|---|---|--------------------|--|-------------------|--|--|
| O  | prevention and the safety 0/R 33                            | 3298-3398 Dated<br>01.03.2011/ as per FSC<br>dated 18.06.2019 |                    | site                                     |                   |  |  |
| 1. | Access of building  |   |                    |  |                   |  |  |
|    | <ul> <li>Road width</li> </ul>                              | Accessible  | Provided           |  | MR                |  |  |
| 1  | Gate width  | Accessible  | Provided           |  | MR                |  |  |
|    | <ul> <li>Width of internal road</li> </ul>                  | NA  | NA                 |  | NA                |  |  |
| 2. | Number, width, Type & Arrangements of exits                 |   |                    |  |                   |  |  |
|    | a. Number of staircases                                     |   |                    |  |                   |  |  |
|    | Upper floors  | 01  | BL-1=02<br>BL-2=02 |  | MR                |  |  |
|    | <ul> <li>Basements</li> </ul>                               | NA  |                    | NA                                       | NA                |  |  |
|    | b. Width of staircases                                      |   |                    |  |                   |  |  |
|    | Upper floors  | 1.5 m   | &                  | =1.70 m x 1<br>1.65 m x 1<br>=1.42 m x 2 | MR                |  |  |
|    | Basements   | NA  | BE 2               | NA                                       | NA                |  |  |
|    | Basements     Protection of exits                           | 1471  |                    |  |                   |  |  |
|    | Fire check door   | NA  | T                  | NA                                       | NA                |  |  |
|    | Pressurization  | NA  |                    | NA                                       | NA                |  |  |
|    | d. No of continuous staircase to terrace                    | NA  |                    | NA                                       | MR                |  |  |
|    | e. Width Of Corridor  | 1.5 m   | I                  | Provided                                 | MR                |  |  |
|    | f. Door Size  | 1 m   | (Do                | Provided<br>uble door in<br>class room)  | MR                |  |  |
| 3. | Compartmentation  | 2.11  |                    |  |                   |  |  |
|    | <ul> <li>Fire check door</li> </ul>                         | NA  |                    | NA                                       | NA                |  |  |
|    | <ul> <li>Sealing of electrical shafts</li> </ul>            | NA  |                    | NA                                       | NA                |  |  |
|    | <ul> <li>Fire Rating of shaft door</li> </ul>               | NA  |                    | NA                                       | NA                |  |  |
|    | <ul> <li>Water Curtain</li> </ul>                           | NA  |                    | NA                                       | NA                |  |  |
|    | Fire Dampers  | NA  |                    | NA                                       | NA                |  |  |
|    |   |   |                    |  |                   |  |  |

|     | Smoke managements System  | NA                    | NA       | NA<br>NA |
|-----|---|-----------------------|----------|----------|
|     | <ul> <li>Basements</li> </ul>   | NA                    | NA       | NA       |
|     | <ul> <li>Upper floors</li> </ul>  | . 17.                 |          | ) (D     |
|     | Fire Extinguishers  | 07 nos.               | 08 nos.  | MR       |
|     | <ul> <li>Total numbers</li> </ul>   | ABC & CO <sub>2</sub> | Provided | MR       |
|     | <ul> <li>Types</li> </ul>   | ISI marked            | Provided | MR       |
|     | <ul> <li>IS marking</li> </ul>  | 101 Harres            |          |          |
| 5.  | First – Aid Hose Reels  | NA                    | NA       | NA       |
|     | <ul> <li>Total numbers on each floor</li> </ul>   | NA<br>NA              | NA       | NA       |
|     | <ul> <li>Length of hose reel hose</li> </ul>  | NA<br>NA              | NA       | NA       |
|     | <ul> <li>Nozzle diameter</li> </ul>   | INA                   |          |          |
|     |   | ng system             |          |          |
| 7.  | Automatic fire detection and alarmi   | NA NA                 | NA       | NA       |
|     | Type of detectors   | NA                    | NA       | NA       |
|     | Location of Main Panel  | NA                    | NA       | NA       |
|     | Location of Repeater Panel  | NA                    | NA       | NA       |
|     | Alternate source of power   | NA                    | NA       | NA       |
|     | Hooters' Location   |                       | NA       | NA       |
| 8.  | MOEFA   | NA<br>NA              | NA NA    | NA       |
| 9.  | Public Address System   | NA                    | 14/7     |          |
| 10. | Automatic Sprinkler System  | NTA                   | NA       | NA       |
|     | <ul> <li>Basements</li> </ul>   | NA                    | NA       | NA       |
|     | Upper Floor   | NA                    | NA NA    | NA       |
|     | <ul> <li>Sprinkler above false ceiling</li> </ul>   | ng NA                 | 14/1     | 1771     |
| 11. |   | N.T.A.                | NA       | NA       |
|     | Size of riser/down- comer   | NA<br>NA              | NA<br>NA | NA<br>NA |
|     | Number of hydrants per flo  | oor NA<br>NA          | NA<br>NA | NA<br>NA |
|     | Hose Box  | NA                    | INA      | IVA      |
| 12  |   | N.T.A.                | NA       | NA       |
|     | Total number of hydrants  | NA                    | NA<br>NA | NA<br>NA |
|     | Hose Box  | NA                    | INA      | INA      |
| 13  | 1 0   |                       |          |          |
|     | Ground Level  | NA                    | NA       | NA       |
|     | Discharge of main pump  Head of main pump   | NA<br>NA              | NA<br>NA | NA<br>NA |
|     | <ul><li>Head of main pump</li><li>Number of main pumps</li></ul>                                      | NA                    | NA<br>NA | NA<br>NA |
|     | <ul><li>Number of main pumps</li><li>Jockey pump out put</li></ul>                                    | NA                    | NA       | NA<br>NA |
|     | <ul><li>Jockey pump head</li></ul>  | NA                    | NA       | NA<br>NA |
|     | Standby Pump out put  | NA                    | NA       | NA       |
|     | > Standby Pump Head   | NA                    | NA       | NA       |
|     | Auto Staring/Manual   | NA                    | NA       | NA       |
|     | stopping  | 7,07,07               |          |          |
|     | Pump House Access   | NA                    | NA       | NA       |
|     | Terrace level   |                       |          |          |
|     | Discharge of pump   | NA                    | NA       | NA       |
|     | Head of the pump  | NA                    | NA       | NA       |
|     | Power supply  | NA                    | NA       | NA       |
|     | > Auto starting of pump   | NA                    | NA       | NA       |
| 1   | 4. Captive water Storage for fire fig   |                       |          |          |
|     | Under ground tank capac   |                       | NA       | NA       |
| 1   | > Draw off connection   | NΛ                    | NA       | NA       |
|     | Fire service inlet  | NA                    | NA       | NA       |
|     | Access to tank  | NA                    | NA       | NA       |
|     | <ul> <li>Overhead Tank capacity</li> </ul>  | NA                    | NA       | NA       |
|     |   | NA                    | NA       | NA       |
| -   | 15 Exit Signage   |                       |          |          |
| -   | <ul><li>15 Exit Signage</li><li>16. Provision of Lifts</li></ul>                                      |                       |          |          |
| -   | <ul><li>15 Exit Signage</li><li>16. Provision of Lifts</li><li>➤ Pressurization of Lift Sha</li></ul> | aft NA                | NA       | NA       |
| -   | 15 Exit Signage 16. Provision of Lifts  ➤ Pressurization of Lift Sha ➤ Pressurization of lift lobb    | aft NA                | NA<br>NA | NA<br>NA |
| -   | <ul><li>15 Exit Signage</li><li>16. Provision of Lifts</li><li>➤ Pressurization of Lift Sha</li></ul> | aft NA Dy NA ar NA    |          |          |

|    |   |     | NΛ   | NA    | NA         |
|----|---|-----|------|-------|------------|
|    | ➤ Lift Signage  | NA  |      | NA    | NA         |
| 7. | Standby power supply  |     | 1471 |       | 3.7.4      |
| 8. | Refuge Area   | NA  |      | NA    | NA         |
| ο. | > Total area  |     | NA   | NA    | NA         |
|    | > Location  |     | 1474 |       |            |
| 0  | Fire control room   | 274 |      | NA    | NA         |
| 9. | > Detector system panel > Flow Switch Panel > PA System Panel > Battery backup > Building Floor Plans | NA  |      | NA    | NA         |
| 1  |   | NA  |      | NA    | NA         |
|    |   | NA  |      |       | NA         |
|    |   | NA  |      | NA    | NA<br>NA   |
|    |   | NA  |      | NA    |            |
|    |   |     |      | NA    |            |
|    | Special Fire Protection   | NA  |      | INA   |            |
| 0. | 6 Protection Of   |     |      |       |            |
|    | special Risks, if any;  |     |      | -haak | ed and fou |

Fire protection systems provided in the building were checked and found functional at the time of inspection.

In view of the deemed compliance of the minimum standards on fire prevention and fire safety requirements as per D.O.E. Circular no. 3298-3398 dated 01.03.2011, renewal of Fire Safety Certificate issued vide letter no. F6/DFS/MS/School/2019/1304 Dated 18.06.2019 is recommended.

Accordingly DFA is put up for approval please.

ADO (JWP)