C49

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE NEW DELHI-110001

No. F.6/DFS/MS/EH/2022/SZ/351 Dated 16 / 12/2022

FIRE SAFETY CERTIFICATE

Certified that the Restaurant in the name & style of M/s Tripti Restaurant and Catering Services at A-67/1, Mahipalpur, National Highway-8, New Delhi - 110037 Comprised of Basement, Ground plus Two upper floors, but restaurant running at ground floor only, owner/occupied by Mr. Anil Kumar Jain was issued Fire Safety Certificate by this department vide letter no. F.6/DFS/MS/EH/SZ/2019/2389 dated 31-12-2019. The restaurant premise was re-inspected by the officer concerned of this department on 07/12/2022 in the presence of Mr. Rajesh Khanna and found that the said premise have deemed complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010 and that the premises is fit for occupancy Class D "Assembly Building" (Restaurant is running at ground floor only) as above with effect from ... 12. /2022 for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010.

Issued on 6 / 12 /2022 at New Delhi by

(SUNIL CHAWDHARY) DY. CHIEF FIRE OFFICER (SZ)

Copy to: -

y to: The Dy. Health Officer, Public Health Department, Green Park Zone, New Delhi 110016 (Ref. MHA Portal ID 2022091017362 dated 07-11-2022)

Conditions for the validity of Fire Safety Certificate: -

- All the means of escape/entry/exit shall be kept free from any obstruction. 1.
- All the fire safety arrangement provided therein shall be maintained in good working condition at all time as seen during inspection. Any loss of life property due to non-functional fire safety measures shall be at the responsibility of the management.
- All the staff members must know the correct method of operation of fire fighting system.
- The owner/occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in
- The basement shall be used as per the provisions of BBL /NBC Part- IV. 5.
- This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or alteration (Clause 1.4.3 of UBBL-2016), if any.
- "The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in 7. form 'J' [sub rule (I) of rule 37] along with a copy of this Certificate, six month prior to its expiry."



INSPECTIO	N REPORT				
Name & Address of the Building					
	67/1, Mahipalpur, National Highway-8, New De				
	Group-D Assembly (Restaurant)				
Building Comprised of	Basement, Gro	ound plus Two uppe	er floor bi		
	restaurant running at Ground floor only				
	Renewal				
	F.6/DFS/MS/EH/SZ/2019/2389 dated 31-12-2019				
Fire Safety Directives Letter No	Nil				
Date of Inspection	07/12/2022				
Name of the Inspecting Officers	Sh. Rajesh Kumar, ADO (BCP)				
Name & Designation of Officers	Mr. Rajesh Khanna (Manager)				
from the building side					
Year of construction	2000		2022		
Applicant letter No.	MHA Portal ID 2022091017362 dated 07-11-2023				
Minimum standards on Fire Prevention and Fire Safety U/R 33	Requirements Provided at Site		Remarks MR/NMF		
Access to Building.		10	MR		
Road width			N/A		
Gate width			N/A		
Width of internal road	N/A	PUPA	1		
	Dant	aurant at Ground floor on	y		
		N/A	N/A		
		N/A	N/A		
	1,11.2		77/4		
	N/A		N/A N/A		
➤ Basement floor	N/A	N/A	N/A		
c) Protection of exits		27/4	N/A		
> Fire check door			N/A		
Pressurization			N/A		
d) No. of continuous staircase to terrace			N/A		
			MR		
f) Door size	Old case	2 Exit's of 1.10m	(old case)		
Compartmentation.		Descrided	MR		
Fire check door.			MR		
 Sealing of electrical shafts. 			N/A		
		N/A	N/A		
		N/A	N/A		
	30 ACPH	N/A	N/A		
	12 ACPH	Exhaust fan provided	MR		
	8 Nos	12 Nos	MR		
Types	1 107		MR MR		
ISI Marking	151 marked	1 es	IVII		
First Aid Hose Reels.	-	01 near restaurant	MR		
Total numbers on each floor.	Hose Reels	30m	MR		
		5mm	MR		
Automatic fire detection & alarming system.					
Type of detectors	Smoke type	Provided	MR		
Location of Main Panel			MR N/A		
 Location of Repeater Panel 		N/A Provided	N/A MR		
Alternate source of power	Required Required	All floors	MR		
	K emiliten	All Hoors	14114		
Hooter's location	Required				
Hooter's location	-	Provided	MR		
Hooter's location MOEFA	Required	Provided Provided	MR MR		
Hooter's location	-				
	Name & Address of the Building Type of Occupancy Building Comprised of Type of Case Details of Previous NOC Fire Safety Directives Letter No Date of Inspection Name of the Inspecting Officers Name & Designation of Officers from the building side Year of construction Applicant letter No. Minimum standards on Fire Prevention and Fire Safety U/R 33 Access to Building. Road width Gate width Width of internal road Number, width, type & arrangement of exits. Number of Staircase Upper floors Basement floor. Width of Staircase Fire check door Fire check door Fressurization No. of continuous staircase to terrace Width of corridor Door size Compartmentation. Fire check door. Sealing of electrical shafts. Fire rating of shaft door. Water curtain Fire dampers. Smoke Management system. Basement Upper floors Fire Extinguishers. Total numbers on each floor. Length of hose-reel hose. Notzie Diameter Automatic fire detector Location of Main Panel	Name & Address of the Building Type of Occupancy Building Comprised of Type of Case Basement, Grorestaurant runni Type of Case Details of Previous NOC F.6/DFS/MS/EI Fire Safety Directives Letter No Date of Inspection Nil Date of Inspection O7/12/2022 Name of the Inspecting Officers Name & Designation of Officers From the building side Year of construction Applicant letter No. Minimum standards on Fire Prevention and Fire Safety U/R 33 Access to Building. Requirements Fre Road width Gate width Width of Internal road Number, width, type & arrangement of exits. Number of Staircase Pupper floors Basement floor Protection of exits Fire check door Pressurization M.A N/A N/A N/A N/A Door size Compartmentation. Fire dampers. Fire dampers. Fire dampers. Fire dampers. Fire textinguishers. Fire Extinguishers. Fire Smoke Management system. Fire Extinguishers. Fire Ital Hosse Reels. Fire Automatic fire detection & alarming system. Fire Length of hose-reel hose. Nozzle Diameter Automatic fire detectors Location of Main Panel M/A M/A Smoke type Ground floor Smoke type Ground floor	Name & Address of the Building Type of Occupancy Building Comprised of Type of Case Building Comprised of Type of Case Details of Previous NOC Fre Safety Directives Letter No Date of Inspection Name of he Inspecting Officers Name of Designation of Officers Shame & Designation of Officers From the building side Year of construction Applicant letter No. MHA Portal ID 2022091017362 dated Minimum standards on Fire Prevention and Fire Safety U/R 33 Access to Building. Requirements Requirements Provided at Site Provided at Site Requirements Requirements Requirements Requirements Requirements Restaurant and Catering Ser 6771, Mahipalpur, National Highway-E 670up—D Assembly (Restaurant) Basement floor Nil Date of Inspection O7/12/2022 Name & Designation of Officers Sh. Rajesh Kumar, ADO (BCP) MHA Portal ID 2022091017362 dated Provided at Site Provided at Site Requirements Requirements Provided at Site Provided at Site N/A N/A N/A N/A N/A N/A N/A N/		



	Upper floors	N/A	Provided	N/A
	Sprinkler above false ceiling	N/A	N/A	N/A
11	Internal Hydrants.			IN/A
	Size of Riser/Down-comer	100mm	Provided	MR
	Number of Hydrant per floor	01 Nos	Provided	MR
	Hose box.	01 Nos	Provided	MR
12	Yard Hydrants.			IVIK
	Total number of hydrants.	N/A	N/A	N/A
	Hose box.	N/A	N/A	N/A
13	Pumping arrangements.	3 11.2	1071	IN/A
	Ground Level			
	Discharge of main pump.	N/A	N/A	N/A
	Head of main pump.	N/A	N/A	
	Number of main pumps.	N/A	N/A	N/A
	Jockey Pump output.	N/A	N/A	N/A
		N/A	N/A	N/A
	Jockey Pump head.	N/A	N/A	N/A
	Standby Pump output.	N/A	N/A	N/A
	Standby Pump head.	N/A N/A	N/A N/A	N/A
	Auto Starting/Manual Stopping.			N/A
	Pump house access.	N/A	N/A	N/A
	Terrace Level			
	Discharge of pump.	900 LPM	Provided	MR
	Head of pump.	Old case	Provided	MR
	Power supply	Required	Provided	MR
1.4	Auto starting of pump.	Required	Provided	MR
14	Captive water storage for fire fighting.			IVIIC
	Underground tank capacity.	N/A	N/A	N/A
	Draw-off connection.	N/A	N/A	N/A
	Fire Service Inlet.	N/A	N/A	N/A
	Access to tank.	N/A	N/A	N/A
15	Overhead tank capacity. Figure Signers.	5,000 Lts	25,000 Lts	MR
16	Exit Signage. Provision of Lifts.	Required	Provided	MR
				.,,,,
17	ressurization of fift shaft.	N/A	N/A	N/A
	1 1CSSW1Zation of HIT lobby.	N/A	N/A	N/A
	 Communication in lift car. Fireman's switch. 	N/A	N/A	N/A
		N/A	N/A	N/A
	Lift signage. Standby Power Supply	N/A	N/A	N/A
18	Refuge Area	Required	Provided	MR
	Total area			1411
	Location	N/A	N/A	N/A
19	Fire Control Room.	N/A	N/A	N/A
				2.1171
	Detector system panel.	N/A	N/A	N/A
	Flow switch panel.	N/A	N/A	N/A
	 PA system panel. 	N/A	N/A	
	 Battery backup. 	N/A		N/A
	 Building floor plan. 	N/A	N/A	N/A
20	Special Fire Protection System for the	IVA	N/A	N/A
	Protection of special Risk, if any.			

m



The Fire protection systems provided in the premises were test checked at random and $\frac{N/A}{N/\mu nd}$ functional at the time of inspection.

Keeping in view of the deemed compliance of the minimum standard on fire prevention and fire safety measures as required under the rules, the FSC issued vide letter no F.6/DFS/MS/EH/SZ/2019/2389 dated 31-12-2019, renewal under rule 37 of the Delhi Fire Service rules, 2010 is recommended.

Accordingly, DFA is put up for approval and signature please.

Signature of the Inspecting Officer
Name: Sh. Rajesh Kumar

Designation: ADO (BCP)

DO (8D)

alinn Dy (R)

Your synature Pl.

tetta is putup to

13/12/12

Dy 45/2

M.S. Cell

Whought him