DELHI JAL BOARD: GOVERNMENT OF N.C.T. OF DELHI OFFICE OF THE EXECUTIVE ENGINEER (E&M)M-I CHITRA VIHAR B.P.S. (NEAR SCOPE TOWER) LAXMI NAGAR DELHI-92

E mail ID: - ee.emwseast@gmail.com. 011-22523386

O.O.No. 135

Dated-27/01/2022

In compliance of O.O. No. 21 (Min) dated. 24.01.2022 of AC (D) Sh. Jugal Kishore S/O Sh. Mool Chand ASO Emp. Code 40015750, is hereby subsequently provisionally relieved from this office on 27.21.2022 A.N. He is directed report to EE(EAP)II, for further duties. Sh. Jugal Kishore S/O Sh. Mool Chand ASO Emp. Code 40015750 is hereby directed to hand over the complete charge to Smt Kanta ASO within one week positively.

> Sd/-ED (E&M) M-I

NO.DJB/EE (E&M) WS-E/2022/ 3193 Copy to:

DATED: - 27/01/2022

ACE (M) I 2 EE(EAP)II

3 EE (EDP) CELL

4 AO (M) I

5 AC (D) 6 EE (E&M)W&S-EAST

7 Sh. Jugal Kishore ASO

8 Smt. Kanta

EC-IV 10 AAO (E&M)M-I

11 Office Order Book.

For kind information please.

-do-

For information please.

-do-

-do-

-do-

- To Handing Over the charges to Smt. Kanta ASO,

- To take over the charges from Sh. Jugal KishoreASO,

G. M. 2022

Mds. Chief Engineer (Proces BDP Cell, Delhi Jai Board, GMCTD

Prog-I(EDP)